

**PAIN RELIEVER- acetaminophen 500mg, film-coated caplet tablet, film coated
EXTRA STRENGTH PAIN RELIEVER, CASEYS 4GOOD- acetaminophen 500mg,
film-coated caplet tablet, film coated
Lil' Drug Store Products, Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Pain Reliever

Drug Facts

Active ingredient

Active ingredient (in each caplet)

Acetaminophen USP 500 mg

Purpose

Purpose

Pain reliever/fever reducer

Uses

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Overdose warning: In case of overdose, get Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

Directions

- **do not take more than directed (see Overdose warning)**
-

-
- take 2 caplets every 6 hours while symptoms last
 - do not take more than 6 caplets in 24 hours, unless
- adults and children 12 years

adults and children 12 years
and over

- directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years

Other information

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

Inactive ingredients povidone, pregelatinized starch (maize), stearic acid

Questions

Questions or comments?

Call toll-free **1-877-507-6516 (M-F 8AM-4:30PM CST)**

**This product is not manufactured or distributed by JOHNSON & JOHNSON CONSUMER, INC., McNeil Consumer Healthcare Division, distributor of Tylenol® Extra Strength Caplets.

Extra Strength Pain Reliever, Lil' Drug Store, 50ct PDP/Package

[caduceus]

Compare to the Active
Ingredient in Tylenol®
Extra Strength Caplets**

Extra Strength Pain Reliever

Acetaminophen 500 mg Pain Reliever/Fever Reducer

[caplet image]

ACTUAL SIZE

50Caplets

[Lil' Drug Store logo]

<p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none"> do not take more than directed (see Overdose warning) <table border="1"> <tr> <td>adults and children 12 years and over</td> <td> <ul style="list-style-type: none"> take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor </td> </tr> <tr> <td>children under 12 years</td> <td>ask a doctor</td> </tr> </table> <p>Other information</p> <ul style="list-style-type: none"> store between 20° to 25°C (68° to 77°F) <p>Inactive ingredients povidone, pregelatinized starch (maize), stearic acid</p> <p>Questions or comments? Call toll-free 1-877-507-6516 (M-F 8AM-4:30PM CST)</p>	adults and children 12 years and over	<ul style="list-style-type: none"> take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor 	children under 12 years	ask a doctor	<p>Compare to the Active Ingredient in Tylenol® Extra Strength Caplets**</p>  <p>Extra Strength Pain Reliever</p> <p>Acetaminophen 500 mg</p> <p>Pain Reliever/Fever Reducer</p>  <p>ACTUAL SIZE</p> <p>50 Caplets</p> 	<p>TAMPER EVIDENT: DO NOT USE IF CARTON IS OPEN OR IF PRINTED FOIL SEAL UNDER CAP IS TORN OR MISSING.</p> <p>KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.</p> <p>Drug Facts</p> <table border="1"> <thead> <tr> <th>Active ingredient (in each caplet)</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Acetaminophen USP 500 mg.....</td> <td>Pain reliever/fever reducer</td> </tr> </tbody> </table> <p>Uses</p> <ul style="list-style-type: none"> temporarily relieves minor aches and pains due to: <ul style="list-style-type: none"> the common cold headache backache minor pain of arthritis toothache muscular aches premenstrual and menstrual cramps temporarily reduces fever <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take</p> <ul style="list-style-type: none"> more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product <p>Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:</p> <ul style="list-style-type: none"> skin reddening blisters rash 	Active ingredient (in each caplet)	Purpose	Acetaminophen USP 500 mg.....	Pain reliever/fever reducer	<p>Drug Facts (continued)</p> <p>If a skin reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none"> with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. if you are allergic to acetaminophen or any of the inactive ingredients in this product <p>Ask a doctor before use if you have liver disease</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days new symptoms occur redness or swelling is present. <p>These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children.</p> <p>Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>
adults and children 12 years and over	<ul style="list-style-type: none"> take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor 										
children under 12 years	ask a doctor										
Active ingredient (in each caplet)	Purpose										
Acetaminophen USP 500 mg.....	Pain reliever/fever reducer										

**This product is not manufactured or distributed by JOHNSON & JOHNSON CONSUMER, INC., McNeil Consumer Healthcare Division, distributor of Tylenol® Extra Strength Caplets.

Code: TS/DRUGS/16/2014

Extra Strength Pain Reliever, Casey's 4good, 50ct PDP/Package

EXTRA STRENGTH

Pain Reliever

Acetaminophen 500 mg

Pain Reliever/Fever Reducer

Compare to the active ingredient

in Tylenol® Extra

Strength*

[caplet image]

actual

size

[Casey's 4good logo TM]

50 CAPLETS



PAIN RELIEVER

acetaminophen 500mg, film-coated caplet tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6871
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE K30 (UNII: U725QWY32X)	
STARCH, CORN (UNII: O8232NY3SJ)	
PALMITOSTEARIC ACID (UNII: Q8Y7S3B85M)	

Product Characteristics

Color	white (white to off-white)	Score	no score
Shape	OVAL (capsule-shaped biconvex)	Size	18mm
Flavor		Imprint Code	N79
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6871-4	1 in 1 CARTON	03/04/2022	
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M013	03/04/2022	

EXTRA STRENGTH PAIN RELIEVER, CASEYS 4GOOD

acetaminophen 500mg, film-coated caplet tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6321
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
PALMITOSTEARIC ACID (UNII: Q8Y7S3B85M)	
POVIDONE K30 (UNII: U725QWY32X)	

Product Characteristics

Color	white (white to off-white)	Score	no score
Shape	OVAL (capsule-shaped biconvex)	Size	18mm
Flavor		Imprint Code	N79
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6321-4	1 in 1 CARTON	08/01/2023	
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M013	08/01/2023	

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 8/2023

Lil' Drug Store Products, Inc.