

BANANA BOAT PROTECTION PLUS VITAMINS SUNSCREEN UVA/UVB BROAD SPECTRUM SPF 50- avobenzone, homosalate, octisalate, octocrylene aerosol, spray
Edgewell Personal Care Brands LLC

Active Ingredients

Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 7.0% . .

Purpose

Sunscreen Agent

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (**see Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

May stain some fabrics.

Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120 °F.

Flammable: Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking.

Do not use

on damaged or broken skin.

When using this product

- Keep away from face to avoid breathing it
- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well
- Hold container 4 to 6 inches from the skin to apply
- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Do not spray directly into face. Spray on hands and then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- Reapply:
 - after 80 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Alcohol Denat., Isobutane, Caprylic/Capric Triglyceride, Isododecane, Niacinamide, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Dimethicone, Tetrahexyldecyl Ascorbate, Camellia Sinensis Leaf Extract, Fragrance, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadensis Leaf Extract

Other Information

protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

PRINCIPAL DISPLAY PANEL

|BANANA

BOAT

NEW!

Protection

+Vitamins

SUNSCREEN SPRAY

UVA/UVB BROAD SPECTRUM SPF 50+

50+

VITAMINS

C + B3

12 HOUR HYDRATION

NOURISH + PROTECT

FROM UV DAMAGE

Water Resistant

(80 Minutes)

4.5 FL.OZ (133mL)

BANANA BOAT
NEW!
Protection + Vitamins
SUNSCREEN SPRAY
UVA/UVB BROAD SPECTRUM SPF 50+
50+
VITAMINS
C + B³
12 HOUR HYDRATION
NOURISH + PROTECT
FROM UV DAMAGE
Water Resistant
(80 Minutes)
4.5 FL. OZ. (133mL)
Empty Before Recycling
METAL CAN
100% Recycled
Free from Oxybenzone, Octinoxate

SUN SAFETY DIRECTIONS

Apply Liberally Wait 15 min. 2 HR. Reapply Cover Up!

Drug Facts

Active Ingredients	Purpose
Avobenzone 2.7%, Homosalate 8.0%, Octisalate 4.5%, Octocrylene 7.0%	Sunscreen Agent

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.
Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120 °F.
Flammable: Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking.

Directions ■ Shake well ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Do not spray directly into face. Spray on hands and then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area ■ Reapply: • after 80 minutes of swimming or sweating ■ Immediately after towel drying ■ At least every 2 hours ■ Children under 6 months: Ask a doctor ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients: Alcohol Denat., Isobutane, Caprylic/Capric Triglyceride, Isododecane, Niacinamide, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Dimethicone, Tetrahydrocyclopentadiene, Ascorbate, Camellia Sinensis Leaf Extract, Fragrance, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadensis Leaf Extract

Other Information ■ protect this product from excessive heat and direct sun

Questions or comments?
Call 1-900-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
Shelton, CT 06484 © 2022 Edgewell.
www.bananaboat.com
93038019 DOT 2Q M5655

0 79656 13709 5

BANANA BOAT PROTECTION PLUS VITAMINS SUNSCREEN UVA/UVB BROAD SPECTRUM SPF 50

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-631
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.7 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
NIACINAMIDE (UNII: 25X51I8RD4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
MINERAL OIL (UNII: T5L8T28FGP)	
PANTHENOL (UNII: WW9CM0067Z)	
WATER (UNII: 059QF0KO0R)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)	
ISODODECANE (UNII: A8289P68Y2)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
ISOBUTANE (UNII: BXR49TP611)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-631-33	133 g in 1 CAN; Type 0: Not a Combination Product	10/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/01/2022	

Labeler - Edgewell Personal Care Brands LLC (151179769)