VANADIUM METALLICUM- vanadium metallicum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

VANADIUM METALLICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

VANADIUM METALLICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



VANADIUM METALLICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

VANADIUM METALLICUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as dry cough.
Keep out of reach
of children
Directions: Take 5
pellets orally once

Inactive ingredients: sucrose

memann Labs Inc. 1940 Fourth St. San Rafael, C

VANADIUM METALLICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



VANADIUM METALLICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

VANADIUM METALLICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as dry cough.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, C

VANADIUM METALLICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



VANADIUM METALLICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

VANADIUM **METALLICUM** 200C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as dry cough. Keep out of reach of children Directions: Take 5 pellets orally once

sucrose

00000

Inactive ingredients:

VANADIUM METALLICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



VANADIUM METALLICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



VANADIUM METALLICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

VANADIUM METALLICUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as dry cough.
Keep out of reach
of children
Directions: Take 5

pellets orally once Inactive ingredients: Sucrose

00000

hnemann Labs Inc. 1940 Fourth St. San Rafael, C

VANADIUM METALLICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



VANADIUM METALLICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



VANADIUM METALLICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

VANADIUM METALLICUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use: Traditional use
such as dry cough.
Keep out of reach
of children
Directions: Take 5
pellets orally once

pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEALI

VANADIUM METALLICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

VANADIUM METALLICUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for dry cough.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

VANADIUM METALLICUM

vanadium metallicum pellet

	4-1-6	ormati	~ I

Product Type HUMAN

HUMAN OTC DRUG

Item Code (Source)

NDC:37662-1355

Route of Administration

ORAL

Active Ingredient/Active Moiety

	Ingredient Name	Basis of Strength	Strength
ı	VANADIUM (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	1 [hp_M]

Inactive Ingredients

Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 1355-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022		
2	NDC:37662- 1355-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022		
3	NDC:37662- 1355-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022		
4	NDC:37662- 1355-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022		

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	08/12/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

VANADIUM METALLICUM

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1349	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
VANADIUM (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	6 [hp_C]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 1349-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022			
2	NDC:37662- 1349-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022			
3	NDC:37662- 1349-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Category Citation Date		Marketing Start Date	Marketing End Date	
unapproved homeopathic		08/12/2022		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1350	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
VANADIUM (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	12 [hp_C]

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 1350-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022			
2	NDC:37662- 1350-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022			
3	NDC:37662- 1350-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022			

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	08/12/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1351	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
VANADIUM (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	3mm		
Flavor Imprint Code					

Contains

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 1351-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022			
2	NDC:37662- 1351-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022			
3	NDC:37662- 1351-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022			
4	NDC:37662- 1351-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		08/12/2022		
homeopathic		06/12/2022		

VANADIUM METALLICUM

vanadium metallicum pellet

_			
Prod	uct	Inform	ation

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1352

Route of Administration ORAL

Active Ingredient/Active Moiety

,		
Ingredient Name	Basis of Strength	Strength
VANADIUM (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	100 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 1352-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022			
2	NDC:37662- 1352-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022			
3	NDC:37662- 1352-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022			
4	NDC:37662- 1352-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022			

	Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		08/12/2022			

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1356		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
VANADIUM (UNII: 001919XKDE) (VANADIUM - UNII:001919XKDE)	VANADIUM	1 [hp O]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor		Imprint Code		
Contains				

F	Packaging			
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date

NDC:37662- 1356-1 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
---	------------	--

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date	
unapproved homeopathic		08/12/2022		

vanadium metallicum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1353
--------------	----------------	--------------------	----------------

Route of Administration ORAL

Active Ingredient/Active Moiety

I	Ingredient Name	Basis of Strength	Strength
I	VANADIUM (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

I	Packaging					
# Item Code Package Description		Marketing Start Date	Marketing End Date			
]	NDC:37662- 1353-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022			
2	NDC:37662- 1353-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022			
3	NDC:37662- 1353-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022			
4	NDC:37662- 1353-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022			

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date	
unapproved homeopathic		08/12/2022		

vanadium metallicum pellet

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
VANADIUM (UNII: 001919XKDE) (VANADIUM - UNII:001919XKDE)	VANADIUM	500 [hp. C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (LINII), C151LIOMESA)	

Product Characteristics

1 Todace Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 1354-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
2	NDC:37662- 1354-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
3	NDC:37662- 1354-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
4	NDC:37662- 1354-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date

unapproved homeopathic	08/12/2022	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hahnemann Laboratories, INC.		147098081	manufacture(37662-1349, 37662-1350, 37662-1351, 37662-1352, 37662-1353, 37662-1354, 37662-1355, 37662-1356)	

Revised: 8/2022 Hahnemann Laboratories, INC.