

PLANTAGO MAJOR- plantago major pellet
Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**PLANTAGO
MAJOR
30C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:
Listed above

Use: Traditional use
such as diarrhea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**PLANTAGO
MAJOR
100C**

Min. net wt: 1g

**HOMEOPATHIC
MEDICINE HPUS**

Active ingredient:
Listed above

Use:Traditional use
such as diarrhea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**PLANTAGO
MAJOR
200C**

Min. net wt: 1g

**HOMEOPATHIC
MEDICINE HPUS**

Active ingredient:
Listed above

Use:Traditional use
such as diarrhea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**PLANTAGO
MAJOR
500C**

Min. net wt: 1g

**HOMEOPATHIC
MEDICINE HPUS**

Active ingredient:
Listed above

Use:Traditional use
such as diarrhea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**PLANTAGO
MAJOR
1M**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:
Listed above

Use: Traditional use
such as diarrhea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

PLANTAGO MAJOR 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

PLANTAGO MAJOR

plantago major pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1361
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
PLANTAGO MAJOR (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)		PLANTAGO MAJOR	200 [hp_C]	
Inactive Ingredients				
Ingredient Name		Strength		
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1361-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
2	NDC:37662-1361-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
3	NDC:37662-1361-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
4	NDC:37662-1361-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			08/12/2022	

PLANTAGO MAJOR

plantago major pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1362
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
PLANTAGO MAJOR (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)		PLANTAGO MAJOR	500 [hp_C]

Inactive Ingredients				
Ingredient Name			Strength	
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1362-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
2	NDC:37662-1362-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
3	NDC:37662-1362-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
4	NDC:37662-1362-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			08/12/2022	

PLANTAGO MAJOR			
plantago major pellet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1358
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
PLANTAGO MAJOR (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)		PLANTAGO MAJOR	12 [hp_C]
Inactive Ingredients			
Ingredient Name		Strength	
SUCROSE (UNII: C151H8M554)			

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1358-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
2	NDC:37662-1358-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
3	NDC:37662-1358-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/12/2022	

PLANTAGO MAJOR

plantago major pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1359
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PLANTAGO MAJOR (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)	PLANTAGO MAJOR	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm

Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1359-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
2	NDC:37662-1359-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
3	NDC:37662-1359-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
4	NDC:37662-1359-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			08/12/2022	

PLANTAGO MAJOR

plantago major pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1360
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
PLANTAGO MAJOR (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)		PLANTAGO MAJOR	100 [hp_C]
Inactive Ingredients			
Ingredient Name		Strength	
SUCROSE (UNII: C151H8M554)			
Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1360-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
2	NDC:37662-1360-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
3	NDC:37662-1360-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
4	NDC:37662-1360-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			08/12/2022	

PLANTAGO MAJOR				
plantago major pellet				
Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	
Route of Administration		ORAL	NDC:37662-1357	
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
PLANTAGO MAJOR (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)			PLANTAGO MAJOR	6 [hp_C]
Inactive Ingredients				
Ingredient Name			Strength	
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:37662-1357-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
2	NDC:37662-1357-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	
3	NDC:37662-1357-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/12/2022	

PLANTAGO MAJOR

plantago major pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1363
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PLANTAGO MAJOR (UNII: W2469WNO6U) (PLANTAGO MAJOR - UNII:W2469WNO6U)	PLANTAGO MAJOR	1 [hp_M]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1363-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
2	NDC:37662-1363-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/12/2022	
3	NDC:37662-1363-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022	

4	NDC:37662-1363-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/12/2022
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/12/2022	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment

Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-1357, 37662-1358, 37662-1359, 37662-1360, 37662-1361, 37662-1362, 37662-1363)

Revised: 8/2022

Hahnemann Laboratories, INC.