

CURIST ACNE RELIEF- adapalene gel
Little Pharma, Inc.

Acne Relief (Adapalene Gel 0.1%)

Drug Facts

Active ingredient

Adapalene USP 0.1% (retinoid)*

*read consumer information leaflet

Purpose

Acne treatment

Use

for the treatment of acne

Warnings

For external use only

Do not use

- on damaged skin (cuts, abrasions eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product

If pregnant or breast-feeding, ask a doctor before use

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that become severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
 - in the first few weeks of use
 - if using more than one topical acne medication at a time
 - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see result
- avoid product contact eyes, lips, and mouth. If contact occurs immediately flush the area with water.
- wash hands after use

Stop use and ask a doctor if

- you become pregnant, or planning to become pregnant while using this product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation become severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

- use **once** daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.
- **Children under 12 years of age:** ask a doctor

Other information

- store at room temperature 68° to 77°F
- protect from freezing

Inactive ingredients carbomer homopolymer, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide

Questions? Call **1 (888) 721-7115**

*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

Distributed by: Little Pharma, Inc.

New York, NY 10023 | Made in India

curist

Acne Relief

Adapalene Gel, 0.1%

Acne Treatment

Once Daily Topical Retinoid*

Fragrance Free

Oil Free

NET WT 1.6 oz (45 g)

curist

Acne Relief

Adapalene Gel 0.1%
Acne Treatment

Once Daily Topical Retinoid*
Fragrance Free
Oil Free

curistrelief.com

NET WT 1.6 oz (45 g)



Drug Facts

Active ingredient	Purpose
Adapalene USP 0.1% (retinoid)*	Acne treatment
*read consumer information leaflet	

Use for the treatment of acne

Warnings

For external use only

Do not use

- on damaged skin (cuts, abrasions, eczema, sunburn)
- if you are allergic to adapalene or any of the ingredients in this product

If pregnant or breast-feeding, ask a doctor before use

When using this product

- limit sun exposure, including light from tanning beds, and use sunscreen when going outdoors
- do not wax to remove hair in areas where the product has been applied
- during the early weeks of use, your acne may appear to worsen before it improves (this is normal); continue using as directed, unless you get irritation that becomes severe
- irritation (redness, itching, dryness, burning) is more likely to occur:
 - in the first few weeks of use
 - if using more than one topical acne medication at a time
 - but irritation usually lessens with continued use of this product
- it may take up to 3 months of once daily use to see results
- avoid product contact with eyes, lips, and mouth. If contact occurs, immediately flush the area with water.
- wash hands after use

Stop use and ask a doctor if

- you become pregnant, or are planning to become pregnant, while using the product
- you have symptoms of an allergic reaction (such as itching, rash, hives, swelling of the lips, eyelids, and shortness of breath)
- irritation becomes severe
- you see no improvement after 3 months of once daily use

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older:

- use **once** daily
- clean the skin gently and pat dry before applying the product
- cover the entire affected area with a thin layer. For example, if your acne is on the face, apply the product to the entire face.
- do not use more than one time a day. Applying more than directed will not provide faster or better results, but may worsen skin irritation.

Children under 12 years of age: ask a doctor

Other information

- store at room temperature 68°-77°F
- protect from freezing

Inactive ingredients

carbomer homopolymer, edetate disodium, methylparaben, poloxamer 182, propylene glycol, purified water and sodium hydroxide

Questions? Call 1 (888) 721-7115

*Read carton and enclosed consumer information leaflet before using this product. Keep this carton and consumer information leaflet. They contain important information.

Distributed by: Little Pharma, Inc.
New York, NY 10023 | Made in India

CURIST ACNE RELIEF

adapalene gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72559-015
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
ADAPALENE (UNII: 1L4806J2QF) (ADAPALENE - UNII:1L4806J2QF)		ADAPALENE	0.1 g in 100 g	
Inactive Ingredients				
Ingredient Name			Strength	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
POLOXAMER 182 (UNII: JX0HIX6OAG)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72559-015-13	1 in 1 CARTON	08/15/2022	
1		45 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA091314	08/15/2022		

Labeler - Little Pharma, Inc. (074328189)

Revised: 8/2022

Little Pharma, Inc.