

**AZTEC GOLD- sodium chlorite solution**  
**Ecolab Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

**KEEP OUT OF THE REACH  
OF CHILDREN  
NOT FOR HUMAN USE**

**DANGER:** For external use only. Causes severe skin burns and eye damage.

Wash skin thoroughly after handling. Wear protective gloves/protective clothing/ eye protection/ face protection.

**DISPOSAL:** Unused teat dip may be diluted with water and flushed down drain. Do not reuse containers. Empty containers should be thoroughly rinsed with water and taken to a recycling center.

**AVOID FREEZING:** If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.

**DIRECTIONS FOR USE:** Measure equal volumes of **Aztec Gold base** and **Aztec Gold activator** into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Mix only enough product for one milking of the herd. Dip cups should be washed after each milking.

**APPLICATION:**

**Pre-Milking:** If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping. Before each cow is milked, dip the teats as far up as possible. Leave Aztec Gold Teat Dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.

**Post-Milking:** Immediately after milking, dip teats at least 2/3 their length in Aztec Gold Teat Dip. Allow to air dry. DO NOT WIPE. Aztec Gold Teat Dip can be used as a post-dip alone, or as a pre and post-milking teat dip.

**Always use freshly mixed, full strength Aztec Gold Teat Dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh Aztec Gold Teat Dip.**

**Note 1:** If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

**Note 2:** The gold color in the mixed product fades with time. At higher temperatures the fading is more rapid. However, this will not affect the efficacy of the product.

**Note 3:** Aztec Gold should be used only with a compatible pre-dip or udder wash.

**DANGER:** For external use only. Causes severe skin burns and eye damage. Wash skin thoroughly after handling. Wear protective gloves/protective clothing/ eye protection/ face protection.

**IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting. **IF ON SKIN (or hair):** Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. **IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

Not for use in sanitizing dairy equipment. Do not mix with any other teat dip or other product.

Avoid contact with food. Store at room temperature. Protect from heat and freezing. Always store away from continuous artificial light or direct sunlight.

**FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL:  
1-800-328-0026.**

**FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL:  
1-651-222-5352 (IN THE USA).**

### **Principal Display Panel and Representative Label**

**ECOLAB®**

**AZTEC GOLD™**

**GERMICIDAL PRE & POST  
MILKING TEAT DIP**

An aid in reducing the spread of organisms which may cause mastitis

**BASE**

**FOR USE ONLY WITH AZTEC GOLD™ACTIVATOR**

# ACTIVE INGREDIENT

Sodium Chlorite ..... 0.6%

INACTIVE INGREDIENT ..... 99.4%

Aztec Gold™ is a Trademark of Ecolab Inc.  
St Paul, MN 55102 • Made in USA  
<http://www.ecolab.com>

Patent Pending  
Foreign Patents Pending

18.9L (5 US GAL)



6302045



Teat Dip  
Baño de tetina

KEEP OUT OF THE REACH OF CHILDREN  
NOT FOR HUMAN USE

MANTENGALO FUERA DEL ALCANCE DE LOS NIÑOS  
NO ES PARA USO DOMESTICO

Aztec Gold™ is a Trademark of Ecolab Inc.  
St Paul, MN 55102 • Made in USA  
<http://www.ecolab.com>

Patent Pending  
Foreign Patents Pending

18.9 L (5 US GAL)

## AZTEC GOLD™ GERMICIDAL PRE & POST MILKING TEAT DIP

An aid in reducing the spread of organisms which may cause mastitis

### BASE FOR USE ONLY WITH AZTEC GOLD™ ACTIVATOR

**ACTIVE INGREDIENT**  
Sodium Chlorite ..... 0.6%  
**INERT INGREDIENTS:** ..... 99.4%  
**TOTAL:** ..... 100.0%

**DANGER:** For external use only. Causes severe skin burns and eye damage. Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.  
**IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.  
Not for use in sanitizing dairy equipment. Do not mix with any other teat dip or other product.  
Avoid contact with food. Store at room temperature. Protect from heat and freezing. Always store away from continuous artificial light or direct sunlight.  
**DISPOSAL:** Unused teat dip may be diluted with water and flushed down drain. Do not reuse containers. Empty containers should be thoroughly rinsed with water and taken to a recycling center.  
**FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL:**  
1-800-328-0026  
**FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL:**  
1-651-222-5352 (IN THE USA).

**AVOID FREEZING:** If product is exposed to freezing temperatures, components must be mixed thoroughly prior to use.

**DIRECTIONS FOR USE:** Measure equal volumes of Aztec Gold base and Aztec Gold activator into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Mix only enough product for one milking of the herd. Dip cups should be washed after each milking.

**APPLICATION:**  
**Pre-Milking:** If teats are visibly dirty, wash and dry teats with a single service towel prior to dipping. Before each cow is milked, dip the teats as far up as possible. Leave Aztec Gold Teat Dip on teats for at least 15-30 seconds. Wipe teats dry using a single service towel before milking.  
**Post-Milking:** Immediately after milking, dip teats at least 2/3 their length in Aztec Gold Teat Dip. Allow to air dry. DO NOT WIPE. Aztec Gold Teat Dip can be used as a post-dip alone, or as a pre and post-milking teat dip.

**Always use freshly mixed, full strength Aztec Gold Teat Dip. If product in dip cup becomes visibly dirty, discard contents and fill with fresh Aztec Gold Teat Dip.**

**Note 1:** If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian and milking equipment service personnel if irritation persists.

**Note 2:** The gold color in the mixed product fades with time. At higher temperatures the fading is more rapid. However, this will not affect the efficacy of the product.

**Note 3:** Aztec Gold should be used only with a compatible pre-dip or udder wash.

Lot No.	Exp. Date
Lote	Expiración

## AZTEC GOLD™ PRESELLADOR Y SELLADOR GERMICIDA PARA PEZONES

Ayuda a reducir la propagación de gérmenes que pueden causar la mastitis

### BASE USARLA UNICAMENTE CON EL ACTIVADOR DEL AZTEC GOLD™

**INGREDIENTE ACTIVO**  
Clorito de Sodio ..... 0.6%  
**INGREDIENTES INERTES:** ..... 99.4%  
**TOTAL:** ..... 100.0%

**PELIGRO:** Solo de uso externo. Provoca graves quemaduras en la piel y lesiones oculares. Lavar la piel cuidadosamente después de la manipulación. Usar guantes/ropa de protección/equipo de protección para los ojos la cara.  
**EN CASO DE INGESTION:** Enjuagar la boca. NO provocar el vomito. EN CASO DE CONTACTO CON LA PIEL (o el pelo): Quitar inmediatamente la ropa contaminada. Enjuagar la piel con agua ducharse. EN CASO DE INHALACION: Transportar la víctima al aire libre y mantenerla en reposo en una posición que le facilite la respiración. EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar los lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Llamar inmediatamente a un CENTRO DE TOXICOLOGIA o a un médico. Lavar la ropa contaminada antes de volverla a usar. No se debe utilizar para higienizar el equipo de ordeño. No se debe mezclar con otros selladores de pezones o productos similares.  
Evite el contacto con los alimentos. Almacenarlo a temperatura ambiente. Protegerlo del calor y la congelación. Almacenarlo siempre después de la luz artificial continua o la luz solar directa.  
**DESECHO:** El producto que no sea utilizado se puede diluir con agua y ser desechado por el drenaje. Los envases no se deben volver a utilizar. Los envases vacíos se deben enjuagar completamente y ser llevados a un centro de reciclaje.  
**PARA INFORMACIÓN MEDICA DE URGENCIA EN LOS E.E.U.U. O CANADA, LLAME AL 1-800-328-0026.**  
**PARA INFORMACIÓN MEDICA DE URGENCIA EN EL RESTO DEL MUNDO, LLAME AL 1-651-222-5352.**

**EVITE EL CONGELAMIENTO:** Si el producto se expone a temperaturas de congelación los componentes deben ser mezclados completamente antes del uso.

**INSTRUCCIONES DE USO:** Mezcle cantidades iguales de Aztec Gold base y Aztec Gold activador en una copa de aplicación limpia hasta que el color dorado sea uniforme. No se debe diluir. Mezcle solamente la cantidad necesaria para un ordeño del rebaño. Las copas de aplicación deben lavarse después de cada ordeño.

**APLICACION:**  
**PRESELLADO/ANTES DEL ORDEÑO:** Si los pezones se ven sucios lívelos y séquelos con una toalla de papel desechable antes de la aplicación del producto. Antes del ordeño sumerja completamente los pezones en la copa de aplicación. Deje actuar el presellador Aztec Gold en los pezones por al menos 15-30 segundos. Seque los pezones con una toalla de papel desechable antes del ordeño.  
**SELLO/DESPUES DEL ORDEÑO:** Inmediatamente después del ordeño sumerja al menos dos terceras partes de los pezones o más en la copa aplicadora del Aztec Gold, y déjelos secar al aire libre sin limpiarlos. El baño de pezones del Aztec Gold puede ser usado solamente como sellador después del ordeño, ó como presellador y sellador antes y después del ordeño.

**Nota 1:** Si se presenta una irritación en el pezon interrumpa el uso hasta que la irritación desaparezca. Consulte a su médico veterinario y al técnico de mantenimiento del equipo de ordeño si la irritación persiste.

**Nota 2:** El color dorado del producto mezclado se desvanece con el tiempo. A temperaturas elevadas el color desaparece más rápidamente; sin embargo este descoloramiento no afecta la eficacia del producto.

**Nota 3:** El sellador Aztec Gold debe ser utilizado solamente con productos compatibles con el sellador o el baño de la ubre.

757167153001/1016

## AZTEC GOLD

sodium chlorite solution

### Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-460
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	SODIUM CHLORITE	6 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-460-16	1890 mL in 1 PAIL		
2	NDC:47593-460-21	208200 mL in 1 DRUM		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/30/2008	

**Labeler** - Ecolab Inc. (006154611)

Revised: 10/2019

Ecolab Inc.