INFLUENZINUM- influenza a virus a/victoria/2570/2019 ivr-215 (h1n1) hemagglutinin antigen (formaldehyde inactivated), influenza a virus a/darwin/9/2021 ivr-228 (h3n2) hemagglutinin antigen (uv, formaldehyde inactivated), influenza b virus b/michigan/01/2021 hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/phuket/3073/2013 hemagglutinin antigen (formaldehyde inactivated) pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

#### **INFLUENZINUM 15C MD**

**INFLUENZINUM 15C HPUS\*\*** 

(\*\* contains 0.443 mg of the active ingredient per pellet)

INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)

INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED)

INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)

INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)

After effects of flu or flu-like symptoms\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Do not use if pellet dispenser seal is broken.

Contains approx. 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Made in France

1-800-BOIRON-1 (1-800-264-7661), BoironUSA.com Info@boiron.com Distributed by Boiron, Inc. Newtown Square, PA 19073



### **Drug Facts**

Active ingredient\*\*: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

Uses: See symptoms on front panel.

Warnings: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastleeding, ask a health professional before use. Keep out of reach of children.

**Directions:** • Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Other information: • Do not use if pellet dispenser seal is broken.



### **INFLUENZINUM**

influenza a virus a/victoria/2570/2019 ivr-215 (h1n1) hemagglutinin antigen (formaldehyde inactivated), influenza a virus a/darwin/9/2021 ivr-228 (h3n2) hemagglutinin antigen (uv, formaldehyde inactivated), influenza b virus b/michigan/01/2021 hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/phuket/3073/2013 hemagglutinin antigen (formaldehyde inactivated) pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-2730
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: ERB9SJ9VMQ) (INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:ERB9SJ9VMQ)	INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)	15 [hp_C] in 15 [hp_C]		
INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED) (UNII: GRN94TP8YV) (INFLUENZA A VIRUS A/DARWN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED) - UNII:GRN94TP8YV)	INFLUENZA A VIRUS A/DARWN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED)	15 [hp_C] in 15 [hp_C]		
INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: CQV855H5FG) (INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:CQV855H5FG)	INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)	15 [hp_C] in 15 [hp_C]		
INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) (UNII: 9HB0XUS9TM) (INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:9HB0XUS9TM)	INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)	15 [hp_C] in 15 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics			
Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

l	P	ackaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:0220-2730- 41	15 [hp_C] in 1 TUBE; Type 0: Not a Combination Product	08/16/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		08/16/2022	

## **Labeler -** Boiron (282560473)

# Registrant - Boiron, Inc. (014892269)

Establishment			
Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-2730)

Revised: 8/2022 Boiron