

**INFLUENZINUM- influenza a virus a/victoria/2570/2019 ivr-215 (h1n1) hemagglutinin antigen (formaldehyde inactivated), influenza a virus a/darwin/9/2021 ivr-228 (h3n2) hemagglutinin antigen (uv, formaldehyde inactivated), influenza b virus b/michigan/01/2021 hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/phuket/3073/2013 hemagglutinin antigen (formaldehyde inactivated) pellet Boiron**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**INFLUENZINUM 8X MD**

INFLUENZINUM 8X HPUS\*\*

(\*\* contains 0.443 mg of the active ingredient per pellet)

INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)

INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED)

INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)

INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)

After effects of flu or flu-like symptoms\*

Stop use and ask a doctor if symptoms persist for more than 3 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

Do not use if pellet dispenser seal is broken.

Contains approx. 80 pellets.

How to dispense pellets? Turn tube upside down. Twist until 5 pellets are dispensed into cap. Carefully remove the cap and use it to pour pellets under the tongue.

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

\*C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

Made in France

1-800-BOIRON-1 (1-800-264-7661),

BoironUSA.com Info@boiron.com

Distributed by Boiron, Inc. Newtown Square, PA 19073

Influenzinum

8 x

HPUS NDC 0220-2733-41

BOIRON®

HOMEOPATHIC MEDICINE Made in France

After effects of flu or flu-like symptoms.\*

Lot: Exp:



3 06960 90906 4

Contains approx. 80 pellets. US

Peel for Drugs Facts and instructions for use.

Influenzinum 8 x

\*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE. NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

### Drug Facts

**Active ingredient\***: See product name on front panel (contains 0.443 mg of the active ingredient per pellet).

**Uses**: See symptoms on front panel.

**Warnings**: Stop use and ask a doctor if symptoms persist for more than 3 days or worsen. If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children.

**Directions**: ■ Adults and children: At the onset of symptoms, dissolve 5 pellets under the tongue 3 times a day until symptoms are relieved or as directed by a doctor.

**Other information**: ■ Do not use if pellet dispenser seal is broken.

### Drug Facts (continued)

**Inactive ingredients**: lactose, sucrose

#### Questions or comments?

BoironUSA.com Info@Boiron.com

1-800-BOIRON-1 (1-800-264-7661)

\*\*C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Distributed by Boiron Inc.  
Newtown Square, PA 19073



## INFLUENZINUM

influenza a virus a/victoria/2570/2019 ivr-215 (h1n1) hemagglutinin antigen (formaldehyde inactivated), influenza a virus a/darwin/9/2021 ivr-228 (h3n2) hemagglutinin antigen (uv, formaldehyde inactivated), influenza b virus b/michigan/01/2021 hemagglutinin antigen (formaldehyde inactivated), influenza b virus b/phuket/3073/2013 hemagglutinin antigen (formaldehyde inactivated) pellet

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:0220-2733 |
| <b>Route of Administration</b> | ORAL           |                           |               |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>  | <b>Basis of Strength</b>   | <b>Strength</b>         |
|---|--|-------------------------|
| <b>INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: ERB9SJ9VMQ) (INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:ERB9SJ9VMQ) | INFLUENZA A VIRUS A/VICTORIA/2570/2019 IVR-215 (H1N1) HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) | 8 [hp_X]<br>in 8 [hp_X] |
| <b>INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: 9HBOXUS9TM) (INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:9HBOXUS9TM)                                   | INFLUENZA B VIRUS B/PHUKET/3073/2013 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)                  | 8 [hp_X]<br>in 8 [hp_X] |
| <b>INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED)</b> (UNII: GRN94TP8YV) (INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED) - UNII:GRN94TP8YV)   | INFLUENZA A VIRUS A/DARWIN/9/2021 IVR-228 (H3N2) HEMAGGLUTININ ANTIGEN (UV, FORMALDEHYDE INACTIVATED)  | 8 [hp_X]<br>in 8 [hp_X] |
| <b>INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)</b> (UNII: CQV855H5FG) (INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED) - UNII:CQV855H5FG)                                   | INFLUENZA B VIRUS B/MICHIGAN/01/2021 HEMAGGLUTININ ANTIGEN (FORMALDEHYDE INACTIVATED)                  | 8 [hp_X]<br>in 8 [hp_X] |

**Inactive Ingredients**

| <b>Ingredient Name</b>                              | <b>Strength</b> |
|---|-----------------|
| <b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G) |                 |
| <b>SUCROSE</b> (UNII: C151H8M554)                   |                 |

**Product Characteristics**

|                 |       |                     |     |
|-----------------|-------|---------------------|-----|
| <b>Color</b>    | white | <b>Score</b>        |     |
| <b>Shape</b>    | ROUND | <b>Size</b>         | 4mm |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |     |
| <b>Contains</b> |       |                     |     |

**Packaging**

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0220-2733-41 | 8 [hp_X] in 1 TUBE; Type 0: Not a Combination Product | 08/16/2022           |                    |

**Marketing Information**

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| unapproved<br>homeopathic |   | 08/16/2022                  |                           |

**Labeler** - Boiron (282560473)

**Registrant** - Boiron, Inc. (014892269)

**Establishment**

| <b>Name</b> | <b>Address</b> | <b>ID/FEI</b> | <b>Business Operations</b> |
|-------------|----------------|---------------|----------------------------|
| Boiron      |                | 282560473     | manufacture(0220-2733)     |

Revised: 8/2022

Boiron