# COTZ PEDIATRIC SPF 40 SUNSCREEN - zinc oxide lotion Fallien Cosmeceuticals, LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

**DRUG FACTS** 

# **Active Ingredients:**

Zinc Oxide 20 %

# **Purpose**

Sunscreen

#### Uses:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

# Warnings:

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product, keep out of eyes. Rinse with water to remove.

*Keep out of the reach of children.* If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions:**

- Apply liberally 15 minutes before sun exposure.
- Reapply:
  - After 40 minutes of swimming or sweating
  - Immediately after towel drying
  - At least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. 2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses

# **Inactive Ingredients:**

C<sub>12-15</sub> Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Getyl PEG/PPG 10/1 Dimethicone,

Cyclopentasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dlmethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Disodium EDTA, Glycerin, Methicone, Microcrystalline Wax, PEG-10 Dimethicone, PEG-30 Dipolyhydroxystearate, Polyglyceryl-4 Isostearate, Polyhydraxystearic Acid, Polysorbate 20, Sodium Chloride, Stearyl Dimethicone, Tetrahexadecyl Ascorbate, Triethanolamine, Triethoxycaprylylsilane, Water

# Other Information:

- Protect this product from excessive heat and direct sun
- May stain some fabrics

# Principal Display Panel – SPF 40 100g Carton Label PEDIATRICIAN RECOMMENDED

 $CoTZ^{\mathbb{R}}$ 

## **PEDIATRIC**

The Healthier Sunscreen  $^{TM}$  Gentle Mineral Complex  $^{TM}$  #1 Rated UV Protection\* Will Not Irritate or Sting

Helps Prevent Heat Build-Up in Skin which can Damage the Dermis

## 100% Free of:

Chemical Sunscreens & Fragrances

SPF 40 Broad Spectrum UVA-UVB

Easy to Apply Water Resistant (40 minutes)

Net Wt. 3.5 oz/100 g



PEDIATRICIAN RECOMMENDED

#### DRUG FACTS

#### Active Ingredients: Zinc Oxide 20 %

Purpose Sunscreen

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings:

For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions:

- · Apply liberally 15 minutes before sun exposure.
- · Reapply:
- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- · Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SFF value of 15 or higher and other sun protection measures including:

   I intit time in the sun especially from 10 a.m., 2 p.m.
- Limit time in the sun, especially from 10 a.m. 2 p.m.
- -Wear long-sleeved shirts, pants, hats, and sunglasses

#### Inactive Ingredients: -

Inactive Ingredients:

Cusa Alkyl Benzoate, Caprylhydroxamic Acid, Caprylyl Glycol, Cetyl PEG/PPG 10/1 Dimethicone, Cytohexasiloxane, Cytoperatsalioxane, Dimethicone, Dimethicone, Cytohexasiloxane, Cytoperatsalioxane, Dimethicone, Pimethicone, Pimethicone, Pimethicone, Dissodium EDTA, Glycerin, Methicone, Microcrystalline Wax, PEG-10 Dimethicone, PEG-30 Dipolyhydroxystearite, Polyglyceryl-4 Isostearite, Polyhydroxystearite, Acid, Polysorbate 20, Sodium Chloride, Stearyl Dimethicone, Tetrahexadecyl Ascorbate, Triethanolamine, Triethoxycaprylysialine, Water

Other Information:

#### Other Information:

- · Protect this product from excessive heat and
- direct sun

  May stain some fabrics

CoTZ® PEDIATRIC with Gentle Mineral Complex" is Pediatrician Recommended and helps prevent heat build-up in children's skin, which can damage the dermis. CoTZ\* helps prevent burning & skin damage, which can lead to uneven skin tone and other serious skin

CōTZ° sits invisibly on top of children's skin and functions like thousands of mirrors to deflect UVA-UVB rays before the rays can touch the skin.

CoTZ° is 100% Free of chemical sunscreen ingredients, here's

# PEDIATRIC

The Healthier Sunscreen

CoTZ® PEDIATRIC with Gentle Mineral Complex® protects your

CoTZ\* with Gentle Mineral

Complex" for healthier skin:

- 100% Free of Chemical Sunscre

- Blends translucent to form a

\*Contains #1 rated sun protection ingredient for UVA-UVB rays

protective barrier

· Non-greasy

Fragrances, Oils, Preservatives, PABA, Gluten, Phthalates · Goes on soft & sheer

#### Gentle Mineral Complex\* #1 Rated UV Protection Will Not Irritate or Sting

Helps Prevent Heat Build-Up in Skin which can Damage the Dermis

#### 100% Free of:

Chemical Sunscreens & Fragrances

Easy to Apply Water Resistant (40 minutes)

Net Wt. 3.5 oz/100 g

SPF 40 Broad Spectrum UVA-UVB

Not tested on animals

Manufactured exclusively for CoTZ\* Skincare West Norriton, PA 19403 www.cotzskincare.com

Made in U.S.A.



# COTZ PEDIATRIC SPF 40 SUNSCREEN

zinc oxide lotion

# **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58892-518
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	200 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
Alkyl (C12-15) Benzoate (UNII: A9EJ3J61HQ)	
Caprylhydroxamic Acid (UNII: UPY805K99W)	
Caprylyl Glycol (UNII: 00 YIU5438 U)	
Cetyl PEG/PPG-10/1 Dimethicone (HLB 5) (UNII: 035JKJ76MT)	
Cyclomethicone 6 (UNII: XHK3U310BA)	
Cyclomethicone 5 (UNII: 0THT5PCI0R)	
Dimethicone 100 (UNII: RO266O364U)	
Dimethicone/Diene Dimethicone Crosspolymer (UNII: RSA9 I56 1OK)	
Edetate Disodium (UNII: 7FLD91C86K)	
Methicone (20 cst) (UNII: 6777U11MKT)	
Microcrystalline Wax (UNII: XOF597Q3KY)	
PEG-10 Dimethicone (600 cst) (UNII: 8 PR7V1SVM0)	
PEG-30 Dipolyhydroxystearate (UNII: 9713Q0S7FO)	
Polyglyceryl-4 Isostearate (UNII: 820 DPX33S7)	
Polyhydroxystearic Acid (2300 MW) (UNII: YXH47AOU0F)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
Sodium Chloride (UNII: 451W47IQ8X)	
Stearyl Dimethicone (400 MPA.S AT 50C) (UNII: R327X197HY)	
Tetrahexyldecyl Ascorbate (UNII: 9LBV3F07AZ)	
.AlphaTocopherol Acetate (UNII: 9E8 X80 D2L0)	
Trolamine (UNII: 903K93S3TK)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
Water (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58892-518-01	1 in 1 CARTON		
1		100 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/07/2012	

# Labeler - Fallien Cosmeceuticals, LTD. (958388357)

Establishment				
Name	Address	ID/FEI	Business Operations	
Custom Analytics LLC		144949372	ANALYSIS(58892-518)	

Establishment				
Name	Address	ID/FEI	Business Operations	
Process Technologies & Packaging		809172885	MANUFACTURE(58892-518)	

Revised: 12/2012 Fallien Cosmeceuticals, LTD.