

**MULTI-SYMPTOM COLD RELIEF- acetaminophen, dextromethorphan hbr, phenylephrine hcl , guaifenesin, , tablet, film coated**  
**Unifirst First Aid Corporation**

-----

**Green Guard Cold Relief**

***Drug Facts***

***Active ingredients (in each caplet)***

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Guaifenesin 100 mg

Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer

Cough suppressant

Expectorant

Nasal decongestant

***Uses***

Temporarily relieves these symptoms due to the common cold

- headache
- nasal congestion
- cough
- minor aches and pains
- sore throat
- sinus congestion and pressure
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make cough more productive

Temporarily reduces fever.

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters

- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough that lasts as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**When using this product do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed**

**Adults and children: (12 years and over)**

- take 2 caplets every 4 hours
- not to take more than 10 caplets in 24 hours

**Children under 12 years:** ask a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- tamper evident sealed packets
- do not use any opened or torn packets

**Inactive ingredients** corn starch, crospovidone, FD&C yellow # 6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

**Questions or comments?** 1-800-869-6970

Multi-Symptom Cold Relief™

Pull to Open

Tire Para Abrir

Acetaminophen / Acetaminofeno 325 mg

Dextromethorphan HBr / Hidrobromuro de dextrometorfano 10 mg

Guaifenesin / Guaifenesina 100 mg

Phenylephrine HCl / Hidrocloruro de fenilefrina 5 mg

Green Guard®

Pain reliever/Fever reducer

Multi-Symptom Relief

Alivia el dolor/Reduce la fiebre

Alivia multisintomas

Distributed by Green Guard®

St Louis, MO 63045

40 Packets of 2 Caplets

80 Caplets

Order #2580



MULTI-SYMPTOM COLD RELIEF			
acetaminophen, dextromethorphan hbr, phenylephrine hcl , guaifenesin , , tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-047
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	100 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	5 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	10 mg
Inactive Ingredients			
Ingredient Name			Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
TALC (UNII: 7SEV7J4R1U)			
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)			
CROSPVIDONE (UNII: 2S7830E561)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDWL1A)			
POVIDONE (UNII: FZ989GH94E)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			

<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)				
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)				
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)				
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)				
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)				
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)				
<b>Product Characteristics</b>				
<b>Color</b>	orange		<b>Score</b>	no score
<b>Shape</b>	CAPSULE (Caplet)		<b>Size</b>	17mm
<b>Flavor</b>			<b>Imprint Code</b>	44;546
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:47682-047-80	40 in 1 BOX	09/26/2022	
<b>1</b>	NDC:47682-047-99	2 in 1 PACKET; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug		M012	09/26/2022	

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 1/2024

Unifirst First Aid Corporation