OXYGEN- oxygen gas ANALGESIC SERVICES, INC.

Oxygen

OXYGEN COMPRESSED USP OXYGEN, COMPRESSED USP UN 1072 D15

Analgesic Services, Inc.

Sacramento, CA 95834 916-928-1068

ASI-01 OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. **DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a backflow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125° F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 **DO NOT** REMOVE THIS PRODUCT LABEL.

LOT # NET CONTENTS:



OXYGEN REFRIGERATED LIQUID USP Oxygen, Refrigerated Liquid, USP

UN1073

OXYGEN 2

! ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.!

DO NOT CHANGE OR FORCE FIT CONNECTINS.

CONTENTS:	LTRS:	CU.FT.	
00.1.2.1.0.		O O	

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction of resuscitative equipment.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDER, CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBELS IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only the equipment of compatible materials equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID FIRST AID: IF ON SKIN: Thaw affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL

Analgesic Services, Inc.

Sacramento, CA 95834

916-928-1068





UN 1073



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

warning: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

DANGER:

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/ attention.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL



Analgesic Services, Inc. Sacramento, CA 95834 916-928-1068



Oxygen Copmpressed USP - Denver OXYGEN, COMPRESSED USP UN 1072

Produced by Air Liquefaction

OXYGEN 2

18033 (03/17)

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal *Food*, *Drug and Cosmetic Act*.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a backflow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125° F). Read and follow the Safety Data Sheet (SDS) before use.

CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

ANALGESIC SERVICES, INC.

825 E 73 RD AVE.

DENVER, CO 80229 • (888) 928-1068



Oxygen Refirgerated Liquid USP - Denver REFRIGERATED LIQUID Oxygen, Refrigerated Liquid, USP UN1073

OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel

for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction of resuscitative equipment.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDER, CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBELS IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only the equipment of compatible materials equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw affected parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

Analgesic Services, Inc.

825 E 73 RD AVE.

DENVER, CO 80229 • (888) 928-1068

41533

(03/17)



UN1073

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, R_c only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children.

Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED

GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN

CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR

IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL



ANALGESIC SERVICES, INC.

825 E 73RD AVE. DENVER, CO 80229 • (888) 928-1068

41533 (03/17)

OXYGEN

oxygen gas

—		
Product	Intorm	2 tion
riouuct		ativii

Product Type

HUMAN PRESCRIPTION DRUG

Item Code (Source)

NDC:52085-001

Route of Administration RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength
OXYGEN (UNII: \$88TT14065) (OXYGEN - UNII:\$88TT14065)

OXYGEN

OXYGEN

OXYGEN

99 L in 100 L

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:52085- 001-01	171 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2007		
2	NDC:52085- 001-02	256 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2007		
3	NDC:52085- 001-03	399 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2007		
4	NDC:52085- 001-04	598 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2007		
5	NDC:52085- 001-05	684 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2007		
6	NDC:52085- 001-06	3562 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2007		
7	NDC:52085- 001-07	7096 L in 1 CYLINDER; Type 0: Not a Combination Product	04/01/2007		
8	NDC:52085- 001-08	180 L in 1 DEWAR; Type 0: Not a Combination Product	04/01/2007		

Marketing Information					
Marketing	Application Number or Monograph	Marketing Start	Marketing End		
Category	Citation	Date	Date		

Labeler - ANALGESIC SERVICES, INC. (017827288)

Registrant - ANALGESIC SERVICES, INC. (017827288)

Establishment			
Name	Address	ID/FEI	Business Operations
ANALGESIC SERVICES, INC.		017827288	manufacture(52085-001)

Establishment			
Name	Address	ID/FEI	Business Operations
ANALGESIC SERVICES, INC.		117520990	manufacture(52085-001)

Establishment			
Name	Address	ID/FEI	Business Operations
Analgesic Services, Inc.		117130170	manufacture(52085-001)

Revised: 10/2023 ANALGESIC SERVICES, INC.