SPIGELIA ANTHELMIA- spigelia anthelmia pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

SPIGELIA ANTHELMIA 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

SPIGELIA ANTHELMIA 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

SPIGELIA ANTHELMIA 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C
TWIST TO OPEN - USE ONLY IF SEAL

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

SPIGELIA ANTHELMIA 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, C.
TWIST TO OPEN - USE ONLY IF SEALE

SPIGELIA ANTHELMIA 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SPIGELIA ANTHELMIA 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SPIGELIA ANTHELMIA 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

SPIGELIA ANTHELMIA 200C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5 pellets orally once

sucrose

00000

Inactive ingredients:

SPIGELIA ANTHELMIA 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SPIGELIA ANTHELMIA 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SPIGELIA ANTHELMIA 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

SPIGELIA ANTHELMIA 500C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

SPIGELIA ANTHELMIA 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SPIGELIA ANTHELMIA 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



SPIGELIA ANTHELMIA 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

SPIGELIA ANTHELMIA 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

SPIGELIA ANTHELMIA LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

SPIGELIA ANTHELMIA

spigelia anthelmia pellet

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:37662-1447

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SPIGELIA ANTHELMIA (UNII: WYT05213GE) (SPIGELIA ANTHELMIA - UNII: WYT05213GE)	SPIGELIA ANTHELMIA	200 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 1447-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/25/2022		
2	NDC:37662- 1447-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/25/2022		
3	NDC:37662- 1447-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022		
4	NDC:37662- 1447-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022		

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	08/25/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1449		
Route of Administration	ORAL				

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 1449-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/25/2022		
2	NDC:37662- 1449-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/25/2022		
3	NDC:37662- 1449-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022		
4	NDC:37662- 1449-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		08/25/2022		

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1450		
Route of Administration	ORAL				

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SPIGELIA ANTHELMIA (UNII: WYT05213GE) (SPIGELIA ANTHELMIA - UNII: WYT05213GE)	SPIGELIA ANTHELMIA	1 [hp_Q]

Inactive Ingredients	
Ingredient Name	Strength
SUCPOSE (LINII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor		Imprint Code		
Contains				

	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 1450-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022	

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	08/25/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1443	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SPIGELIA ANTHELMIA (UNII: WYT05213GE) (SPIGELIA ANTHELMIA - UNII:WYT05213GE)	SPIGELIA ANTHELMIA	6 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 1443-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/25/2022			
2	NDC:37662- 1443-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022			
3	NDC:37662- 1443-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		08/25/2022		
homeopathic		00/23/2022		

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1444
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SPIGELIA ANTHELMIA (UNII: WYT05213GE) (SPIGELIA ANTHELMIA - UNII: WYT05213GE)	SPIGELIA ANTHELMIA	12 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		

Flavor	Impr	int Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 1444-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/25/2022			
2	NDC:37662- 1444-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022			
3	NDC:37662- 1444-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022			

		Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
	08/25/2022					
•		Citation Date				

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1445
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
SPIGELIA ANTHELMIA (UNII: WYT05213GE) (SPIGELIA ANTHELMIA - UNII: WYT05213GE)	SPIGELIA ANTHELMIA	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 1445-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/25/2022			
2	NDC:37662- 1445-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/25/2022			
3	NDC:37662- 1445-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022			
4	NDC:37662- 1445-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022			

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	08/25/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1446		
Route of Administration	ORAL				

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
SPIGELIA ANTHELMIA (UNII: WYT05213GE) (SPIGELIA ANTHELMIA - UNII: WYT05213GE)	SPIGELIA ANTHELMIA	100 [hp_C]			

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics							
Color	white	Score	no score				
Shape	ROUND	Size	2mm				
Flavor		Imprint Code					
Contains	Contains						

Packaging				

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 1446-1 NDC:37662- 1446-2 NDC:37662- 1446-3 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product NDC:37662- 1446-3 Combination Product NDC:37662- 1446-3 Combination Product		08/25/2022	
2			08/25/2022	
3			08/25/2022	
4	NDC:37662- 1446-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		08/25/2022			
homeopathic		33,137,1311			

Droduc	t Info	rmation
riouu	. L IIII O	HIHALIVII

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1448
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
SPIGELIA ANTHELMIA (UNII: WYT05213GE) (SPIGELIA ANTHELMIA - UNII: WYT05213GE)	SPIGELIA ANTHELMIA	500 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

Packaging						
# Item Code	Package Description	Marketing Start Date	Marketing End Date			
NDC.37663	200 in 1 VIAL CLACC. Time O. Not a Combination					

1	NDC:37002- 1448-1	Product	08/25/2022
2	NDC:37662- 1448-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	08/25/2022
3	NDC:37662- 1448-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022
4	NDC:37662- 1448-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	08/25/2022

Marketing Information						
ng End e						

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment						
Name	Address	ID/FEI	Business Operations			
Hahnemann Laboratories, INC.		147098081	manufacture(37662-1443, 37662-1444, 37662-1445, 37662-1446, 37662-1447, 37662-1448, 37662-1449, 37662-1450)			

Revised: 8/2022 Hahnemann Laboratories, INC.