GREEN GUARD EXTRA STRENGTH PAIN RELIEF- aspirin. caffeine tablet, film coated

Unifirst First Aid Corporation

Green Guard Pain Relief

Drug Facts

Active ingredients (in each caplet)

Aspirin 500 mg (NSAID)*

Caffeine 32.5 mg

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Pain reliever aid

Uses

for the temporary relief of

- backache pain
- muscle aches and pains
- minor aches and pains of arthritis

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert:

Aspirin may cause a severe allergic reaction which may include:

- hives
- shock
- facial swelling
- asthma (wheezing)

Stomach bleeding warning:

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- take more or for a longer time than directed
- take a blood thinning (anticoagulant) or steroid drug
- are age 60 or older
- have 3 or more alcohol drinks every day while using this product

■ have had stomach ulcers or bleeding problems

■ take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have asthma
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- 🗖 gout
- diabetes
- arthritis

Stop use and ask a doctor if

■ an allergic reaction occurs. Seek medical help right away.

■ you experience any of the following signs of stomach bleeding: ■ vomit blood ■ have bloody or black stools ■ feel faint ■ have stomach pain that does not get better

- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

drink a full glass of water with each dose

Adults and children: (12 years and over) take 2 caplets every 6 hours, not to exceed 8 caplets in 24 hours

Children under 12 years: do not use unless directed by a doctor

Other information

- store at 77°F (25°C) excursions permitted between 59°-86°F (15°-30°C)
- tamper evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, sodium lauryl sulfate

Questions or comments? 1-800-869-6970

Extra Strength Pain Relief™

Green Guard

Alivio al dolor extra fuerte

Aspirin (NSAID) / Aspirina (AINE) 500 mg

Caffeine / Cafeina 32.5 mg

Pull tp Open

Tire Para Abrir


40 packet of 2 Caplets

80 Caplets

Order #2180

Distributed by Green Guard

St Louis, MO 63045



GREEN GUARD EXTRA STRENGTH PAIN RELIEF

aspirin. caffeine tablet, film coated

Product Type		HUMAN OTC DRUG	Item Code	e (Source)	NDC:4	7682-048
Route of Adminis	tration	ORAL				
• • • • • • • • • • • • • • • • • • •		N# - 1 - 1				
Active Ingredie						
Ing red ASPIRIN (UNII: R16C05Y76E) (ASPI				Basis of Strength		Strengt
CAFFEINE (UNII: 3G6A5W338E) (CA				ASPIRIN CAFFEINE		500 mg 32.5 mg
				CATEINE		52.5 mg
nactive Ingred	lients					
		Ingredient Name				Strength
		E (UNII: OP1R32D61U)				
STARCH, CORN (UNI						
HYPROMELLOSE, U						
MALTODEXTRIN (UN						
OLYETHYLENE GL	YCOL, UNSPE	ECIFIED (UNII: 3WJQ0SDW1A	A)			
SODIUM LAURYL SU	JLFATE (UNII:	368GB5141I)				
SODIUM LAURYL SU	JLFATE (UNII:	368GB5141J)				
SODIUM LAURYL SU	JLFATE (UNII:	368GB5141J)				
		368GB5141J)				
Product Charac		368GB5141J)	Score		no s	core
Product Charac	cteristics		Score Size		no s 17m	
Product Charac Color Shape	cteristics white			ode		m
Product Charac Color Shape Flavor	cteristics white		Size	ode	17m	m
SODIUM LAURYL SU Product Charae Color Shape Flavor Contains	cteristics white		Size	ode	17m	m
Product Charac Color Shape Flavor	cteristics white		Size	ode	17m	m
Product Charac Color Shape Flavor Contains Packaging	Cteristics white CAPSULE		Size Imprint C	ode rketing Start Date	17m 44;4 Mark	m 13
Product Charac Color Shape Flavor Contains Packaging # Item Code	Cteristics white CAPSULE	(Caplet)	Size Imprint C	rketing Start Date	17m 44;4 Mark	m 13 eting End
Product Charac Color Shape Flavor Contains Packaging I tem Code NDC:47682-048- 80 NDC:47682-048-	cteristics white CAPSULE Pac 40 in 1 BOX	(Caplet)	Size Imprint C Ma 09/26/	rketing Start Date	17m 44;4 Mark	m 13 eting End
Product Charae Color Shape Flavor Contains Packaging Item Code NDC:47682-048- 80 NDC:47682-048-	cteristics white CAPSULE Pac 40 in 1 BOX 2 in 1 PACKET	(Caplet)	Size Imprint C Ma 09/26/	rketing Start Date	17m 44;4 Mark	m 13 eting End
Product Charac Color Shape Flavor Contains Packaging I tem Code NDC:47682-048- 80 NDC:47682-048-	Cteristics white CAPSULE Pac 40 in 1 BOX 2 in 1 PACKET Product	(Caplet) : kage Description ; Type 0: Not a Combination	Size Imprint C Ma 09/26/	rketing Start Date	17m 44;4 Mark	m 13 eting End
Product Charac Color Shape Flavor Contains Packaging Item Code NDC:47682-048- 80 NDC:47682-048- 99	cteristics white CAPSULE Pac 40 in 1 BOX 2 in 1 PACKET Product	(Caplet) : kage Description ; Type 0: Not a Combination	Size Imprint C Ma 09/26/	rketing Start Date	17m 44;4 Mark	m 13 eting End

Revised: 1/2024

Unifirst First Aid Corporation