

SODIUM BICARBONATE ANTACID- sodium bicarbonate tablet
Rugby Laboratories

4621 - Rugby

Drug Facts

Active ingredient (in each tablet)

Sodium bicarbonate 5 gr (325 mg)

Purpose

Antacid

Uses

relieves

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have a sodium restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- do not use the maximum dosage for more than 2 weeks
- tablets may be swallowed whole or dissolved in water prior to use
- **adults 60 years of age and over:** 2-4 tablets every 4 hours, not more than 24 tablets in 24 hours
- **adults under 60 years of age:** 2-8 tablets every 4 hours, not more than 48 tablets in 24 hours

Other information

- **each tablet contains:** sodium 89 mg

- Store in a dry place at 15° - 30°C (59° - 86° F)

Inactive ingredients

croscarmellose sodium, microcrystalline cellulose, silica, stearic acid, and talc

Questions or comments?

1-800-231-4670

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

WARNING: This product can expose you to chemicals including lead and mercury which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

DISTRIBUTED BY:

RUGBY® LABORATORIES

INDIANAPOLIS, IN 46268

Questions or comments?

Call (800) 616-2471

www.majorpharmaceuticals.com

Rev. 10/23 R-29

Rugby

NDC 0536-1046-10

Sodium Bicarbonate 5 gr (325 mg)

ANTACID

1000 WHITE TABLETS



NDC 0536-1046-10

Sodium Bicarbonate 5 gr (325 mg)

ANTACID

1000 WHITE TABLETS

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet)

Sodium bicarbonate 5 gr (325 mg).....Antacid

Uses

relieves: • acid indigestion • heartburn • sour stomach • upset stomach associated with these symptoms

Warnings

Ask a doctor before use if you have a sodium restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

• do not use the maximum dosage for more than 2 weeks

• tablets may be swallowed whole or dissolved in water prior to use

• adults 60 years of age and over: 2-4 tablets every 4 hours, not more than 24 tablets in 24 hours

• adults under 60 years of age: 2-8 tablets every 4 hours, not more than 48 tablets in 24 hours

Other information

• each tablet contains: sodium 89 mg

• Store in a dry place at 15° - 30°C (59° - 86°F).

Inactive ingredients

croscarmellose sodium, microcrystalline cellulose, silica, stearic acid and talc

Questions or comments?

1-800-231-4670

WARNING: This product can expose you to chemicals including lead and mercury which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Lot / Exp. Date: R52276

DISTRIBUTED BY:
RUGBY® LABORATORIES
 10000 Old Orchard
 Chicago, IL 60631
 www.majormedicinals.com
 Rev. 10/23 P-29
 Pe-order No. 370386

SODIUM BICARBONATE ANTACID

sodium bicarbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-1046
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM BICARBONATE	325 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z 65AP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	white	Score	no score
--------------	-------	--------------	----------

Shape	ROUND	Size	10mm
Flavor		Imprint Code	CPC76
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-1046-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	03/25/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	03/25/2015	

Labeler - Rugby Laboratories (079246066)

Revised: 12/2023

Rugby Laboratories