

DAISY CLEAN SANITIZER- hypochlorous acid liquid
JD corporation

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

Active ingredient

hypochlorous acid 0.005

Purpose

Disinfecting agent

Uses


Sterilization, disinfection

Warning

For external use only

When using this product

- if following abnormal symptoms persist, discontinue use
Irritation around the eyes, ears, mucous membranes, including the mouth, under the skin irritation and rashes
- Stop immediately and consult a doctor if you experience
 - 1) Hypersensitivity symptoms such as erythema, itching and dermatitis.
 - 2) Skin Irritation
 - 3) Following Instructions when using medication
 - (1) For external use only (Do not use internally)
 - (2) Avoid getting into the eyes (if contact occurs, wash well with clean water)
- Be careful not to inhale or use excessively for a long time (ingesting ethanol repeatedly causes irritation to mucous membranes and headaches or other symptoms may appear. When used repeatedly in the same area, skin irritation may occur.
- Do not use the product for a long time in the same area as swelling, inflammation or sickness may occur due to absorption through the skin. It is not recommended using this one area that have been medically treated with a cast or bandage.
- Do not use in combination with soap or antibacterial cleansing agents.



Bacteria and virus free New water

DAISY CLEAN SANITIZER SPRAY

+ NONETHANOL
ANTIBACTERIAL

**KILLS
99.99%
OF GERMS**

Siberian chrysanthemum
Extract Composit



e 500ml | 16.9oz

SAMSUNG 100 million won product compensation liability insurance

DAISY / 500ml

Drug Facts

Active Ingredients Purpose
Hypochlorous acid 0.30% Disinfecting Agent

Uses
• disinfection, disinfection

Warning
For external use only

When using this product
• If following abnormal symptoms persist, discontinue use

• Do not use the product for a long time in the same area as swelling, inflammation or skin irritation may occur

• Do not use in combination with soap or antibacterial cleaning agents

Directions
• Use appropriate amount where needed

Other information
• Read the directions and warnings before use

Inactive Ingredients
Water, Glycerin extract

Product Name: Daisy Clean Sanitizer
Product Type: Refill Liquid Type Capacity: 500ml
Shelf life: From manufacturing month to 36 months
Manufacturing Date: Separate marking
Manufacturer: JD corporation
Manufacturing Equipment: JD-1200
Address: 169, Quann-ro, B-A-gu, Gwangju, Republic of Korea
Contact: 82-62-971-7125
Home page: www.jdcorporation.co.kr

MADE IN KOREA


Bacteria and virus free New water

DAISY CLEAN SANITIZER SPRAY

+ NONETHANOL
ANTIBACTERIAL

**KILLS
99.99%
OF GERMS**

Siberian chrysanthemum
Extract Composit



e 500ml | 16.9oz

What is GUJEOLCHO? (Siberian chrysanthemum)

It is a medicinal plant with "Donggi bogam" (Principles and Practice of Eastern Medicine). It is used not only for "inhibiting bacterial propagation" and "antiviral action", but also for "medicinal herbs to remove unclean."



Approved as "general medicine" by declaration after declaration of Health and Safety for the Purpose of Preventing Infection, on account of disinfectant power and safety.



Approved as "general medicine" by declaration after declaration of Health and Safety for the Purpose of Preventing Infection, on account of disinfectant power and safety.



Disinfecting and disinfecting power 99.99% more
KTRC Test Report No. 2017-130-0001



Eye mucosal irritation index "0"
Skin irritation index "0"
KTRC Standard for safety testing of medicine 1



Ministry of Environment Safety standards
Emission Control
Paper Number: 200-10-0402



Patent No. 10-1042363
Patent No. 10-1616809



Health Management System Certification
ISO 9001:2015
Environmental Management System Certification
ISO 14001:2015

How to use



DAISY CLEAN SANITIZER

+ NONETHANOL
ANTIBACTERIAL

**KILLS
99.99%
OF GERMS**

Siberian chrysanthemum
Extract Composit



4L

DAISY / 4L

Drug Facts

Active Ingredients Purpose
Hypochlorous acid 0.30% Disinfecting Agent

Uses
• disinfection, disinfection

Warning
For external use only

When using this product
• If following abnormal symptoms persist, discontinue use

• Do not use the product for a long time in the same area as swelling, inflammation or skin irritation may occur

• Do not use in combination with soap or antibacterial cleaning agents

Directions
• Use appropriate amount where needed

Other information
• Read the directions and warnings before use

Inactive Ingredients
Water, Glycerin extract

Bacteria and virus free New water

DAISY CLEAN SANITIZER

+ NONETHANOL
ANTIBACTERIAL

**KILLS
99.99%
OF GERMS**

Siberian chrysanthemum
Extract Composit



4L

What is GUJEOLCHO? (Siberian chrysanthemum)

It is a medicinal plant with "Donggi bogam" (Principles and Practice of Eastern Medicine). It is used not only for "inhibiting bacterial propagation" and "antiviral action", but also for "medicinal herbs to remove unclean."



Approved as "general medicine" by declaration after declaration of Health and Safety for the Purpose of Preventing Infection, on account of disinfectant power and safety.



Disinfecting and disinfecting power 99.99% more
KTRC Test Report No. 2017-130-0001



Eye mucosal irritation index "0"
Skin irritation index "0"
KTRC Standard for safety testing of medicine 1



Ministry of Environment Safety standards
Emission Control
Paper No. 200-10-0402



Patent No. 10-1042363
Patent No. 10-1616809

SAMSUNG 100 million won product compensation liability insurance

Product Name: Daisy Clean Sanitizer
Product Type: Refill Liquid Type Capacity: 4L
Shelf life: From manufacturing month to 36 months
Manufacturing Date: Separate marking
Manufacturer: JD corporation
Manufacturing Equipment: JD-1200
Address: 169, Quann-ro, B-A-gu, Gwangju, Republic of Korea
Contact: 82-62-971-7125
Home page: www.jdcorporation.co.kr



MADE IN KOREA



100 million won product compensation liability insurance

DAISY / 20L

Drug Facts

Active Ingredients	Purpose
Hypochlorous acid 0.005	Disinfecting Agent

Uses

- sterilization, disinfection

Warning

For external use only

When using this product

■ If following abnormal symptoms persist, discontinue use

irritation around the eyes, ears, mucous membranes, including the mouth, under the skin irritation and rashes

■ Stop immediately and consult a doctor if you experience

- Hypersensitivity symptoms such as erythema, itching and dermatitis.
- Skin Irritation
- Following instructions when using medication

- For external use only (Do not use internally)
- Avoid getting into the eyes (if contact occurs, wash well with clean water)

■ Be careful not to inhale or use excessively for a long time

(ingesting ethanol repeatedly causes irritation to mucous

membranes and headaches or other symptoms may appear.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

Bacteria and virus free New water

DAISY

CLEAN

SANITIZER

+ NONETHANOL

ANTIBACTERIAL

KILLS

99.99%

OF GERMS

Siberian chrysanthemum
Extract Comprisal

20L



What is GUJEOLCHO?

(Siberian chrysanthemum)

It is a medicinal plant with "Dongui bogam" (Principles and Practice of Eastern Medicine). It is used not only for "inhibiting bacterial propagation" and "antiviral action", but also for "medicinal herbs to remove smells."



Human OTC drug
Registered as "general medicine for sterilization and disinfection of Hands and Skin for the Purpose of Preventing Infection" and secured Sterilization power and safety



Killing 99.99% of COVID-19 in 30 seconds
(Reference to the Ministry of Environment and the Ministry of Food and Drug Safety)



Sterilizing and disinfecting power 99.999% more
(MFDS Notification No. 2017-110 (bans))



Eye mucosal irritation index "0"
Skin irritation index "0"
(MFDS Standards for toxicity testing of medicine.)



Ministry of Environment Safety standards fitness Confirm
(Report number: CSD-13-042)



Patent No. 10-1042383
Patent No. 10-1616809



Quality Management Systems Certification ISO 9001 : 2015
Environmental Management System Certification ISO 14001 : 2015



MANUAL



Product Name: Daisy Clean Sanitizer
Product Type: Refill Liquid Type Capacity: 20L
Shelf life: From manufacture month to 36 months
Manufacturing Date: Separate marking
Manufacturer: JD corporation
Manufacturing Equipment: JD-1200
Address: 169, Chuam-ro, Buk-gu, Gwangju, Republic of Korea
Contact: 82+62-971-7125
Home page: www.jdcorporation.co.kr

MADE IN KOREA

DAISY

CLEAN SANITIZER

SIBERIAN CHRYSANTHEMUM EXTRACT COMPRISAL

+ NONETHANOL

ANTIBACTERIAL

KILLS 99.99% OF GERMS

e 100ml | 3.38oz



Drug Facts

Active Ingredients	Purpose
Hypochlorous acid 0.005	Disinfecting Agent

Uses

- sterilization, disinfection

Warning

For external use only

When using this product

■ If following abnormal symptoms persist, discontinue use

irritation around the eyes, ears, mucous membranes, including the mouth, under the skin irritation and rashes

■ Stop immediately and consult a doctor if you experience

- Hypersensitivity symptoms such as erythema, itching and dermatitis.
- Skin Irritation
- Following instructions when using medication

- For external use only (Do not use internally)
- Avoid getting into the eyes (if contact occurs, wash well with clean water)

■ Be careful not to inhale or use excessively for a long time

(ingesting ethanol repeatedly causes irritation to mucous

membranes and headaches or other symptoms may appear.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area, skin irritation may occur.

■ Do not use the product for a long time in the same area as

swelling, inflammation or sickness may occur due to absorption

through the skin. It is not recommended to use this one area

that have been medically treated with a cast or bandage.

■ Do not use in combination with soap or antibacterial

cleansing agents.

When used repeatedly in the same area

DAISY CLEAN SANITIZER

hypochlorous acid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:75696-0008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPOCHLOROUS ACID (UNII: 712K4CDC10) (HYPOCHLOROUS ACID - UNII:712K4CDC10)	HYPOCHLOROUS ACID	0.005 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:75696-0008-1	100 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/06/2021	
2	NDC:75696-0008-2	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/06/2021	
3	NDC:75696-0008-3	4000 mL in 1 CONTAINER; Type 0: Not a Combination Product	10/06/2021	
4	NDC:75696-0008-4	20000 mL in 1 CONTAINER; Type 0: Not a Combination Product	10/06/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/06/2021	

Labeler - JD corporation (694848434)

Registrant - JD corporation (694848434)

Establishment

Name	Address	ID/FEI	Business Operations
JD corporation		694848434	manufacture(75696-0008)

