

RITE AID DARK TANNING SPF 4- octocrylene oxybenzone lotion
RITE AID CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Octocrylene 1.0%

Oxybenzone 0.5 %

Purpose

Sunscreen

Uses

- helps prevent sunburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in the water

Warnings

For external use only

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash or irritation develops and lasts.

Keep Out of the reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

Directions

- shake well
- apply generously and evenly before sun exposure and as needed
- children under 6 months of age:ask a doctor
- reapply frequently and after towel drying, swimming or perspiring.

Other Information

- may stain some materials

Inactive ingredients

Water, Petrolatum, Diisopropyl Adipate, Propylene Glycol, Polyglyceryl-3 Methylglucose Distearate, Cetyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Benzyl Alcohol, Theobroma Cacao (Cocoa) Seed Butter, Butyrospermum Parkii (Shea) Butter, Disodium EDTA, Aloe Barbadensis Leaf Juice Powder, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate

Silica, Methylparaben, Propylparaben, Quaternium-15, Fragrance.

Principal Display Panel

RITE

AID

DARK

TANNING

LOTION

SPF

4

Aloe vera Gel

Very Water Resistant

Vitamins A, C and E

8 FL OZ (237 mL)



RITE AID DARK TANNING SPF 4

octocrylene oxybenzone lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-9006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	1 g in 100 g	
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)		OXYBENZONE	0.5 g in 100 g	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
PETROLATUM (UNII: 4T6H12BN9U)				
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)				
TROLAMINE (UNII: 9O3K93S3TK)				
PEG-100 STEARATE (UNII: YD01N1999R)				
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
COCOA BUTTER (UNII: 512OYT1CRR)				
SHEA BUTTER (UNII: K49155WL9Y)				
ALOE VERA LEAF (UNII: ZY81Z83H0X)				
OCTYLDODECANOL (UNII: 461N1O614Y)				
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)				
ASCORBIC ACID (UNII: PQ6CK8PD0R)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
QUATERNIUM-15 (UNII: E40U03LEM0)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-9006-6	226 g in 1 BOTTLE, PLASTIC		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part352	11/21/2012	

Labeler - RITE AID CORPORATION (014578892)