

**THOMPSON COUGH AND COLD MULTI-SYMPTOM RELIEF- acetaminophen, dextromethorphan hbr, phenylephrine, guaifenesin, , tablet, film coated Thompson**

-----  
**Thompson Cough & Cold**

***Drug Facts***

***Active ingredients (in each caplet)***

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Guaifenesin 100 mg

Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer

Cough suppressant

Expectorant

Nasal decongestant

***Uses***

Temporarily relieves these symptoms due to the common cold:

- headache
  - nasal congestion
  - cough
  - minor aches and pains
  - sore throat
  - sinus congestion and pressure
  - helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive
- Temporarily reduces fever.

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

***Allergy alert:***

Acetaminophen may cause a severe skin reactions. Symptoms may include:

- blisters
- rash

- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

### **Sore throat warning:**

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea or vomiting, consult a doctor promptly.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough that lasts as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**When using this product do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain, cough or nasal congestion gets worse or lasts for more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

■ **do not take more than directed**

#### **Adults and children: (12 years and over)**

- take 2 caplets every 4 hours
- not to take more than 10 caplets in 24 hours

**Children under 12 years:** ask a doctor

### ***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- tamper evident sealed packets
- do not use any opened or torn packets

### ***Inactive ingredients***

corn starch, crospovidone, FD&C yellow # 6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

***Questions or comments?*** 877.506.4291

Thompson

Cough & Cold

Multi-Symptom Relief

Safety Works | Business Thrives™

This Package is for Households without Young Children.

Pull to Open

Aches, Fever

Acetaminophen 325 mg

Coughs

Dextromethorphan HBr 10 mg

Chest Congestion

Guaifenesin 100 mg

Nasal Congestion

Phenylephrine HCl 5 mg

80 Caplets

Tamper Evident Sealed Packets

**COUGH & COLD**

**MULTI-SYMPTOM RELIEF**

**THOMPSON**  
SAFETY WORKS | BUSINESS THRIVES

ACHES, FEVER  
ACETAMINOPHEN 325 MG

CHEST CONGESTION  
DEXTROMETHORPHAN HBR 10 MG

NASAL CONGESTION  
GUAIFENESIN 100 MG

PHENYLEPHRINE HCL 5 MG

THIS PACKAGE IS FOR HOUSEHOLDS  
WITHOUT YOUNG CHILDREN.

**80 Caplets**  
TAMPER EVIDENT  
SEALED PACKETS

THIS PACKAGE IS FOR HOUSEHOLDS  
WITHOUT YOUNG CHILDREN.

**COUGH & COLD**

**MULTI-SYMPTOM RELIEF**

**THOMPSON**  
SAFETY WORKS | BUSINESS THRIVES

Pull to  
Open

ACHES, FEVER  
ACETAMINOPHEN 325 MG

COUGHS  
DEXTROMETHORPHAN HBR 10 MG

CHEST CONGESTION  
GUAIFENESIN 100 MG

NASAL CONGESTION  
PHENYLEPHRINE HCL 5 MG

**80 Caplets**  
TAMPER EVIDENT  
SEALED PACKETS

C593580  
Rev. 11/22/22  
Mfg. 24

**Drug Facts**

**Active ingredients (in each caplet)**

| Active ingredients                  | Purpose                     |
|-------------------------------------|-----------------------------|
| Acetaminophen 325 mg                | Pain reliever/fever reducer |
| Dextromethorphan Hydrobromide 10 mg | Cough suppressant           |
| Guaifenesin 100 mg                  | Expectorant                 |
| Phenylephrine Hydrochloride 5 mg    | Nasal decongestant          |

**Uses**  
Temporarily relieves these symptoms due to the common cold:  
■ headache ■ nasal congestion ■ cough ■ minor aches and pains ■ sore throat ■ sinus congestion and pressure  
■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make coughs more productive  
Temporarily reduces fever.

**Warnings**  
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product.

**Other information**  
■ store at 25°C (77°F), excursions permitted between 15°-30°C (59°-86°F)  
■ tamper evident sealed packets  
■ do not use any opened or torn packets

**Inactive ingredients**  
corn starch, croscarmellose, FD&C yellow #6 aluminum lake, magnesium stearate, mallo-dextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

**Questions or comments?** 877.556.4291

**THOMPSON**  
SAFETY WORKS | BUSINESS THRIVES

Reorder C593580

Distributed by  
**Thompson Safety**  
Houston, TX 77073  
877.556.4291  
www.thompson-safety.com

# THOMPSON COUGH AND COLD MULTI-SYMPTOM RELIEF

acetaminophen, dextromethorphan hbr, phenylephrine, guaifenesin, , tablet, film coated

| Product Information            |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:73408-835 |
| <b>Route of Administration</b> | ORAL           |                           |               |

| Active Ingredient/Active Moiety  |                               |          |  |
|--|-------------------------------|----------|--|
| Ingredient Name  | Basis of Strength             | Strength |  |
| <b>GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)</b>                        | GUAIFENESIN                   | 100 mg   |  |
| <b>PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)</b>      | PHENYLEPHRINE HYDROCHLORIDE   | 5 mg     |  |
| <b>ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)</b>                    | ACETAMINOPHEN                 | 325 mg   |  |
| <b>DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)</b> | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg    |  |

| Inactive Ingredients  |          |
|---|----------|
| Ingredient Name   | Strength |
| <b>STEARIC ACID (UNII: 4ELV7Z 65AP)</b>                         |          |
| <b>FD&amp;C YELLOW NO. 6 (UNII: H77VEI93A8)</b>                 |          |
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)</b>      |          |
| <b>MAGNESIUM STEARATE (UNII: 70097M6130)</b>                    |          |
| <b>MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)</b>            |          |
| <b>TALC (UNII: 7SEV7J4R1U)</b>                                  |          |
| <b>MALTODEXTRIN (UNII: 7CVR7L4A2D)</b>                          |          |
| <b>POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)</b>        |          |
| <b>POVIDONE (UNII: FZ989GH94E)</b>                              |          |
| <b>SILICON DIOXIDE (UNII: ETJ7Z6XB4U)</b>                       |          |
| <b>SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)</b> |          |

**TITANIUM DIOXIDE** (UNII: 15FIX9V2JP)

**STARCH, CORN** (UNII: O8232NY3SJ)

**CROSPROVIDONE** (UNII: 2S7830E561)

### Product Characteristics

|                 |                  |                     |          |
|-----------------|------------------|---------------------|----------|
| <b>Color</b>    | orange           | <b>Score</b>        | no score |
| <b>Shape</b>    | CAPSULE (Caplet) | <b>Size</b>         | 17mm     |
| <b>Flavor</b>   |                  | <b>Imprint Code</b> | 44;546   |
| <b>Contains</b> |                  |                     |          |

### Packaging

| # | Item Code        | Package Description                              | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:73408-835-80 | 40 in 1 BOX                                      | 09/26/2022           |                    |
| 1 |                  | 2 in 1 PACKET; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 09/26/2022           |                    |

**Labeler** - Thompson (080998015)

Revised: 1/2024

Thompson