

NEUTROGENA REVITALIZING LIP BALM SPF 20 - FRESH PLUM 60- octinoxate and oxybenzone lipstick
NEUTROGENA REVITALIZING LIP BALM SPF 20 - SHEER SHIMMER 10- octinoxate and oxybenzone lipstick
NEUTROGENA REVITALIZING LIP BALM SPF 20 - SOFT CARAMEL 50- octinoxate and oxybenzone lipstick
NEUTROGENA REVITALIZING LIP BALM SPF 20 - HEALTHY BLUSH 20- octinoxate and oxybenzone lipstick
NEUTROGENA REVITALIZING LIP BALM SPF 20 - SUNNY BERRY 30- octinoxate and oxybenzone lipstick
NEUTROGENA REVITALIZING LIP BALM SPF 20 - PETAL GLOW 40- octinoxate and oxybenzone lipstick
Johnson & Johnson Consumer Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Neutrogena® revitalizing lip balm with sunscreen SPF 20 (All 6 shades*)

Drug Facts

Active ingredients

Octinoxate 7.5%, Oxybenzone 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn

Warnings

- **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For Sunscreen Use

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

hydrogenated polyisobutene, petrolatum, polybutene, phenyl trimethicone, hydrogenated lanolin, ozokerite, myristyl myristate, polyethylene, cetyl lactate, butyrospermum parkii (shea) butter, bis-behenyl/isostearyl/phytosteryl dimer dilinoleyl dimer dilinoleate, euphorbia cerifera (candelilla) wax, silica, zinc, stearoxymethicone/dimethicone copolymer, copernicia cerifera (carnauba) wax, synthetic wax, ethylhexyl palmitate, tribehenin, sorbitan isostearate, palmitoyl oligopeptide, silica silylate, flavor, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, isopropyl titanium triisostearate, aluminum hydroxide, stearic acid, copper powder, mica, titanium dioxide, iron oxides, red 7

Questions or comments?

Call toll-free **800-480-4812** or **215-273-8755** (collect) or visit www.neutrogena.com

Distributed by:

**JOHNSON & JOHNSON
CONSUMER INC.**

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 4.2 g Tube Blister Pack - Fresh Plum 60

FRESH

PLUM 60

SHEER TINT

**revitalizing
lip balm
with
sunscreen
SPF 20**

Softer, rosier and healthier-looking
lips, even after you take it off!

dramatization

before

after

Neutrogena®

NET WT 0.15 OZ (4.2 g)

FRESH
PLUM 60

SHEER TINT

revitalizing lip balm

with
sunscreen

SPF 20

Softer, rosier & healthier-looking
lips, even after you take it off!

dramatization



before

after

Neutrogena®



NET WT 0.15 OZ (4.2g)

Neutrogena® revitalizing lip balm FRESH PLUM 60

This sheer tinted balm with patent-pending **ion2 complex®** instantly moisturizes lips, leaving them looking fuller and more defined.

In just one week, it helps improve lips' texture and restores the look of rosininess, so lips look naturally beautiful even after you take it off.

SPF 20 helps protect lips and keeps them looking healthy.

Drug Facts

Active ingredients

Purpose

Octinoxate 7.5%, Oxybenzone 5%.....Sunscreen

Uses • helps prevent sunburn

Warnings • Skin Cancer/Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. • **For external use only** • Do not use on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor if rash occurs** • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients hydrogenated polyisobutene, petrolatum, polybutene, phenyl trimethicone, hydrogenated lanolin, ozokerite, myristyl myristate, polyethylene, cetyl lactate, butyrospermum parkii (shea) butter, bis-behenyl/isodecyl/phytosteryl dimer dilinoleyl dimer dilinoleate, euphorbia cerifera (candelilla) wax, silica, zinc, stearymethicone/dimethicone copolymer, copernicia cerifera (carnauba) wax, synthetic wax, ethylhexyl palmitate, tribehenin, sorbitan isostearate, palmitoyl oligopeptide, silica silylate, flavor, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, isopropyl titanium triisostearate, aluminum hydroxide, stearic acid, copper powder, mica, titanium dioxide, iron oxides, red 7

Questions or comments?

Call toll-free 800-480-4812 or 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2017
Made in Canada



NET WT. 0.15 OZ. (4.2g)

30036502

PRINCIPAL DISPLAY PANEL - 4.2 g Tube Blister Pack - Sheer Shimmer 10

SHEER
SHIMMER 10
SHEER TINT

**revitalizing
lip balm
with
sunscreen
SPF 20**


Softer, rosier and healthier-looking
lips, even after you take it off!

dramatization

before **after**

Neutrogena®

NET WT 0.15 OZ (4.2 g)



SHEER
SHIMMER 10
SHEER TINT

revitalizing lip balm

with
sunscreen
SPF 20

Softer, rosier & healthier-looking
lips, even after you take it off!

dramatization



before

after

Neutrogena®

NET WT. 0.15 OZ (4.2g)



Neutrogena® revitalizing lip balm SHEER SHIMMER 10

This sheer tinted balm with patent-pending **ion2 complex®** instantly moisturizes lips, leaving them looking fuller and more defined.

In just one week, it helps improve lips' texture and restores the look of rosiness, so lips look naturally beautiful even after you take it off.

SPF 20 helps protect lips and keeps them looking healthy.

Drug Facts

Active ingredients	Purpose
Octinoxate 7.5%, Oxybenzone 5%.....	Sunscreen

Uses • helps prevent sunburn

Warnings • **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions **For Sunscreen Use:** • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months of age: Ask a doctor


Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients hydrogenated polyisobutene, petrolatum, polybutene, phenyl trimethicone, hydrogenated lanolin, ozokerite, myristyl myristate, polyethylene, cetyl lactate, butyrospermum parkii (shea) butter, bis-behenyl/isostearyl/phytosteryl dimer dilinoleyl dimer dilinoleate, euphorbia cerifera (candelilla) wax, silica, zinc, stearoxymethicone/dimethicone copolymer, copernicia cerifera (carnauba) wax, ethylhexyl palmitate, synthetic wax, tribehenin, sorbitan isostearate, palmitoyl oligopeptide, silica silylate, flavor, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, isopropyl titanium triisostearate, aluminum hydroxide, stearic acid, copper powder, mica, titanium dioxide, iron oxides, red 7

Questions or comments?

Call toll-free 800-480-4812 or
215-273-8755 (collect) or visit
www.neutrogena.com

Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2017
Made in Canada



NET WT. 0.15 OZ. (4.2g)

30036492

PRINCIPAL DISPLAY PANEL - 4.2 g Tube Blister Pack - Soft Caramel 50

SOFT
CAMEL 50
SHEER TINT

**revitalizing
lip balm
with
sunscreen
SPF 20**

Softer, rosier and healthier-looking
lips, even after you take it off!

dramatization

before **after**

Neutrogena®

NET WT 0.15 OZ (4.2 g)

SOFT
CARAMEL 50

SHEER TINT

revitalizing lip balm

with
sunscreen

SPF 20

Softer, rosier & healthier-looking
lips, even after you take it off!

dramatization



before

after

Neutrogena®

NET WT 0.15 OZ (4.2g)

Neutrogena® revitalizing lip balm SOFT CARAMEL 50

This sheer tinted balm with patent-pending **ion2 complex®** instantly moisturizes lips, leaving them looking fuller and more defined.

In just one week, it helps improve lips' texture and restores the look of rosiness, so lips look naturally beautiful even after you take it off.

SPF 20 helps protect lips and keeps them looking healthy.

Drug Facts

Active ingredients

Octinoxate 7.5%, Oxybenzone 5%

Purpose

Sunscreen

Uses • helps prevent sunburn

Warnings • Skin Cancer/Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor if rash occurs** • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use:

• apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months of age: Ask a doctor

Other information

• protect this product from excessive heat and direct sun • may stain some fabrics


Inactive ingredients

hydrogenated polyisobutene, petrolatum, polybutene, phenyl trimethicone, hydrogenated lanolin, ozokerite, myristyl myristate, polyethylene, cetyl lactate, butyrospermum parkii (shea) butter, bis-behenyl/isostearyl/phytosteryl dimer dilinoleyl dimer dilinoleate, euphorbia cerifera (candelilla) wax, silica, zinc, stearymethicone/dimethicone copolymer, copernicia cerifera (carnauba) wax, synthetic wax, ethylhexyl palmitate, tribehenin, sorbitan isostearate, palmitoyl oligopeptide, silica silylate, flavor, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, isopropyl titanium triisostearate, aluminum hydroxide, stearic acid, copper powder, mica, titanium dioxide, iron oxides

Questions or comments?

Call toll-free 800-480-4812 or 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2017
Made in Canada



NET WT. 0.15 OZ. (4.2g)

MADE IN CANADA
30036500



PRINCIPAL DISPLAY PANEL - 4.2 g Tube Blister Pack - Healthy Blush 20

HEALTHY
BLUSH 20
SHEER TINT

**revitalizing
lip balm
with
sunscreen
SPF 20**

Softer, rosier and healthier-looking
lips, even after you take it off!

dramatization

before **after**

Neutrogena®

NET WT 0.15 OZ (4.2 g)

HEALTHY
BLUSH 20

SHEER TINT

revitalizing lip balm

with
sunscreen
SPF 20

Softer, rosier & healthier-looking
lips, even after you take it off!

dramatization



before

after

Neutrogena®

NET WT 0.15 OZ (4.2g)

Neutrogena® revitalizing lip balm HEALTHY BLUSH 20

This sheer tinted balm with patent-pending **ion2 complex®** instantly moisturizes lips, leaving them looking fuller and more defined.

In just one week, it helps improve lips' texture and restores the look of rosiness, so lips look naturally beautiful even after you take it off.

SPF 20 helps protect lips and keeps them looking healthy.

Drug Facts

Active ingredients

Purpose

Octinoxate 7.5%, Oxybenzone 5%.....Sunscreen

Uses • helps prevent sunburn

Warnings • **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor if rash occurs** • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions **For Sunscreen Use:** • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months of age: Ask a doctor


Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients hydrogenated polyisobutene, petrolatum, polybutene, phenyl trimethicone, hydrogenated lanolin, ozokerite, myristyl myristate, polyethylene, cetyl lactate, butyrospermum parkii (shea) butter, bis-behenyl/isostearyl phytosteryl dimer dilinoleyl dimer dilinoleate, euphorbia cerifera (candelilla) wax, silica, zinc, stearoxymethicone/dimethicone copolymer, copernicia cerifera (carnauba) wax, synthetic wax, ethylhexyl palmitate, tribehenin, sorbitan isostearate, palmitoyl oligopeptide, silica silylate, flavor, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, isopropyl titanium triisostearate, aluminum hydroxide, stearic acid, copper powder, mica, titanium dioxide, yellow 5 lake, red 6 lake, red 7, tin oxide

Questions or comments?

Call toll-free 800-480-4812 or
215-273-8755 (collect) or visit
www.neutrogena.com

Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2017
Made in Canada



NET WT. 0.15 OZ. (4.2g)

MADE IN CANADA
30036493



PRINCIPAL DISPLAY PANEL - 4.2 g Tube Blister Pack - Sunny Berry 30

SUNNY
BERRY 30
SHEER TINT

**revitalizing
lip balm
with
sunscreen
SPF 20**

Softer, rosier and healthier-looking
lips, even after you take it off!

dramatization

before **after**

Neutrogena®

NET WT 0.15 OZ (4.2 g)

SUNNY
BERRY 30

SHEER TINT

revitalizing lip balm

with
sunscreen

SPF 20

Softer, rosier & healthier-looking
lips, even after you take it off!

dramatization



before

after

Neutrogena®



NET WT 0.15 OZ (4.2g)

Neutrogena® revitalizing lip balm SUNNY BERRY 30

This sheer tinted balm with patent-pending **ion2 complex®** instantly moisturizes lips, leaving them looking fuller and more defined.

In just one week, it helps improve lips' texture and restores the look of rosiness, so lips look naturally beautiful even after you take it off.

SPF 20 helps protect lips and keeps them looking healthy.

Drug Facts

Active ingredients

Purpose

Octinoxate 7.5%, Oxybenzone 5%.....Sunscreen

Uses • helps prevent sunburn

Warnings • Skin Cancer/Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor if rash occurs** • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months of age: Ask a doctor


Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients hydrogenated polyisobutene, petrolatum, polybutene, phenyl trimethicone, hydrogenated lanolin, ozokerite, myristyl myristate, polyethylene, cetyl lactate, butyrospermum parkii (shea) butter, bis-behenyl/isostearyl/phytosteryl dimer dilinoleyl dimer dilinoleate, euphorbia cerifera (candelilla) wax, synthetic wax, silica, zinc, stearoxymethicone/dimethicone copolymer, copernicia cerifera (carnauba) wax, ethylhexyl palmitate, tribehenin, sorbitan isostearate, palmitoyl oligopeptide, silica silylate, flavor, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, aluminum hydroxide, stearic acid, isopropyl titanium triisostearate, copper powder, mica, titanium dioxide, iron oxides, red 7

Questions or comments?

Call toll-free 800-480-4812 or 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2017
Made in Canada



NET WT. 0.15 OZ. (4.2g)

MADE IN CANADA
30036498



PRINCIPAL DISPLAY PANEL - 4.2 g Tube Blister Pack - Petal Glow 40

PETAL
GLOW 40
SHEER TINT

**revitalizing
lip balm
with
sunscreen
SPF 20**

Softer, rosier and healthier-looking
lips, even after you take it off!

dramatization

before **after**

Neutrogena®

NET WT 0.15 OZ (4.2 g)

PETAL
GLOW 40

SHEER TINT

revitalizing lip balm

with
sunscreen

SPF 20

Softer, rosier & healthier-looking
lips, even after you take it off!

dramatization



before

after

Neutrogena®

NET WT 0.15 OZ (4.2g)

Neutrogena® revitalizing lip balm PETAL GLOW 40

This sheer tinted balm with patent-pending **ion2 complex®** instantly moisturizes lips, leaving them looking fuller and more defined.

In just one week, it helps improve lips' texture and restores the look of rosiness, so lips look naturally beautiful even after you take it off.

SPF 20 helps protect lips and keeps them looking healthy.

Drug Facts

Active ingredients

Purpose

Octinoxate 7.5%, Oxybenzone 5%.....Sunscreen

Uses • helps prevent sunburn

Warnings • Skin Cancer/Skin Aging Alert:

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. • **For external use only** • **Do not use** on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor if rash occurs** • **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply liberally 15 minutes before sun exposure • use a water resistant sunscreen if swimming or sweating • reapply at least every 2 hours • children under 6 months of age: Ask a doctor


Other information • protect this product from excessive heat and direct sun • may stain some fabrics

Inactive ingredients hydrogenated polyisobutene, petrolatum, polybutene, phenyl trimethicone, hydrogenated lauric acid, ozokerite, myristyl myristate, polyethylene, cetyl lactate, butyrospermum parkii (shea) butter, bis-behenyl/isoostearyl/phytosteryl dimer diinoleyl dimer diinoleate, euphorbia cerifera (candelilla) wax, silica, zinc, stearoxymethicone/dimethicone copolymer, copernicia cerifera (carnauba) wax, synthetic wax, ethylhexyl palmitate, tribehenin, sorbitan isostearate, palmitoyl oligopeptide, silica silylate, flavor, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, isopropyl titanium triisostearate, aluminum hydroxide, stearic acid, copper powder, mica, titanium dioxide, iron oxides, yellow 5 lake, red 7

Questions or comments?

Call toll-free 800-480-4812 or
215-273-8755 (collect) or visit
www.neutrogena.com

Distributed by:
**JOHNSON & JOHNSON
CONSUMER INC.**
Skillman, NJ 08558
© J&JCI 2017
Made in Canada



NET WT. 0.15 OZ. (4.2g)

NDC 30036499



NEUTROGENA REVITALIZING LIP BALM SPF 20 - FRESH PLUM 60

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0256
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
PETROLATUM (UNII: 4T6H12BN9U)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
CERESIN (UNII: Q1LS2UJO3A)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
SHEA BUTTER (UNII: K49155WL9Y)	
CANDELILLA WAX (UNII: WL0328HX19)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ZINC (UNII: J41CSQ7QDS)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
COPPER (UNII: 789U1901C5)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0256-1	1 in 1 BLISTER PACK	11/01/2010	
1		4.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2010	

NEUTROGENA REVITALIZING LIP BALM SPF 20 - SHEER SHIMMER 10

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0251
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZ ONE - UNII:95OOS7VE0Y)	OXYBENZ ONE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
PETROLATUM (UNII: 4T6H12BN9U)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
CERESIN (UNII: Q1LS2UJO3A)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
SHEA BUTTER (UNII: K49155WL9Y)	
CANDELILLA WAX (UNII: VL0328HX19)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ZINC (UNII: J41CSQ7QDS)	

CARNAUBA WAX (UNII: R12CBM0EIZ)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
COPPER (UNII: 789U1901C5)
MICA (UNII: V8A1AW0880)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
D&C RED NO. 7 (UNII: ECW0LZ41X8)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0251-1	1 in 1 BLISTER PACK	11/01/2010	
1		4.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2010	

NEUTROGENA REVITALIZING LIP BALM SPF 20 - SOFT CARAMEL 50

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0252
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZ ONE - UNII:95OOS7VE0Y)	OXYBENZ ONE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
PETROLATUM (UNII: 4T6H12BN9U)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
CERESIN (UNII: Q1LS2UJO3A)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
SHEA BUTTER (UNII: K49155WL9Y)	
CANDELILLA WAX (UNII: WL0328HX19)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ZINC (UNII: J41CSQ7QDS)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
COPPER (UNII: 789U1901C5)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0252-1	1 in 1 BLISTER PACK	11/01/2010	
1		4.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2010	

NEUTROGENA REVITALIZING LIP BALM SPF 20 - HEALTHY BLUSH 20

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0253
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZ ONE - UNII:95OOS7VE0Y)	OXYBENZ ONE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
PETROLATUM (UNII: 4T6H12BN9U)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DROK5NOJ4R)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
CERESIN (UNII: Q1LS2UJO3A)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
SHEA BUTTER (UNII: K49155WL9Y)	
CANDELILLA WAX (UNII: VL0328HX19)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ZINC (UNII: J41CSQ7QDS)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
COPPER (UNII: 789U1901C5)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
D&C RED NO. 6 (UNII: 481744AI4O)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
STANNIC OXIDE (UNII: KM7N50LOS6)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:69968-0253-1	1 in 1 BLISTER PACK	11/01/2010	
1		4.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2010	

NEUTROGENA REVITALIZING LIP BALM SPF 20 - SUNNY BERRY 30

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0255
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZ ONE - UNII:950OS7VE0Y)	OXYBENZ ONE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
PETROLATUM (UNII: 4T6H12BN9U)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
LANOLIN ALCOHOLS (UNII: 884C3FA9HE)	
CERESIN (UNII: Q1LS2UJO3A)	
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
SHEA BUTTER (UNII: K49155WL9Y)	
CANDELILLA WAX (UNII: WL0328HX19)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ZINC (UNII: J41CSQ7QDS)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	

PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I)	
COPPER (UNII: 789U1901C5)	
MICA (UNII: V8A1AW0880)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0255-1	1 in 1 BLISTER PACK	11/01/2010	
1		4.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2010	

NEUTROGENA REVITALIZING LIP BALM SPF 20 - PETAL GLOW 40

octinoxate and oxybenzone lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0254
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZ ONE - UNII:95OOS7VE0Y)	OXYBENZ ONE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
PETROLATUM (UNII: 4T6H12BN9U)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	

LANOLIN ALCOHOLS (UNII: 884C3FA9HE)
CERESIN (UNII: Q1LS2UJO3A)
MYRISTYL MYRISTATE (UNII: 4042ZC00DY)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
CETYL LACTATE (UNII: A7EVH2RK4O)
SHEA BUTTER (UNII: K49155WL9Y)
CANDELILLA WAX (UNII: WL0328HX19)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ZINC (UNII: J41CSQ7QDS)
CARNAUBA WAX (UNII: R12CBM0EIZ)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
TRIBEHENIN (UNII: 80C9U7TQZ0)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
COPPER (UNII: 789U1901C5)
MICA (UNII: V8A1AW0880)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
ALUMINUM OXIDE (UNII: LMI26O6933)
D&C RED NO. 7 (UNII: ECW0LZ41X8)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0254-1	1 in 1 BLISTER PACK	11/01/2010	
1		4.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2010	

Labeler - Johnson & Johnson Consumer Inc. (118772437)