

**TRIPLE ANTIBIOTIC MAXIMUM STRENGTH- bacitracin zinc neomycin polymyxin b sulfate ointment**

**Budpak Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredients**

Bacitracin Zinc 400U

Neomycin 3.5mg

Polymyxin B sulfate 5000U

**Purpose**

First Aid Antibiotic

First Aid Antibiotic

First Aid Antibiotic

**Uses** first aid to help prevent infection in •minor cuts •scrapes •burns

**Warnings**

**For external use only**

**Do not use** •in the eyes •if you are allergic to any of the ingredients •longer than 1 week unless directed by a doctor •over large areas of the body

**Ask a doctor before use on** •on deep puncture wounds, animal bites, or serious burns

**Stop use and consult a doctor** if the condition persists or gets worse, or if a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

•Clean the affected area and dry thoroughly

•Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily

•May be covered with a sterile bandage

**Other information**

•Store at 68 to 77F (20C-25C) •See carton or tube crimp for lot number and expiration date

**Inactive ingredients** Petrolatum, Mineral oil, Ozocerite, Propanediol, Methylparaben, Propylparaben

Package Label

**Budpak**

\*Compare to the active ingredients in Neosporin®

Soothes painful cuts, scrapes and burns. Helps prevent infection.

MAXIMUM STRENGTH  
**Triple Antibiotic**

Bacitracin Zinc - 400U, Neomycin - 3.5mg, Polymyxin B Sulfate - 5000U

FIRST AID PAIN RELIEF OINTMENT

FUERZA MÁXIMA

**Antibiótico Triple**

Bacitracin Zinc - 400U, Neomycin - 3.5mg, Polymyxin B Sulfate - 5000U

MAXIMUM STRENGTH

**Triple Antibiotic**

Bacitracin Zinc - 400U, Neomycin - 3.5mg, Polymyxin B Sulfate - 5000U

FIRST AID PAIN RELIEF OINTMENT

NET WT .5 OZ (14g)

**Triple Antibiotic**

Bacitracin Zinc - 400U, Neomycin - 3.5mg, Polymyxin B Sulfate - 5000U

FIRST AID PAIN RELIEF OINTMENT



**Budpak Triple Antibiotic**

**Budpak**

**Budpak Triple Antibiotic**

**Budpak**

This product is not manufactured or distributed by Warner-Lambert Company LLC, owner of the registered trademark Neosporin®. Made in China. Distributed by BUDPAK INC., Ronkonkoma, NY 11779

<b>Drug Facts</b>	
<b>Active Ingredients</b>	Bacitracin Zinc - 400U Neomycin - 3.5mg Polymyxin B Sulfate - 5000U
<b>Purpose</b>	First Aid Antibiotic First Aid Antibiotic First Aid Antibiotic
<b>Uses</b>	First aid to help prevent infection in • minor cuts • scrapes • burns
<b>Warnings</b>	For external use only Do not use • in the eyes • if you are allergic to any of the ingredients • longer than 1 week unless directed by a doctor • over large areas of the body
<b>Directions</b>	Ask a doctor before use on • on deep puncture wounds, animal bites, or serious burns Stop use and consult a doctor if the condition persists or gets worse, or if a rash or other allergic reaction develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away
<b>Other Information</b>	• Clean the affected area and dry thoroughly • Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • May be covered with a sterile bandage
<b>Inactive Ingredients</b>	• Store at room temperature 68°-77°F (20°-25°C) • See carton or tube crimp for lot number and expiration date Petrolatum, Mineral Oil, Ozocerite, Propandiol, Methylparaben, Propylparaben.

1/2 oz. Size

## TRIPLE ANTIBIOTIC MAXIMUM STRENGTH

bacitracin zinc neomycin polymyxin b sulfate ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:27293-014
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [USP'U] in 1 g
NEOMYCIN (UNII: I16QD7X297) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B SULFATE	5000 [USP'U] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
MINERAL OIL (UNII: T5L8T28FGP)	
PROPANEDIOL (UNII: 5965N8W85T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:27293-014-01	1 in 1 BOX		
1	NDC:27293-014-14	14 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	08/19/2011	

**Labeler** - Budpak Inc. (183224849)

### Establishment

Name	Address	ID/FEI	Business Operations
Nantong Zhongbao Pharmaceutical Co., Ltd		420795668	manufacture

