

**INSTANT HAND SANITIZER- alcohol gel**  
**Henry Schein, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active Ingredient**

Ethyl Alcohol 66.5%

**Purpose**

Antiseptic

**Uses**

- for handwashing to decrease bacteria on skin without soap and water

**Warnings**

**For external use only. Flammable, keep away from fire or flame**

**When using this product** do not get into eyes. If contact occurs, rinse eyes thoroughly with water

**Stop use and ask doctor if**

- irritation and redness develops and persists for more than 72 hours

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- place a small amount and rub over both hands & wrists until dry
- allow to dry without wiping
- children under 6 should be supervised while using this product

**Inactive Ingredients**

aloe vera, carbomer, fragrance, purified water, triethanolamine

Distributed by **HENRY SCHEIN, INC.** Melville, NY 11747 USA  
Made in U.S.A.

**PRINCIPAL DISPLAY PANEL - 27.05 fl. oz. Box Label**

**Henry Schein**

112-5991

**Maxiclens**

**Instant Hand Sanitizer**

NDC 0404-5991-01

27.05 FL. OZ. (800 ML)

27.05 FL. OZ. (800 ML)  
 Enriched with Aloe Vera  
 Kills 99.9% of Germs  
 Citrus Scent  
**Maxiclens™**  
 Instant Hand Sanitizer  
 HENRY SCHEIN®  
 112-5991



HENRY SCHEIN®  
**Maxiclens™**  
 Instant Hand Sanitizer  
 Citrus Scent  
 Kills 99.9% of Germs  
 Enriched with Aloe Vera



<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Ethyl Alcohol 66.5%.....	Antiseptic
<b>Uses</b> ■ for handwashing to decrease bacteria on skin without soap and water	
<b>Warnings</b>	
For external use only. Flammable, keep away from fire or flame	
When using this product do not get into eyes. If contact occurs, rinse eyes thoroughly with water	
Stop use and ask doctor if ■ irritation and redness develops and persists for more than 72 hours	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
<b>Directions</b> ■ place a small amount and rub over both hands & wrists until dry ■ allow to dry without wiping ■ children under 6 should be supervised while using this product	
<b>Inactive ingredients</b> aloe vera, carbomer, fragrance, purified water, triethanolamine	


Distributed by **HENRY SCHEIN, INC.** Melville, NY 11747 USA  
 Made in U.S.A.




## Bag-n-Box Installation Instructions for Automatic Dispensers

1. Press your finger in to the perforated area on the bottom of this box and remove the entire key-hole shaped perforated area.
2. Locate the nozzle and pull it down through the bottom of the box.

3. Place the cartridge on the dispenser platform. Pull the nozzle down and with the thumb and forefinger, place the round disk of the nozzle firmly in the slot of the lower locator.



4. Before closing the cover, check to make sure the round disc of the nozzle is firmly seated in the slot of the lower locator.



\*+H65811259911K\*

 HENRY SCHEIN®

112-5991

# Maxiclens™

## Instant Hand Sanitizer




NDC 0404-5991-01

27.05 FL. OZ. (800 ML)


### Bag-n-Box Installation Instructions for Automatic Dispensers

1. Press your finger in to the perforated area on the bottom of this box and remove the entire key-hole shaped perforated area.
2. Locate the nozzle and pull it down through the bottom of the box.

3. Place the cartridge on the dispenser platform. Pull the nozzle down and with the thumb and forefinger, pull the round disk of the nozzle all the way to the bottom of the lower locator.



4. Before closing the cover, check to make sure the round disk of the nozzle is firmly in place at the bottom of the lower locator.



# INSTANT HAND SANITIZER

alcohol gel

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0404-5991
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>alcohol</b> (UNII: 3K9958V90M) (alcohol - UNII:3K9958V90M)	alcohol	665 mL in 1000 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>aloe</b> (UNII: V5VD430YW9)	
<b>water</b> (UNII: 059QF0KO0R)	
<b>trolamine</b> (UNII: 9O3K93S3TK)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0404-5991-01	800 mL in 1 BOX; Type 0: Not a Combination Product	02/01/2012	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	02/01/2012	

**Labeler** - Henry Schein, Inc. (012430880)

**Registrant** - Safetec of America, Inc. (874965262)

## Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America, Inc.		874965262	MANUFACTURE(0404-5991)