

## **BERKLEY AND JENSEN TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin, polymyxin b ointment**

**BJWC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **BJWC Triple Antibiotic Ointment Drug Facts**

#### **Active ingredients (in each gram)**

Bacitracin zinc equivalent to 400 units bacitracin

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 5,000 units as polymyxin B sulfate

#### **Purpose**

First aid antibiotic

#### **Use**

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

#### **Warnings**

**For external use only.**

#### **Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

#### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

#### **Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

### **Other information**

- store at 20-25°C (68-77°F)

### **Inactive ingredients**

cocoa butter, cottonseed oil, olive oil, sodium pyruvate, tocopheryl acetate, white petrolatum

### **Questions or comments?**

**1-800-934-1204**

### **Principal Display Panel**

Compare to the active ingredients in Neosporin®

ORIGINAL STRENGTH


LONG LASTING INFECTION PROTECTION

TRIPLE ANTIBIOTIC OINTMENT

BACITRACIN ZINC, NEOMYCIN SULFATE, POLYMYXIN B SULFATE

FIRST AID ANTIBIOTIC OINTMENT

CONTAINS TWO 1 OZ (28g) TUBES, TOTAL NET WT 2 OZ (56g)



# TRIPLE ANTIBIOTIC OINTMENT

<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each gram)</b>      <b>Purpose</b></p> <p>Bacitracin zinc equivalent to 400 units bacitracin.....First aid antibiotic</p> <p>Neomycin sulfate equivalent to 3.5 mg of neomycin base.....First aid antibiotic</p> <p>Polymyxin B 5,000 units as polymyxin B sulfate.....First aid antibiotic</p>		<p><b>Drug Facts (continued)</b></p> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>■ you need to use longer than 1 week</li> <li>■ condition persists or gets worse</li> <li>■ rash or other allergic reaction develops</li> </ul> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p>
<p><b>Use</b> first aid to help prevent infection in minor:</p> <ul style="list-style-type: none"> <li>■ cuts    ■ scrapes    ■ burns</li> </ul>	<p><b>Directions</b></p> <ul style="list-style-type: none"> <li>■ clean the affected area</li> <li>■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</li> <li>■ may be covered with a sterile bandage</li> </ul>	
<p><b>Warnings</b></p> <p><b>For external use only.</b></p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ if you are allergic to any of the ingredients</li> <li>■ in the eyes</li> <li>■ over large areas of the body</li> </ul> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>■ deep or puncture wounds</li> <li>■ animal bites</li> <li>■ serious burns</li> </ul>	<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>■ store at 20-25°C (68-77°F)</li> </ul> <p><b>Inactive ingredients</b> cocoa butter, cottonseed oil, olive oil, sodium pyruvate, tocopheryl acetate, white petrolatum</p> <p><b>Questions or comments? 1-800-934-1204</b></p>	

\*This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®  
 ♦Bacitracin from Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate in the U.S. Source: Symphony Health Solutions.



Every Berkeley Jensen product comes with our **100% Money-Back Guarantee**. It's just one of the many ways a BJ's membership gives you MORE.

Distributed by:  
 BJ's Wholesale Club  
 25 Research Drive  
 Westborough, MA 01581  
 Questions? 1-800-934-1204



# BERKLEY AND JENSEN TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin, polymyxin b ointment

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68391-207
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [USP'U] in 1 g

## Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
COCOA BUTTER (UNII: 512OYT1CRR)	
COTTONSEED OIL (UNII: H3E878020N)	
OLIVE OIL (UNII: 6UYK2W1W1E)	
SODIUM PYRUVATE (UNII: POD38AIF08)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

## Product Characteristics

Color	WHITE (Translucent)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68391-207-16	2 in 1 CARTON	10/30/2014	
1	NDC:68391-207-64	28 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	10/30/2014	

Labeler - BJWC (159082692)

