

THOMPSON CRAMP RELIEF- acetaminophen, pamabrom, pyrilamine maleate tablet, film coated
Thompson Safety

Thompson Cramp Relief

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Pamabrom 25 mg

Pyrilamine maleate 15 mg

Purpose

Pain reliever

Diuretic

Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- headache
- bloating
- cramps
- backache
- muscular aches
- irritability
- water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

■ difficulty in urination due to enlargement of the prostate gland

■ a breathing problem such as emphysema or chronic bronchitis

■ liver disease

■ glaucoma

Ask a doctor or pharmacist before use if you are

■ taking sedatives or tranquilizers

■ taking the blood thinning drug warfarin

When using this product

■ drowsiness may occur

■ avoid alcoholic beverages

■ excitability may occur, especially in children

■ alcohol, sedatives and tranquilizers may increase drowsiness

■ use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

■ pain gets worse or lasts more than 10 days

■ fever gets worse or lasts more than 3 days

■ new symptoms occur

■ redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ **do not take more than directed**

Adults and children: (12 years and over)

■ take 2 caplets with water every 6 hours as needed

do not exceed 6 caplets in a 24 hour period or as directed by a doctor

Children under 12 years: ask a doctor

Other information

store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

tamper-evident sealed packets

do not use any opened or torn packets

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments? 877.506.4291

Thompson

Cramp Relief

Menstrual Pain Relief

Pain Reliever Acetaminophen 500 mg

Diuretic Pamabrom 25 mg

Antihistamine Pyrilamine Maleate 15 mg

Safety Works | Business Thrives™

Pull to Open

This Package is for Households Without Young Children.

80 Caplets

Tamper Evident Sealed Packets

CRAMP RELIEF
MENSTRUAL PAIN RELIEF
THOMPSON
SAFETY WORKS | BUSINESS THRIVES

PAIN RELIEVER
ACETAMINOPHEN 500 MG
DIURETIC
PAMABROM 25 MG
ANTIHISTAMINE
PYRILAMINE MALEATE 15 MG

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.

80 Caplets TAMPER EVIDENT SEALED PACKETS

Drug Facts

Active ingredients (in each caplet)	Purpose
Acetaminophen 500 mg	Pain reliever
Pamabrom 25 mg	Diuretic
Pyrilamine maleate 15 mg	Antihistamine

Uses
for the temporary relief of these symptoms associated with menstrual periods:
headache bloating cramps backache muscular aches irritability water-weight gain

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
with other drugs containing acetaminophen
3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
skin reddening blisters rash If a skin reaction occurs, stop use and seek medical help right away.

Do not use
with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have
difficulty in urination due to enlargement of the prostate gland
a breathing problem such as emphysema or chronic bronchitis liver disease glaucoma

Ask a doctor or pharmacist before use if you are
taking sedatives or tranquilizers
taking the blood thinning drug warfarin (continued on opposite panel)

CRAMP RELIEF
MENSTRUAL PAIN RELIEF
THOMPSON
SAFETY WORKS | BUSINESS THRIVES

Pull to Open

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.

PAIN RELIEVER
ACETAMINOPHEN 500 MG
DIURETIC
PAMABROM 25 MG
ANTIHISTAMINE
PYRILAMINE MALEATE 15 MG

80 Caplets TAMPER EVIDENT SEALED PACKETS

Drug Facts (continued)

When using this product
drowsiness may occur avoid alcoholic beverages
excitability may occur, especially in children alcohol, sedatives and tranquilizers may increase drowsiness
use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if
pain gets worse or lasts more than 10 days
fever gets worse or lasts more than 3 days new symptoms occur redness or swelling is present
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
do not take more than directed
Take and children:
(12 years and over) take 2 caplets with water every 6 hours as needed
do not exceed 6 caplets in a 24 hour period or as directed by a doctor
Children under 12 years: ask a doctor

Other information
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
tamper-evident sealed packets
do not use any opened or torn packets

Inactive ingredients
corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide

Questions or comments? 877.506.4291

CRAMP RELIEF
MENSTRUAL PAIN RELIEF
THOMPSON
SAFETY WORKS | BUSINESS THRIVES

Reorder C592380

Distributed by
Thompson Safety
Houston, TX 77073
877.506.4291
www.thompson-safety.com

0 73408 92380 6

Retain carton for complete product information

THOMPSON CRAMP RELIEF

acetaminophen, pamabrom, pyrilamine maleate tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73408-923
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
PAMABROM (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZ G87K1MQ6)	PAMABROM	25 mg
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

Inactive Ingredients

Ingredient Name	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE (UNII: 2S7830E561)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SHELLAC (UNII: 46N107B71O)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 2--ALUMINUM LAKE (UNII: 4AQJ3LG584)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	purple	Score	no score
Shape	CAPSULE (Caplet)	Size	17mm
Flavor		Imprint Code	44;679
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73408-923-80	40 in 1 BOX	09/26/2022	
1		2 in 1 PACKET; Type 0: Not a Combination		

Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M027	09/26/2022	

Labeler - Thompson Safety (080998015)

Revised: 1/2024

Thompson Safety