

PYRANTEL PAMOATE- pyrantel pamoate suspension
Jefferson Labs

ORAL-PRO™
Pyrantel Pamoate Oral Suspension
Pinworm Treatment

50 mg/mL Pyrantel Base

Pharmacy Bulk Pack

Drug Facts

<i>Active Ingredient</i>	<i>Purpose</i>
Each 1 mL contains: Pyrantel base (as Pyrantel Pamoate) 50 mg	Pinworm treatment

Indications

- For the treatment of pinworms.

Warnings

- Abdominal cramps, nausea, vomiting, diarrhea, headache or dizziness sometimes occur after taking this drug. If any of these conditions persist, consult a physician.
- Keep this and all medications out of reach of children.
- In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.
- If you are pregnant or have liver disease, do not take this product unless directed by a physician.

Directions

- Shake well before use.
- Adults, children 12 years of age and over, and children 2 years to under 12 years of age: Oral dosage is a single dose of 5 milligrams of pyrantel base per pound, or 11 milligrams per kilogram, of body weight not to exceed 1 gram.
- Carefully read additional product information (located on the inside of label) before using this medication. Take only according to directions and do not exceed the recommended dosage unless directed by a physician. Medication should only be taken one time as a single dose, do not repeat treatment unless directed by a physician. When one individual in a household has pinworms, the entire household should be treated unless otherwise advised. See WARNINGS. If any worms other than pinworms are present before or after treatment, consult a physician. If any symptoms or pinworms are still present after treatment, consult a physician.
- This product can be taken any time of day, with or without meals. It may be taken

alone or with milk or fruit juice. Use of a laxative is not necessary prior to, during or after medication.

Dosage Information

Each mL of Pyrantel Pamoate Oral Suspension contains the equivalent of 50 mg of Pyrantel Base (as Pyrantel Pamoate).

Pyrantel Pamoate Oral Suspension Dosage Guide

Weight	Dosage (taken as a single dose)
Less than 25 pounds or under 2 years old	Do not use unless directed by a physician
25 to 37 pounds	1/2 teaspoonful (125 mg)
38 to 62 pounds	1 teaspoonful (250 mg)
63 to 87 pounds	1 1/2 teaspoonfuls (375 mg)
88 to 112 pounds	2 teaspoonfuls (500 mg)
113 to 137 pounds	2 1/2 teaspoonfuls (625 mg)
138 to 162 pounds	3 teaspoonfuls (750 mg)
163 to 187 pounds	3 1/2 teaspoonfuls (875 mg)
188 pounds and over	4 teaspoonfuls (1,000 mg)

Other Information

Each teaspoonful contains: Potassium 5 mg.

Store upright at 20°–25° C (68°–77° F). Excursions permitted between 15°–30° C (59°–86° F). Do not freeze.

Inactive Ingredients

Citric acid, potassium sorbate, purified water, glycerin, sodium benzoate, sucralose, vanilla custard flavor, xanthan gum.

Questions? 1-888-215-1256

PEEL BACK AT CORNER FOR IMPORTANT PRODUCT INFORMATION

MANUFACTURED IN THE USA



Do not use if the seal is open or broken.

REORDER NO: 21013

Manufactured by:

Jefferson Labs
NORTHFIELD, MINNESOTA 55057
1-888-215-1256
IN 50-1419 03/2021



Keep Out of Reach of Children

PRINCIPAL DISPLAY PANEL - 946 mL Bottle Label

NDC 51072-088-00

ORAL-PRO®

Pyrantel Pamoate

Oral Suspension

Pinworm Treatment

50 mg/mL Pyrantel Base

Pharmacy Bulk Pack

Keep Out of Reach of Children

32 fl. oz. (946 mL)

PEEL BACK AT CORNER FOR IMPORTANT PRODUCT INFORMATION

Do not use if the seal is open or broken.

REORDER NO: 21013

MANUFACTURED BY:
Jefferson Labs
NORTHFIELD, MINNESOTA 55057
1-888-215-1256
IN 50-1419 03/2021

JEFFERSON LABS

MANUFACTURED IN THE USA

TAKE TIME OBSERVE LABEL DIRECTIONS

3 51072-08800-8

Drug Facts

Active Ingredient	Purpose
Each 1 mL contains: Pyrantel base Pinworm (as Pyrantel Pamoate) 50 mg treatment	

Indications

- For the treatment of pinworms.

Warnings

- Abdominal cramps, nausea, vomiting, diarrhea, headache or dizziness sometimes occur after taking this drug. If any of these conditions persist, consult a physician.
- Keep this and all medications out of reach of children.
- In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.
- If you are pregnant or have liver disease, do not take this product unless directed by a physician.

Directions

- Shake well before use.
- Adults, children 12 years of age and over, and children 2 years to under 12 years of age: Oral dosage is a single dose of 5 milligrams of pyrantel base per pound, or 11 milligrams per kilogram, of body weight not to exceed 1 gram.
- Carefully read additional product information (located on the inside of label) before using this medication. Take only according to directions and do not exceed the recommended dosage unless directed by a physician. Medication should only be taken one time as a single dose, do not repeat treatment unless directed by a physician. When one individual in a household has pinworms, the entire household should be treated unless otherwise advised. See WARNINGS. If any worms other than pinworms are present before or after

Drug Facts (continued)

Directions (continued)

treatment, consult a physician. If any symptoms or pinworms are still present after treatment, consult a physician.

- This product can be taken any time of day, with or without meals. It may be taken alone or with milk or fruit juice. Use of a laxative is not necessary prior to, during or after medication.

Dosage Information

Each mL of Pyrantel Pamoate Oral Suspension contains the equivalent of 50 mg of Pyrantel Base (as Pyrantel Pamoate).

Pyrantel Pamoate Oral Suspension Dosage Guide

Weight	Dosage (taken as a single dose)
Less than 25 pounds or under 2 years old	Do not use unless directed by a physician.
25 to 37 pounds	1/2 teaspoonful (125 mg)
38 to 62 pounds	1 teaspoonful (250 mg)
63 to 87 pounds	1 1/2 teaspoonfuls (375 mg)
88 to 112 pounds	2 teaspoonfuls (500 mg)
113 to 137 pounds	2 1/2 teaspoonfuls (625 mg)
138 to 162 pounds	3 teaspoonfuls (750 mg)
163 to 187 pounds	3 1/2 teaspoonfuls (875 mg)
188 pounds and over	4 teaspoonfuls (1,000 mg)

Other Information

Each teaspoonful contains: Potassium 5 mg. Store upright at 20°-25° C (68°-77° F). Excursions permitted between 15°-30° C (59°-86° F). Do not freeze.

Inactive Ingredients

Citric acid, potassium sorbate, purified water, glycerin, sodium benzoate, sucralose, vanilla custard flavor, xanthan gum.

Questions? 1-888-215-1256

NDC 51072-088-00

ORAL-PRO®

Pyrantel Pamoate Oral Suspension

Pinworm Treatment
50 mg/mL Pyrantel Base

Pharmacy Bulk Pack

Keep Out of Reach of Children

32 fl. oz. (946 mL)

PYRANTEL PAMOATE

pyrantel pamoate suspension

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:51072-088

Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
PYRANTEL PAMOATE (UNII: 81BK194Z5M) (PYRANTEL - UNII:4QIH0N49E7)		PYRANTEL	50 mg in 1 mL	
Inactive Ingredients				
Ingredient Name		Strength		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)				
GLYCERIN (UNII: PDC6A3C0OX)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
WATER (UNII: 059QF0KO0R)				
Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor	VANILLA (custard)	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51072-088-00	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/21/2015	
2	NDC:51072-088-02	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/19/2022	
3	NDC:51072-088-01	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/28/2017	
4	NDC:51072-088-03	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/19/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M024	11/21/2015		

Labeler - Jefferson Labs (832848639)

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Jefferson Labs		832848639	manufacture(51072-088)
----------------	--	-----------	------------------------

Revised: 10/2024

Jefferson Labs