

BASIC CARE ACETAMINOPHEN- acetaminophen tablet, film coated, extended release

Amazon.com Services LLC

Amazon Acetaminophen Drug Facts

Active ingredient (in each caplet)

Acetaminophen 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- minor pain of arthritis
- muscular aches
- backache
- premenstrual and menstrual cramps
- the common cold
- headache
- toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none">• take 2 caplets every 8 hours with water• swallow whole; do not crush, chew, split or dissolve• do not take more than 6 caplets in 24 hours• do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none">• ask a doctor

Other information

- store at 20-25°C (68-77°F)
- meets the requirements of USP Dissolution Test 2

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

amazon

basic care

Arthritis Pain

Compare to Tylenol® 8HR Arthritis Pain active ingredient

Push & Turn Cap

Acetaminophen Extended-Release Tablets, 650 mg

Pain Reliever/Fever Reducer

LASTS UP TO 8 HOURS



For the Temporary Relief of Minor Arthritis Pain

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

actual size

400 CAPLETS* - 650 mg EACH

*Capsule-Shaped Tablets




Arthritis Pain
NDC 72288-544-79
Push & Turn Cap

Compare to Tylenol® 8HR Arthritis Pain active ingredient**

Acetaminophen

Extended-Release Tablets, 650 mg
Pain Reliever/Fever Reducer
LASTS UP TO 8 HOURS
For the Temporary Relief of Minor Arthritis Pain



actual size

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN


400 CAPLETS* - 650 mg EACH
*Capsule-Shaped Tablets

DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

Drug Facts
Purpose Active ingredient (in each caplet) Acetaminophen 650 mg, https://www.fda.gov/oc/ohrt/active-ingredients Pain reliever/fever reducer
Uses temporarily relieves minor aches and pains due to: ■ minor pain of arthritis ■ headache ■ premenstrual and menstrual cramps ■ colds ■ flu ■ toothache ■ temporarily reduces fever
Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 6 caplets in 24 hours, which is the maximum daily amount. ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product Allergic reactions: Some people have severe skin reactions. Symptoms may include: ■ skin rash/irritation ■ hives ■ rash ■ severe skin reactions. Symptoms may include: ■ if a skin reaction occurs, stop use and seek medical help right away. Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product Ask a doctor before use if you have liver disease Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin Stop use and ask a doctor if ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Directions adults ■ do not take more than directed (see overdose warning) ■ take 2 caplets every 8 hours with water ■ swallow whole; do not crush, chew, split or dissolve ■ do not take more than 6 caplets in 24 hours under 18 years of age ■ do not use for more than 10 days unless directed by a doctor ■ ask a doctor
Other information ■ store at 20°-25°C (68°-77°F) ■ meets the requirements of USP Dissolution Test 2
Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide
Questions or comments? 1-800-719-9260

Contains No Aspirin U.S. Patent 7,867,172
**This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Tylenol 8HR Arthritis Pain.

DISTRIBUTED BY:
AMAZON PHARMACEUTICAL SERVICES, LLC
410 TERRY AVENUE N., SEATTLE, WA 98109
GLUTEN FREE



EXP LOT : 54478 BN F2

3 70030 11457 3

BASIC CARE ACETAMINOPHEN

acetaminophen tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288-544
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	L544
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-544-79	400 in 1 BOTTLE; Type 0: Not a Combination Product	08/10/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

ANDA	ANDA075077	08/10/2021	
------	------------	------------	--

Labeler - Amazon.com Services LLC (128990418)

Revised: 5/2023

Amazon.com Services LLC