

## **CHILDRENS ALLERGY RELIEF- diphenhydramine hcl liquid**

**Marc Glassman, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredient**

#### **Active ingredient**

**(in each 5 mL teaspoonful)**

Diphenhydramine HCL 12.5 mg

### **Purpose**

Antihistamine

### **Keep out of reach of children.**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

### **Uses**

- temporarily relieves these symptoms due to hay fever or other respiratory allergies:
- sneezing
- itching of the nose or throat
- runny nose
- itchy watery eyes
- temporarily relieves these symptoms due to the common cold:
- sneezing
- runny nose

### **Warnings**

**Do not use** • With any other product containing diphenhydramine, even one used on skin

- to make a child sleepy

### **Ask a doctor before use if the child has**

- glaucoma
- a breathing problem such as chronic bronchitis

### **Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers

### **When using this product**

- marked drowsiness may occur
- excitability may occur, especially in children

- sedatives and tranquilizers may increase drowsiness

### Directions

- if needed, take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

---

Age (yr)	Dose (mL or tsp)
Children under 4 years	do not use
Children 4 to under 6 years	do not use unless directed by a doctor
Children 6 to under 12 years	1 to 2 teaspoonfuls (12.5 mg to 25 mg)

---

### Other Information

- Keep carton for full directions for use
- each teaspoonful contains: sodium 10 mg
- store at 20° - 25° C (68° - 77° F)
- dosage cup provided

### Inactive ingredients

Citric acid, D and C Red # 33 FD and C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

### Marc's Children's Allergy Relief Product Label

NDC 68998-505-24

Compare to the active ingredient in children's Benadryl® allergy liquid\*

**Marc's**

**Children's**

**Allergy**

**Relief**

**Antihistamine**

**Diphenhydramine HCL**

**Oral Solution**

**Relieves:**

**Sneezing, Runny Nose,**

**Itchy Watery Eyes,**

**Itchy Throat**

Alcohol-Free

CHERRY FLAVOR

4 FL OZ (118 mL)

**DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING**

\* This product is not manufactured or distributed by McNeil-PPC, Inc., distributor of "Children's Benadryl Allergy Liquid."

Distributed By:  
 Marc Glassman, Inc.  
 West 130th Street  
 Cleveland, OH 44130  
 BX-044

Internal Label - LR-075 Lot: Exp:

**DO NOT USE IF PRINTED SEAL  
 UNDER CAP IS TORN OR MISSING**

<b>Drug Facts</b>	
<b>Active ingredient (in each 5 mL teaspoonful)</b>	<b>Purpose</b>
Diphenhydramine HCl 12.5mg.....	Antihistamine
<b>Uses</b>	
<ul style="list-style-type: none"> <li>■ temporarily relieves these symptoms due to hay fever or other respiratory allergies:           <ul style="list-style-type: none"> <li>■ sneezing</li> <li>■ itching of the nose or throat</li> <li>■ runny nose</li> <li>■ itchy watery eyes</li> </ul> </li> <li>■ temporarily relieves these symptoms due to the common cold:           <ul style="list-style-type: none"> <li>■ sneezing</li> <li>■ runny nose</li> </ul> </li> </ul>	
<b>Warnings</b>	
<p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>■ with any other product containing diphenhydramine, even one used on skin</li> <li>■ to make a child sleepy</li> </ul> <p><b>Ask a doctor before use if the child has</b></p> <ul style="list-style-type: none"> <li>■ glaucoma</li> <li>■ a breathing problem such as chronic bronchitis</li> </ul> <p><b>Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers</b></p> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>■ marked drowsiness may occur</li> <li>■ excitability may occur, especially in children</li> <li>■ sedatives and tranquilizers may increase drowsiness</li> </ul> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p>	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>■ if needed, take every 4 to 6 hours</li> <li>■ do not take more than 6 doses in 24 hours</li> </ul>	
<b>Age (yr)</b>	<b>Dose (mL or tsp)</b>
Children under 4 years	do not use
Children 4 to under 6 years	do not use unless directed by a doctor
Children 6 to under 12 years	1 to 2 teaspoonfuls (12.5 mg to 25 mg)

<b>Drug Facts (continued)</b>
<b>Other Information</b>
<ul style="list-style-type: none"> <li>■ Keep carton for full directions for use</li> <li>■ each teaspoonful contains: sodium 10 mg</li> <li>■ store at 20° - 25° C (68° - 77° F)</li> <li>■ dosage cup provided</li> </ul>
<b>Inactive ingredients</b>
Citric acid, D&C Red # 33, FD&C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

\* This product is not manufactured or distributed by McNeil-PPC, Inc., distributor of "Children's Benadryl Allergy Liquid."

Distributed by:  
 Marc Glassman, Inc.  
 West 130th Street  
 Cleveland, OH 44130

BX-044

NDC 68998-505-24 Compare to the active ingredient in children's Benadryl® allergy liquid\*

**Marc's**

**Children's**

# Allergy Relief

**Antihistamine**


**Diphenhydramine HCL Oral Solution**

**Relieves:**  
 Sneezing, Runny Nose,  
 Itchy Watery Eyes,  
 Itchy Throat

**Alcohol-Free**

**CHERRY FLAVOR**

**4 FL OZ (118 mL)**



**DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING**

**Active ingredient (in each 5 mL teaspoonful)** Diphenhydramine HCl 12.5mg..... Antihistamine

**Uses** ■ temporarily relieves these symptoms due to hay fever or other respiratory allergies: ▶ sneezing ▶ itching of the nose or throat ▶ runny nose ▶ itchy watery eyes ■ temporarily relieves these symptoms due to the common cold: ▶ sneezing ▶ runny nose

**Warnings**

**Do not use** ■ with any other product containing diphenhydramine, even one used on skin ■ to make a child sleepy

**Ask a doctor before use if the child has** ■ glaucoma ■ a breathing problem such as chronic bronchitis

**Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers**

**When using this product** ■ marked drowsiness may occur ■ excitability may occur, especially in children ■ sedatives and tranquilizers may increase drowsiness

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ if needed, take every 4-6 hours ■ do not take more than 6 doses in 24 hours

**Children under 4 years of age:** do not use

**Children 4 to under 6 years of age:** do not use unless directed by a doctor

**Children 6 to under 12 years of age:** 1 to 2 teaspoonfuls (12.5 mg to 25 mg)

**Other information**

■ Keep carton for full directions for use ■ each teaspoonful contains: sodium 10 mg ■ store at 20° - 25°C (68° - 77°F) ■ Doseage cup provided

**Inactive ingredients** Citric acid, D&C Red # 33, FD&C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

\* This product is not manufactured or distributed by McNeil-PPC, Inc., the distributor of "Children's Benadryl® Allergy Liquid".

Distributed by:  
Marc Glassman, Inc.  
West 130th Street  
Cleveland, OH 44130

Lot: \_\_\_\_\_  
LR-075  
Exp: \_\_\_\_\_

res

CHILDRENS ALLERGY RELIEF			
diphenhydramine hcl liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68998-505
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL
Inactive Ingredients			
Ingredient Name			Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
D&C RED NO. 33 (UNII: 9DBA0SBB0L)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
POLOXAMER 407 (UNII: TUF2IVW3M2)			
WATER (UNII: 059QF0K00R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
SUCROSE (UNII: C151H8M554)			
Product Characteristics			
Color		Score	

<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY (CHERRY)	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68998-505-24	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/02/2014	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	12/02/2014	

**Labeler** - Marc Glassman, Inc. (094487477)

Revised: 1/2020

Marc Glassman, Inc.