

MANGANUM SULPHURICUM- manganum sulphuricum pellet
Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**MANGANUM
SULPHURIC.
30C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as vomiting.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**MANGANUM
SULPHURIC.
100C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as vomiting.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**MANGANUM
SULPHURIC.
200C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as vomiting.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**MANGANUM
SULPHURIC.
500C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as vomiting.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**MANGANUM
SULPHURIC.
1M**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as vomiting.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

MANGANUM SULPHURICUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

MANGANUM SULPHURICUM

manganum sulphuricum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1553
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MANGANESE SULFATE (UNII: W00LYS4T26) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANOUS CATION	6 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1553-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
2	NDC:37662-1553-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	
3	NDC:37662-1553-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/21/2022	

MANGANUM SULPHURICUM

manganum sulphuricum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1554
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MANGANESE SULFATE (UNII: W00LYS4T26) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANOUS CATION	12 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1554-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
2	NDC:37662-1554-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	
3	NDC:37662-1554-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/21/2022	

MANGANUM SULPHURICUM

manganum sulphuricum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1555
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MANGANESE SULFATE (UNII: W00LYS4T26) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANOUS CATION	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1555-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
2	NDC:37662-1555-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
3	NDC:37662-1555-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	
4	NDC:37662-1555-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/21/2022	

MANGANUM SULPHURICUM

manganum sulphuricum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1556
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MANGANESE SULFATE (UNII: W00LYS4T26) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANOUS CATION	100 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1556-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
2	NDC:37662-1556-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
3	NDC:37662-1556-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	
4	NDC:37662-1556-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/21/2022	

MANGANUM SULPHURICUM

manganum sulphuricum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1557
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MANGANESE SULFATE (UNII: W00LYS4T26) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANOUS CATION	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1557-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
2	NDC:37662-1557-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
3	NDC:37662-1557-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	
4	NDC:37662-1557-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/21/2022	

MANGANUM SULPHURICUM

manganum sulphuricum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1558
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MANGANESE SULFATE (UNII: W00LYS4T26) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANOUS CATION	500 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm

Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1558-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
2	NDC:37662-1558-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
3	NDC:37662-1558-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	
4	NDC:37662-1558-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		09/21/2022		

MANGANUM SULPHURICUM			
manganum sulphuricum pellet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1559
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MANGANESE SULFATE (UNII: W00LYS4T26) (MANGANOUS CATION - UNII:H6EP7W5457)	MANGANOUS CATION	1 [hp_M]	
Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			
Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1559-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
2	NDC:37662-1559-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	09/21/2022	
3	NDC:37662-1559-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	
4	NDC:37662-1559-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	09/21/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/21/2022	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment

Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-1553, 37662-1554, 37662-1555, 37662-1556, 37662-1557, 37662-1558, 37662-1559)

Revised: 9/2022

Hahnemann Laboratories, INC.