

EXTRA STRENGTH ACETAMINOPHEN- acetaminophen tablet
HealthLife of USA

Acetaminophen Extra Strength 500 mg

Active Ingredient

(in each tablet)

Acetaminophen 500mg

Purpose

Pain reliever/fever reducer

Uses

- temporary relieves minor aches and pains due to
- the common cold
- headache
- backache
- toothache
- muscular aches
- premenstrual and menstrual cramps and
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Do not exceed recommended dosage.

Directions

- do not use more than directed (**see overdose warning**)
- Adults and children 12 years of age and older:
 - Take 2 caplets every 6 hours while symptoms last.
 - Do not take more than 6 caplets in 24 hours, unless directed by a doctor
 - Do not use more than 10 days unless directed by a doctor.
- Children under 12 years of age: Do not use this extra strength product. This will provide more than the recommended dose (overdose) and could cause serious health problems.

Other Information

- store at controlled room temperature 20-25°C (68-77°F).
- read all product information before using.
- TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Inactive Ingredients

Hypromellose, Magnesium Stearate, Microcrystalline Cellulose, Pregelatinized Starch, Polyethylene Glycol, Polyvinyl Pyrolidone, Stearic Acid, Talc, Titanium Dioxide

Questions or Comments

1-844-832-1138 (Mon-Fri 9AM-5PM EST) or www.healthlifeofusa.com

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

HealthLife
Extra Strength
Pain Reliever
Acetaminophen 500 mg
Pain Reliever / Fever Reducer
24 CAPLETS For Adults
Compare to EXTRA STRENGTH Tylenol[®] active ingredients*
NDC 69517-107-24

Drug Facts	
Active ingredient (in each caplet)	Purpose
Acetaminophen 500mg.....	Pain reliever/Fever reducer
Uses:	
■ temporarily relieves minor aches and pains due to: ■ headache ■ muscular aches ■ backache ■ minor pain of arthritis ■ the common cold ■ toothache ■ temporarily reduces fever ■ premenstrual and menstrual cramps	
Warnings	
Liver Warning: This product contains acetaminophen. The maximum daily dose of this product is 6 caplets (3000 mg) in 24 hours. Severe liver damage may occur if you take ■ more than 4000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks everyday while using this product Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If skin reaction occurs; stop use and seek medical help right away.	
Do not use	
■ with any other drug containing acetaminophen (prescription or not prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ If you are allergic to acetaminophen or any of the inactive ingredients in this product.	
DRUG FACTS CONTINUED on back of the label ▶	

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

* This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Extra Strength Tylenol[®].

Distributed By:
HealthLife of USA LLC
Rahway, NJ 07065 USA
www.healthlifeofusa.com

Lot No.:
Exp. Date:

PEEL HERE ▶

Drug Facts (Continued)
Ask a doctor before use if you have liver disease Ask your doctor or pharmacist before use if you are taking the blood thinning drug warfarin
Stop use and ask a doctor if: ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: Taking more than recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Directions
■ do not take more than directed (see overdose warning) ■ adults and children 12 years of age and over: ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours ■ do not use for more than 10 days unless directed by a doctor ■ children under 12 years of age: do not use
Other Information
■ store at 15° to 30°C (59° to 86°F) ■ read all product information before using
Inactive Ingredients: May Contain: carnauba wax, hypromellose, mineral oil, polyethylene glycol, PVP-K30, pregelatinized starch, sodium Starch Glycolate, stearic acid, titanium dioxide
Questions or comments? Call 1-844-832-1138 9AM - 5PM Monday - Friday

EXTRA STRENGTH ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69517-107
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
POVIDONE (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	BH
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69517-107-05	500 in 1 BOTTLE; Type 0: Not a Combination Product	07/31/2017	
2	NDC:69517-107-40	1 in 1 CARTON	07/31/2017	
2		40 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/31/2017	

Labeler - HealthLife of USA (079656178)

Revised: 10/2023

HealthLife of USA