

## **MOBILITY- methyl salicylate oil**

### **Mayway Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Mobility**

#### **Active ingredients**

<b>Active ingredients</b>	<b>Purpose</b>
Methyl Salicylate 20%.....	External Analgesic
Menthol 8%.....	External Analgesic
Camphor 4% .....	External Analgesic
Capsicum Oleoresin 0.25%.....	External Analgesic

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive irritation of the skin develops
- nausea, vomiting, abdominal discomfort, or diarrhea occurs
- pain persists for more than 10 days
- redness is present
- in conditions affecting children under 12 years of ageDo not use otherwise than as directed

#### **Keep out of reach of children**

**Keep out of reach of children** to avoid accidental poisoning.

If swallowed, get medical help or contact a Poison Control Center right away

#### **Do not use otherwise than as directed**

#### **Directions**

Pregnant or breastfeeding women and children under 12: Do not use or consult a doctor

#### **Directions**

- adults and children 12 years of age and older: Apply generously to the affected area and massage until thoroughly absorbed into skin
- repeat as necessary but not more than 4 times daily.
- pregnant or breastfeeding women and children under 3: Do not use or consult a doctor

#### **Other information**

- Keep tightly closed
- Store at room temperature, 20° to 25°C(68° to 77F)

#### **Inactive ingredients**

Frankincense oil, Ligusticum chuanxiong rhizome oil, Mineral Oil, Myrrh oil, Peppermint oil, Pine oil,

Terpineol, Thyme oil, Turpentine oil

## Questions?

+1-800-262-9929 M-F 9am - 5pm

## Warnings

For external use only

## Purpose

### Active ingredients

Methyl Salicylate 20%.....	External Analgesic
Menthol 8%.....	External Analgesic
Camphor 4% .....	External Analgesic
Capsicum Oleoresin 0.25%.....	External Analgesic

### Purpose

## Do not use

- on wounds
- irritated or damaged skin
- if allergic to aspirin or other NSAIDs

## When using this product

- avoid contact with the eyes or mucous membranes
- do not bandage tightly or use with heating pad
- do not apply to wounds or damaged skin

## Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive irritation of the skin develops
- nausea, vomiting, abdominal discomfort, or diarrhea occurs
- pain persists for more than 10 days
- redness is present
- in conditions affecting children under 12 years of age

## Warnings

### For external use only


## Uses

For the temporary relief of minor aches and pains of muscles and joints due to:

- arthritis
- strains
- bruises
- sprains
- simple backache

Mobility Principal Display Panel

Mobility Principal Display Panel



MOBILITY

methyl salicylate oil

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:33346-3401
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	10 g in 50 mL
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	4 g in 50 mL
CAMPHOR OIL (UNII: 75IZZ8Y727) (CAMPHOR OIL - UNII:75IZZ8Y727)	CAMPHOR OIL	2 g in 50 mL
CAPSICUM OLEORESIN (UNII: UW86K581WY) (CAPSICUM OLEORESIN - UNII:UW86K581WY)	CAPSAICIN	0.125 g in 50 mL

Inactive Ingredients	
Ingredient Name	Strength
TURPENTINE OIL (UNII: C5H0QJ6V7F)	
LIGUSTICUM SINENSE SUBSP. CHUANXIONG WHOLE (UNII: CAX256379F)	
FRANKINCENSE OIL (UNII: 67ZYA5T02K)	
MYRRH OIL (UNII: H74221J5J4)	
MINERAL OIL (UNII: T5L8T28FGP)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y)	
TERPINEOL (UNII: R53Q4ZWC99)	
THYME OIL (UNII: 2UK410MY6B)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33346-3401-2	1 in 1 BOX	10/26/2018	
1	NDC:33346-3401-1	50 mL in 1 VIAL, GLASS; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	10/26/2018	

Labeler - Mayway Corporation (093077618)

