

**MENSTRUAL COMPLETE- acetaminophen, caffeine, pyrilamine maleate tablet,  
film coated  
Kroger Company**

-----  
**Kroger 44-390**

***Active ingredients (in each caplet)***

Acetaminophen 500 mg  
Caffeine 60 mg  
Pyrilamine maleate 15 mg

***Purpose***

Pain reliever  
Diuretic  
Antihistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- avoid alcoholic beverages
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- you may get drowsy
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

### **Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than the recommended dose**
- adults and children 12 years and over:
  - take 2 caplets with water
  - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

### ***Other information***

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)

### ***Inactive ingredients***

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

### ***Questions or comments?***

**1-800-632-6900**

### ***Principal Display Panel***

**COMPARE TO** the active ingredients  
in **MIDOL® COMPLETE** \*see side panel

NDC 30142-390-10

**Kroger®**

**Maximum Strength**

**Menstrual Complete**

**Acetaminophen**, Pain Reliever  
Caffeine, Diuretic  
Pyrilamine Maleate, Antihistamine

Relief of Cramps, Bloating, Fatigue,  
Backache & Headache

actual  
size

**40 CAPLETS**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*Midol® is a registered trademark of Bayer Healthcare LLC,  
Tarrytown, NY 10591. Bayer Healthcare LLC is not affiliated  
with The Kroger Co. or this product.

50844 ORG051739010

DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OHIO 45202

QUALITY GUARANTEE  
800-632-6900  
www.kroger.com

**Drug Facts (continued)**

**Warnings:** Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours

■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin reddening ■ blisters ■ rash

**Drug Facts** (continued)

**Active Ingredients (in each caplet)**

Acetaminophen 500 mg ..... Pain reliever  
Caffeine 60 mg ..... Diuretic  
Pyrilamine maleate 15 mg ..... Antihistamine

**Purpose**

for the temporary relief of these symptoms associated with menstrual periods:  
■ bloating ■ headache ■ muscle aches  
■ cramps ■ backache ■ fatigue  
■ water-weight gain

**Drug Facts**

**FOR COMPLETE PRODUCT INFORMATION**

**KEEP OUTER PACKAGE**

COMPARE TO the active ingredients in MIDOL® COMPLETE\* See side panel

NDC 30142-390-10

**Kroger**

**OUR PHARMACIST RECOMMENDED**

**Maximum Strength**

**Menstrual Complete**

**Acetaminophen, Pain Reliever**  
**Caffeine, Diuretic**  
**Pyrilamine Maleate, Antihistamine**

Relief of Cramps, Bloating, Fatigue, Backache & Headache

actual size

**40 CAPLETS**

\*Midol® is a registered trademark of Bayer Healthcare LLC, Tarrytown, NY 10591. Bayer Healthcare LLC is not affiliated with The Kroger Co. or this product.  
50844 ORG051739010

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

DISTRIBUTED BY THE KROGER CO.,  
CINCINNATI, OHIO 45202  
QUALITY GUARANTEE  
800-632-6900  
www.kroger.com

PLEASE RECYCLE



**Drug Facts (continued)**  
Questions or comments? 1-800-632-6900

**Drug Facts (continued)**

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

■ do not take more than the recommended dose  
■ adults and children 12 years and over:  
■ take 2 caplets with water  
■ repeat every 6 hours, as needed  
■ do not exceed 6 caplets per day

**Drug Facts (continued)**

**Other Information**

■ see end flap for expiration date and lot number  
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

**Inactive Ingredients**

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

**Drug Facts (continued)**

■ children under 12 years: ask a doctor

B-1050-390-10-R  
ORG051739010  
6

**Drug Facts (continued)**

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

■ difficulty in urination due to enlargement of the prostate gland ■ liver disease ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

■ taking the blood thinning drug warfarin  
■ taking sedatives or tranquilizers

**When using this product**

■ avoid alcoholic beverages  
■ excitability may occur, especially in children

**Drug Facts (continued)**

■ be careful when driving a motor vehicle or operating machinery

■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ you may get drowsy

■ limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasional, rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

**Stop use and ask a doctor if**

■ new symptoms occur  
■ redness or swelling is present  
■ pain gets worse or lasts more than 10 days  
■ fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Kroger 44-390**

# MENSTRUAL COMPLETE

acetaminophen, caffeine, pyrilamine maleate tablet, film coated

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:30142-390 |
| <b>Route of Administration</b> | ORAL           |                           |               |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength  | Strength |
|---|--------------------|----------|
| <b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)   | ACETAMINOPHEN      | 500 mg   |
| <b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)             | CAFFEINE           | 60 mg    |
| <b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL) | PYRILAMINE MALEATE | 15 mg    |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)                     |          |
| <b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)            |          |
| <b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)         |          |
| <b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)        |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)               |          |
| <b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)       |          |
| <b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)                     |          |
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A) |          |
| <b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)            |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                  |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                     |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                 |          |
| <b>TRIACETIN</b> (UNII: XHX3C3X673)                        |          |

## Product Characteristics

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | white | <b>Score</b>        | no score |
| <b>Shape</b>    | OVAL  | <b>Size</b>         | 17mm     |
| <b>Flavor</b>   |       | <b>Imprint Code</b> | 44;390   |
| <b>Contains</b> |       |                     |          |

## Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:30142-390-22 | 1 in 1 CARTON  | 06/03/2019           |                    |
| 1 |                  | 48 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |
| 2 | NDC:30142-390-10 | 1 in 1 CARTON  | 06/03/2019           |                    |
|   |                  | 48 in 1 BOTTLE, PLASTIC; Type 0: Not a                     |                      |                    |

2

40 IN 1 BOTTLE, PLASTIC; Type U: Not a Combination Product

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013                                     | 06/03/2019           |                    |

**Labeler** - Kroger Company (006999528)**Establishment**

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 038154464 | pack(30142-390)     |

**Establishment**

| Name                    | Address | ID/FEI    | Business Operations                      |
|-------------------------|---------|-----------|--|
| LNK International, Inc. |         | 832867837 | manufacture(30142-390) , pack(30142-390) |

**Establishment**

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 832867894 | manufacture(30142-390) |

**Establishment**

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 967626305 | pack(30142-390)     |

**Establishment**

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 117025878 | manufacture(30142-390) |

Revised: 10/2023

Kroger Company