

**NEUTROGENA MINERAL ULTRA SHEER DRY TOUCH SPF 30- titanium dioxide, zinc oxide lotion**

**Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Neutrogena Mineral Ultra Sheer Dry Touch Lotion SPF 30**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Titanium Dioxide (6.6%) Zinc Oxide (18.0%)	<b>Sunscreen</b>

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

## **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

## **Inactive ingredients**

Water, Isohexadecane, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Dimethicone, Ethylhexyl methoxycrylene, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Calcium Aluminum Borosilicate, VP/Hexadecene Copolymer, Styrene/Acrylates Copolymer, Triethoxycaprylylsilane, Aluminum Hydroxide, Xanthan Gum, Stearic Acid, Trisiloxane, Polyester-7, Phenoxyethanol, Polyhydroxystearic Acid, Caprylyl Glycol, Ethylhexylglycerin, Neopentyl Glycol Diheptanoate, Behenyl Alcohol, Tocopheryl Acetate, Disodium EDTA, Silica

## **Questions?**

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

## **PRINCIPAL DISPLAY PANEL - 88 mL Tube Label**

*NEW*

Neutrogena®

**DERMATOLOGIST RECOMMENED BRAND**

**PURESCREEN+™**

**MINERAL**

**ULTRA**

**SHEER®**

**DRY-TOUCH LOTION**

**30**

**SUNSCREEN**

**BROAD SPECTRUM SPF 30**

**UVA/UVB PROTECTION**

lightweight clean feel

100% mineral actives + vitamin e

water resistant (80 minutes)

3.0 FL OZ (88 mL)

**NEUTROGENA®  
MINERAL ULTRA SHEER® SPF 30**

- Broad spectrum UVA/UVB protection
- Fragrance-free • Sensitive skin • Non-chalky
  - Shine-free • Lightweight clean feel
  - Skin nourishing formula



Formulated with antioxidant vitamin e and a dry-touch finish.

30049203

**Drug Facts**

**Active ingredients**

Titanium Dioxide (6.6%) Zinc Oxide (18.0%)

**Purpose**

Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

■ **For external use only** ■ **Do not use** on damaged or broken skin  
 ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

**Other information**

■ protect this product from excessive heat and direct sun ■ may stain some fabrics

**Inactive ingredients**

Water, Isohexadecane, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Dimethicone, Ethylhexyl methoxycrylene, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Calcium Aluminum Borosilicate, VP/Hexadecene Copolymer, Styrene/Acrylates Copolymer, Triethoxycaprylylsilane, Aluminum Hydroxide, Xanthan Gum, Stearic Acid, Trisiloxane, Polyester-7, Phenoxyethanol, Polyhydroxystearic Acid, Caprylyl Glycol, Ethylhexylglycerin, Neopentyl Glycol Diheptanoate, Behenyl Alcohol, Tocopheryl Acetate, Disodium EDTA, Silica

**Questions?**

Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 • J&JCI 2022 Pat. www.jjcpatents.com



Free of: Chemical actives (including no oxybenzone)



Vegan. Formula not tested on animals.



PURESCREEN+™: 100% mineral actives + vitamin e



**NEW**

**Neutrogena®**

DERMATOLOGIST RECOMMENDED BRAND

PURESCREEN+™  
**MINERAL  
ULTRA  
SHEER®  
DRY-TOUCH LOTION**

**30** SUNSCREEN  
BROAD SPECTRUM SPF 30  
UVA/UVB PROTECTION

lightweight clean feel  
100% mineral actives + vitamin e  
water resistant (80 minutes)

3.0 FL OZ (88 mL)

**NEUTROGENA MINERAL ULTRA SHEER DRY TOUCH SPF 30**

titanium dioxide, zinc oxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0776
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	180 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	66 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>CALCIUM ALUMINUM BOROSILICATE</b> (UNII: 3JRB8A35M0)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0776-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	12/06/2022	
2	NDC:69968-0776-1	12 in 1 TRAY	12/06/2022	
2		14 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC monograph not  
final

part352

12/06/2022

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023

Johnson & Johnson Consumer Inc.