CAMO CC CREAM SPF30 DEEP 510 C- octinoxate, titanium dioxide, zinc oxide cream

e.l.f. Cosmetics, Inc

Camo CC Cream SPF30 Deep 510 C

Drug Facts

Active ingredients

Octinoxate 7.5% Titanium Dioxide 4.45% Zinc Oxide 13.72%

Purpose

Sunscreen

Use

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product:

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if:

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours.
- Use water resistant sunscreen if swimming or sweating.
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sun screen with a Broad Spectrum SPF value of 15

or higher and other sun protection measures including: limit time in sun, especially from 10 a.m.-2 p.m. wear long- sleeved shirts, pants, hats and sunglasses. Children under 6 months of age: ask a doctor. **Sun Protection Measures:**

Other Information

• Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water (Aqua), Dimethicone, Cylopentasiloxane, Butylene Glycol, Phenyl Trimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butyloctyl Salicylate, POlyglyceryl-4 Isostearate, Methyl Methacrylate Crosspolymer, Cyclohexasiloxane, Acrylates/Polytrimethylsiloxymethacrylate Copolymer, Hexyl Laurate, Magnesium Sulfate, Phenoxyethanol, Triethoxycaprylylylsilane, Disteardimonium Hectorite, Hydrated Silica, Aluminium Hydroxide, Propylene Carbonate, Dimethicone/Methicone Copolymer, Caprylyl Glycol, Ethylhexylglycerin, Disodium Edta, Tocopheryl Acetate, Sodium Hyaluronate, Niacinamide, Panthenol, Ascorbyl Palmitate, Soluble Collagen, Canola Oil, Glycerin, Daucu Carota Sativa (Carrot) See Oil, Carbomer, Daucus Carota Sativa (Carrot) Root Extract, Helianthus Annuus (Sunflower) Seed Oil, Beta-Carotene, Poly-sorbate 20, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, 1,2-Hexanediol Titanium Dioxide (CI 77891), Yellow Iron Oxide(CI 77492), Red Iron Oxide (CI 77499)

May Contain:

Questions or comments?

1-888-315-9814

Package Labeling:







84654

eruckyfree sndvegan

-DEEP 510 Cwith cool (C) peach undertones

Ditch your basic foundation! This color correcting cream is the only product you need to achieve a natural looking complexion but with full coverage. A multitasking dream cream infused with collargen, peptides and niacinamide known to plump, hydrate and smooth the appearance of your skin while protecting with SPF 30.

DIRECTIONS: Apply 1-2 pumps of the CC Cream to clean skin using our e.l.f. Complexion Duo Brush to achieve an airbrushed finish. Wear as a moisturizer and full-coverage foundation depending on your needs.

elfcosmetics.com #eyeslipsface

Drug Facts

Use

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun.

Warning

For external use only. Do not use on damaged or broken skin. • When using this product: keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if: rash occurs. • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. ● Use water resistant sunscreen if swimming or sweating. ● Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in sun, especially from 10 a.m.-2 p.m., wear long-sleeved shirts, parts, hats and sunglasses. Children under 6 months of age: ask a doctor.

Other Information

· Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water (Agua), Dimethicone, Octopentasilovane, Butylene Gyool, Phenyl Trimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Butylene Glycol Dicapnylate/Dicarpate, Butyloctyl Salicylate, Polyglycenyl-4 isostearate, Methyl Mehacrylate Crosspolymer, Cycloheasilloane, Acrylates/Polyfrimethysilonymethacylate Copolymer, Heayl Laurate, Mannesium Sullate Phenomethanol Tetefhonocranolysisiane COLOR CORRECTING FULL-COVERAGE NATURAL FINISH

Skin-loving ingredients Collagen, Peptides & Niacinamide CAMO CC CREAM

Distaerdimonium Hectorite, Hydrated Silica, Aluminum Hydroxide, Propylene Carbonate, Dimethicone/Methicone Opolymer, Caprylyl Glycol, Ethyhexylglycerin, Disodium EDIA, Tocopheryl Acatale, Sodium Hyaluronate, Niacinamide, Panthenol, Ascorbyl Palmitate, Soliubie Collagen, Carola Oli, Glycerin, Dausus Carota Sathra (Carrot), Seed Oli, Carbomer, Daucus Carota Sathra (Carrot) Root Extract, Helianthus Annuus (Suntilower) Seed Oli, Beta Carotene, Polysorbatie 20, Palmitoyl Tirpeptide-1, Palmitoyl Tetrapeptide-7, 1,2-Hexanediol **May Contain:** Titanium Dioxide (Cl 77991), Yellow Iron Oxide (Cl 777492), Bed Iron Oxide (Cl 777492), Bed Iron Oxide (Cl 777492),

Questions or comments? 1-888-315-9814

DIST. E.L.F. COSMETICS, INC. OAKLAND, CA 94607. MADE IN CHINA. DESIGNED IN THE U.S.A.



NET WT 1.05 OZ (30 g)



CAMO CC CREAM COLOR CORRECTING **FULL-COVERAGE** NATURAL FINISH Collagen, Peptides & Niacinamide


DIRECTIONS: Apply 1-2 pumps of the CC Cream to clean skin using our e.l.f. Complexion Duo Brush to achieve an airbrushed finish. Wear as a moisturizer and full-coverage foundation depending on your needs. Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours.


ACTIVE INGREDIENTS: OCTINOXATE 7.5%, TITANIUM DIOXIDE 4.45%, ZINC OXIDE 13.72%

FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. WHEN USING THIS PRODUCT: KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. STOP USE AND ASK A DOCTOR IF: RASH OCCURS. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIST. E.L.F. COSMETICS, INC. OAXLAND, CA 94607. MADE IN CHINA. DESIGNED IN THE U.S.A. NET WT 1.05 OZ (30 g) 84924

DEEP 510 C





CAMO CC CREAM SPF30 DEEP 510 C

octinoxate, titanium dioxide, zinc oxide cream

| Product Information | | | | |
|-------------------------|----------------|--------------------|---------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:76354-924 | |
| Route of Administration | TOPICAL | | | |

| Active Ingredient/Active Moiety | | | |
|--|--------------------------|-----------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 75 mg in 1 g | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 44.5 mg in 1 g | |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 137.2 mg in 1 g | |

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| WATER (UNII: 059QF0KO0R) | | | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | | | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | | | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | | | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | | | |
| BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI) | | | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | | | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | | | |

| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | | | | |
|---|--|--|--|--|
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | | | | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | | | | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | | | | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | | | | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | | | | |
| HYDRATED SILICA (UNII: Y6O7T4G8P9) | | | | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | | | | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | | | | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | | | | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | | | | |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) | | | | |
| .ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | | | | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | | | | |
| NIACINAMIDE (UNII: 25X5118RD4) | | | | |
| PANTHENOL (UNII: WW9CM0067Z) | | | | |
| ASCORBYL PALMITATE (UNII: QN83US2B0N) | | | | |
| CANOLA OIL (UNII: 331KBJ17RK) | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | |
| CARROT SEED OIL (UNII: 595AO13F11) | | | | |
| CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC) | | | | |
| CARROT (UNII: L56Z1JK48B) | | | | |
| SUNFLOWER OIL (UNII: 3W1JG795YI) | | | | |
| BETA CAROTENE (UNII: 01YAE03M7J) | | | | |
| PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M) | | | | |
| PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R) | | | | |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) | | | | |
| FERRIC OXIDE YELLOW (UNII: EX43802MRT) | | | | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | | | | |
| FERROSOFERRIC OXIDE (UNII: XM0M87F357) | | | | |
| | | | | |

| Packaging | | | | |
|-----------|-------------------------------|---|-------------------------|-----------------------|
| # | Item Code Package Description | | Marketing Start Date | Marketing End Date |
| 1 | NDC:76354-924- 01 | 1 in 1 BOX | 09/01/2020 | |
| 1 | | 30 g in 1 BOTTLE; Type 0: Not a Combination Product | | |

| Marketing Information | | | | |
|---|------|-------------------------|-----------------------|--|
| Marketing Application Number or Monograph Category Citation | | Marketing Start Date | Marketing End Date | |
| OTC Monograph Drug | M020 | 09/01/2020 | | |
| | | | | |

Labeler - e.l.f. Cosmetics, Inc (093902816)

| Establishment | | | | | |
|--------------------------------|---------|-----------|----------------------------|--|--|
| Name | Address | ID/FEI | Business Operations | | |
| Zhejiang Ayan Biotech Co.,Ltd. | | 544377996 | manufacture(76354-924) | | |

Revised: 11/2023 e.l.f. Cosmetics, Inc