

RITE AID RENEWAL SUNSCREEN- ensulizole lotion
RITE AID CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

ACTIVE INGREDIENT

ENSULIZOLE 2.0%, OCTINOXATE 7.5%, OCTOCRYLENE 7.5%, ZINC OXIDE 1.9%

PURPOSE

SUNSCREEN

USES

TO HELP MOISTURIZE, RELIEVE AND PROTECT SKIN

WARNINGS

FOR EXTERNAL USE ONLY

WHEN USING THIS PRODUCT

AVOID CONTACT WITH EYES. IF CONTACT OCCURS, RINSE THOROUGHLY WITH WATER.

STOP USING THIS PRODUCT AND ASK DOCTOR IF

IF IRRITATION OR REDNESS DEVELOPS AND LASTS

KEEP OUT OF REACH OF CHILDREN

IN CASE OF ACCIDENTAL INGESTION, GET MEDICAL HELP OR CONTACT A POISON CONTROL IMMEDIATELY

DIRECTIONS

APPLY LIBERALLY ON FACE, NECK AND OTHER EXPOSED AREAS EVERY MORNING AFTER CLEANSING. PERFECT ALONE OR UNDER MAKEUP. FOR SUNSCREEN BENEFITS, APPLY PRIOR TO SUN EXPOSURE.

QUESTIONS OR COMMENTS

1-866-695-3030

INACTIVE INGREDIENTS

WATER, GLYCERIN, CARTHAMUS TINCTORIUS (SAFFLOWER) OLEOSOMES, ISOHEXADECANE, BUTYLOCTYL SALICYLATE, CYCLOPENTASILOXANE, PEG-100 STEARATE, GLYCERYL STEARATE, CETEARYL ALCOHOL, TRIETHOXYCAPRYLSILANE, TRIETHANOLAMINE, BEHENYL ALCOHOL, SODIUM HYALURONATE,

CYCLOHEXASILOXANE, CODIUM TOMENTOSUM, BHT, TOCOPHEROL, CALCIUM PENTOTHENATE, BISABOLOL, DICETYL PHOSPHATE, CETETH-10 PHOSPHATE, PROPYLENE GLYCOL, BUTYLENE GLYCOL, TRIMETHYLOLPROPANE TRIETHYLHEXANOATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, SODIUM ACRYLATES COPOLYMER, XANTHAN GUM, PHENOXYETHANOL, METHYLPARABEN, ETHYLPARABEN, PROPYLPARABEN, ISOBUTYLPARABEN, BUTYLPARABEN, IRON OXIDES

LABEL COPY

Drug Facts	
Active ingredients	Purpose
Ensilizole 2.0%	Sunscreen
Octinoxate 7.5%	Sunscreen
Octocrylene 7.5%	Sunscreen
Zinc Oxide 1.9%	Sunscreen
Uses ■ To help moisturize, relieve and protect skin.	
Warnings	
For external use only.	
When using this product ■ avoid contact with eyes. If contact occurs, rinse thoroughly with water.	
Stop using this product and ask doctor if ■ irritation or redness develops and lasts.	
Keep out of reach of children ■ In case of accidental ingestion, get medical help or contact a Poison Control Center immediately.	
Directions ■ Apply liberally on face, neck and other exposed areas every morning after cleansing. Perfect alone or under makeup. For sunscreen benefits, apply prior to sun exposure.	
Questions/comments? 1-866-695-3030	
Inactive ingredients: Water (Aqua), Glycerin, Carthamus Tinctorius (Safflower) Oleosomes, Isohexadecane, Butyloctyl Salicylate, Cyclopentasiloxane, PEG-100 Stearate, Glyceryl Stearate, Cetearyl Alcohol, Triethoxycaprylsilane, Triethanolamine, Behenyl Alcohol, Sodium Hyaluronate, Cyclohexasiloxane, Codium Tomentosum, BHT, Tocopherol, Calcium Pantothenate, Bisabolol, Dicetyl Phosphate, Ceteth-10 Phosphate, Propylene Glycol, Butylene Glycol, Trimethylolpropane Triethylhexanoate, Caprylic/Capric Triglyceride, Sodium Acrylates Copolymer, Xanthan Gum, Phenoxyethanol, Methylparaben, Ethylparaben, Propylparaben, Isobutylparaben, Butylparaben, Iron Oxides.	

DISTRIBUTED BY: RITE AID
30 HUNTER LANE, CAMP HILL, PA 17011
MADE IN CANADA

*This product is not manufactured or distributed by Neutrogena Corporation, distributor of Healthy Defense® Daily Moisturizer.



IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.

12-10371

*Compare to Neutrogena® Healthy Defense® Daily Moisturizer



RENEWAL™

daily moisturizer
LIGHT TINT

SPF 30
SUNSCREEN

Hint of Color for an Instant Glow

Broad Spectrum UVA/UVB Protection

Lightweight, Non-Greasy



1.7 FL OZ (50 mL)

RITE AID RENEWAL SUNSCREEN

ensilizole lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-3410
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9D11W42) (ENSULIZOLE - UNII:9YQ9D11W42)	ENSULIZOLE	2 mL in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 mL in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	7.5 mL in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	1.9 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
SAFFLOWER (UNII: 4VBL71TY4Y)	
ISOHEXADECANE (UNII: 918X10UF1E)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PEG-100 STEARATE (UNII: YD01N1999R)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TROLAMINE (UNII: 9O3K93S3TK)	
BEHENYL PHOSPHATE (UNII: 366D9UAY69)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
CODIUM TOMETOSUM (UNII: B8B45BRU87)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CALCIUM PANTOTHENATE (UNII: 568ET80C3D)	
.ALPHA.-BISABOLOL, (+/-)- (UNII: 36HQN158VC)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
CETETH-10 PHOSPHATE (UNII: 4E05O5N49G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
1,2-BUTANEDIOL (UNII: RUN0H01QEU)	
TRIMETHYLOLPROPANE TRIETHYLHEXANOATE (UNII: B952ZGW11L)	
CAPRYLIC/CAPRIC MONO/DIGLYCERIDES (UNII: U72Q2I8C85)	
ANISACRIL (UNII: 5TB1FV429Z)	
GUAR GUM (UNII: E89I1637KE)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
ETHYLPARABEN (UNII: 14255EXE39)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
ISOBUTYLPARABEN (UNII: 0QQJ25X58G)	
BUTYLPARABEN (UNII: 3QP1I03FV8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-3410-2	50 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/21/2011	

Labeler - RITE AID CORPORATION (014578892)

Registrant - APOLLO HEALTH AND BEAUTY CARE (201901209)

Establishment

Name	Address	ID/FEI	Business Operations
APOLLO HEALTH AND BEAUTY CARE		201901209	manufacture

Revised: 7/2011

RITE AID CORPORATION