CAREALL BACITRACIN- bacitracin zinc cream New World Imports, Inc

Drug Facts

Bacitracin Zinc

First Aid Antibiotic

Keep out of Reach of Children. If swallowed, get medical help or contact a Poison Control Center immediately.

First aid to help prevent infection in minor:

- cuts
- scrapes
- burns

For external use only

Do not use:

- in the eyes
- if you are allergic to any of the ingredients
- over large areas of the body
- longer than 1 week unless directed by a doctor


Ask a doctor before use if you have:

- animal bites
- serious burns
- deep or puncture wounds

Stop use and ask a doctor if

- condition persists or gets worse
- rash or other allergic reaction develops
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of the finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Mineral Oil, Paraffin, White Petrolatum



Helps prevent infection in minor cuts, scrapes and burns

Bacitracin Zinc


FIRST AID ANTIBIOTIC OINTMENT

Dye-free Paraben-free Phthalate-free Fragrance-free



FIRST AID ANTIBIOTIC OINTMENT

Bacitracin Zinc USP



First Aid Antibiotic


BACITRACIN ZINC OINTMENT

Made in India NDC # 51824-003-01



Distributed by: CareAll Products, 160 Athens Way, Nashville, TN 37228 www.careallproducts.com

■ serious burns ■ deep or puncture wounds	Inactive Ingredients Mineral Oil, Paraffin, White Petrolatum	
Ask a doctor before use if you have: a solingly with a work annexed by a doctor a solingly bites	■ Store between 15° to 30°C (59° to 86°F) ■ Lot No. & Exp. Date: See box or crimp of tube	
 over large areas of the body longer than 1 week unless directed by a doctor 	noitem information	
Do not use ■ if you are allergic to any of the ingredients ■ if you are allergic to any of the ingredients	■ apply a small anount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily ■ may be covered with a sterile bandage	
Warnings For external use only.	Directions I clean the affected area	
USES first aid to help prevent infection in minor: ■ cuts ■ scrapes ■ burns	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
Active Ingredient (each gram contains) Bacitracin Zinc 500 units	Stop use and ask a doctor if condition persists or gets worse rash or other allergic reaction develops	
Drug Facts	Drug Facts (continued)	



CAREALL BACITRACIN

bacitracin zinc cream

Product	Inform	ation
PIUUULL		aliui

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51824-003

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I) BACITRACIN 500 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength

Paraffin (UNII: 1900E3H2ZE)
Mineral Oil (UNII: T5L8T28FGP)

WHITE PETROLATUM (UNII: B6E5W8RQJ4)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:51824-003- 01	28 g in 1 TUBE; Type 0: Not a Combination Product	06/01/2012		
2	NDC:51824-003- 25	25 in 1 CARTON	05/01/2022		
2	NDC:51824-003- 09	.9 g in 1 PACKET; Type 0: Not a Combination Product			
3	NDC:51824-003- 14	144 in 1 CARTON	05/01/2022		
3	NDC:51824-003- 09	.9 g in 1 PACKET; Type 0: Not a Combination Product			

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M004	06/01/2012	

Labeler - New World Imports, Inc (075372276)

Revised: 10/2023 New World Imports, Inc