

**LIDOCAINE PAIN RELIEF WITH LAVENDER- lidocaine hydrochloride liquid  
Natural Essentials, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredient**

Lidocaine HCl 4%

**Purpose**

Topical anesthetic

**Use**

- For the temporary relief of pain

**Warnings**

For external use only

**Do not use**

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

**When using this product**

- use only as directed. Read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not bandage or apply local heat (such as heating pads) to area of use

**Stop use and ask a doctor if**

- conditions worsen
- skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

Flammable: Keep away from fire or flame

**If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- adults and children 12 years of age and over:
- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period

**children 12 years or younger:** ask a doctor

### **Other information**

- Avoid storing product in direct sunlight
- Protect product from excessive moisture
- Store with lid closed tightly

### **Inactive ingredients**

Acrylates/C10-30 Acrylate Crosspolymer, Alcohol Denatured, Aloe Barbadensis Leaf Juice, Aminomethyl Propanol, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Caprylyl Methicone, Cetearyl Alcohol, Ceteth-20 Phosphate, Dicaprylyl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glyceryl Stearate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Lavandula Angustifolia (Lavender) Oil, Methylparaben, Polysorbate 60, Steareth-2, Steareth-21, Water

## **Principal Display Panel - 73 mL Carton Label**

### **CVS**

Health<sup>®</sup>

Compare to the active ingredient in Aspercreme<sup>®</sup> Lidocaine with Lavender Essential Oil\*

**MAXIMUM STRENGTH  
Lidocaine concentration  
without a prescription†**

**Lidocaine  
Pain Relief  
Roll-On**

**LIDOCAINE HCl 4%**

**Lavender Essential Oil**

- Temporary relief of pain
- Helps numb pain-affected areas without irritation
- Non-greasy, no-mess formula

With calming  
lavender  
aromatherapy

Actual Bottle  
Size on  
Side Panel

2.5 FL OZ  
(73 mL)



MAXIMUM STRENGTH  
Lidocaine concentration  
without a prescription†

# Lidocaine Pain Relief Roll-On

LIDOCAINE HCl 4%  
Lavender Essential Oil



Compare to the active  
ingredient in Aspercreme®  
Lidocaine with Lavender  
Essential Oil\*



MAXIMUM STRENGTH  
Lidocaine concentration  
without a prescription†

# Lidocaine Pain Relief Roll-On

LIDOCAINE HCl 4%  
Lavender Essential Oil

- Temporary relief of pain
- Helps numb pain-affected areas without irritation
- Non-greasy, no-mess formula



With calming  
lavender  
aromatherapy

Actual Bottle  
Size on  
Side Panel



2.5 FL OZ  
(73 mL)

MAXIMUM STRENGTH  
Lidocaine concentration  
without a prescription†

# Lidocaine Pain Relief Roll-On

LIDOCAINE HCl 4%  
Lavender Essential Oil

- Temporary relief of pain
- Helps numb pain-affected areas without irritation
- Non-greasy, no-mess formula

Child-resistant packaging.  
Close cap tightly after use.  
Please read and understand  
the Drug Facts before using.

\*This product is not manufactured or distributed  
by Chatterm Inc., owner of the registered  
trademark Aspercreme®.

†Among over the counter topical analgesics.

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2023 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS V-33548

100% money back  
guaranteed.  
CVS.com/returnpolicy



## Drug Facts

Active ingredient	Purpose
Lidocaine HCl 4%	Topical anesthetic

### Use

For the temporary relief of pain

### Warnings For external use only

#### Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

#### When using this product

- use only as directed. Read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not bandage or apply local heat (such as heating pads) to area of use

#### Stop use and ask a doctor if

- conditions worsen
- skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

#### Flammable: Keep away from fire or flame

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- adults and children 12 years of age and over:
- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- children 12 years or younger: ask a doctor

#### Other information

- Avoid storing product in direct sunlight
- Protect product from excessive moisture
- Store with lid closed tightly

#### Inactive ingredients

Acrylates/C10-30 Acrylate Crosspolymer, Alcohol Denatured, Aloe Barbadensis Leaf Juice, Aminomethyl Propanol, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Caprylyl Methicone, Cetearyl Alcohol, Ceteth-20 Phosphate, Dicetyl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Glycerol Stearate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane, Lavandula Angustifolia (Lavender) Oil, Methylparaben, Polysorbate 60, Steareth-2, Steareth-21, Water

Package Contains One Bottle

Actual Size

#188721



Principal Display Panel - 73 mL Bottle Label

CVS  
Health®

**MAXIMUM STRENGTH  
Lidocaine concentration  
without a prescription†**

**Lidocaine Pain  
Relief Roll-On**

**LIDOCAINE HCl 4%**

**Lavender Essential Oil**

With calming  
lavender  
aromatherapy

2.5 FL OZ (73 mL)

**CVS Health.**

**MAXIMUM STRENGTH  
Lidocaine concentration  
without a prescription†**

**Lidocaine Pain  
Relief Roll-On**

**LIDOCAINE HCl 4%**

**Lavender Essential Oil**

With calming  
lavender  
aromatherapy

2.5 FL OZ (73 mL)

**100% money back  
guaranteed.**  
CVS.com/returnpolicy

Distributed by: CVS Pharmacy, Inc.  
One CVS Drive, Woonsocket, RI 02895  
© 2023 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS V-33548

†Among over the counter topical analgesics.

**Drug Facts**

**Active ingredient:** Lidocaine HCl 4%  
**Use:** For the temporary relief of pain  
**Warnings:** For external use only.  
**Do not use** on large areas of the body or on cut, irritated or swollen skin on puncture wounds  
for more than one week without consulting a doctor. **When using this product** use only as directed.  
Read and follow all directions and warnings on this label. do not allow contact with the eyes. do not  
bandage or apply local heat (such as heating pads) to area of use. **Stop use and ask a doctor if**  
conditions worsen skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and  
blistering. symptoms persist for more than 7 days. symptoms clear up and occur again within a few  
days. **Flammable:** Keep away from fire or flame. **If pregnant or breast-feeding,** ask a health professional  
before use. **Keep out of reach of children and pets.** If swallowed, get medical help or contact a Poison  
Control Center right away. **Directions** adults and children 12 years of age and over: apply a thin  
layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period. **children 12  
years or younger:** ask a doctor. **Other information** Avoid storing product in direct sunlight. Protect  
product from excessive moisture. Store with lid closed tightly.

**Inactive ingredients** Acrylates/C10-30 Acrylate Crosspolymer, Alcohol Denatured, Aloe Barbadensis  
Leaf Juice, Aminomethyl Propanol, C30-45 Alkyl Cetearyl Dimethicone Crosspolymer, Caprylyl Methicone,  
Cetearyl Alcohol, Ceteeth-20 Phosphate, Dicyetyl Phosphate, Dimethicone, Disodium EDTA, Ethylhexylglycerin,  
Glyceryl Stearate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Isohexadecane,  
Lavandula Angustifolia (Lavender) Oil, Methylparaben, Polysorbate 60, Steareth-2, Steareth-21, Water

**Child-resistant packaging. Close cap tightly after use. Please read and understand the Drug Facts  
before using.**

## LIDOCAINE PAIN RELIEF WITH LAVENDER

lidocaine hydrochloride liquid

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:66902-057

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	Lidocaine Hydrochloride Anhydrous	38 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)	
ALCOHOL (UNII: 3K9958V90M)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETETH-20 PHOSPHATE (UNII: 921FTA1500)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
STEARETH-2 (UNII: V56DFE46J5)	
STEARETH-21 (UNII: 53J3F32P58)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66902-057-03	1 in 1 CARTON	01/22/2021	
1		73 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	01/22/2021	

**Labeler** - Natural Essentials, Inc. (947484713)

## Establishment

Name	Address	ID/FEI	Business Operations
NATURAL ESSENTIALS, INC.		947484713	MANUFACTURE(66902-057)

Revised: 5/2023

Natural Essentials, Inc.