

**FUTURIST SKIN TINT SERUM- octinoxate,octisalate,zinc oxide cream  
ESTEE LAUDER INC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**FUTURIST SKIN TINT SERUM**

**Active ingredients**

Octinoxate 6.7%

Octisalate 4.5%

Zinc Oxide 6.8%

**Purpose**

Sunscreen

**USE**

helps prevent sunburn

For External Use Only

on damaged or broken skin

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Directions For sunscreen use: • apply liberally and evenly 15 minutes before sun exposure • reapply at least every two hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age: ask a doctor

**Inactive Ingredients**

WATER\AQUA\EAU [ ] TRIMETHYLOLPROPANE TRICAPRYLATE/TRICAPRATE [ ] GLYCERIN [ ] BUTYLENE GLYCOL [ ] BUTYLOCTYL SALICYLATE [ ] CAPRYLIC/CAPRIC TRIGLYCERIDE [ ]

SILICA [] POLYGLYCERYL-10 OLEATE [] BENTONITE [] SACCHARIDE ISOMERATE []  
TOCOPHERYL ACETATE [] ACETYL GLUCOSAMINE [] LIMNANTHES ALBA  
(MEADOWFOAM) SEED OIL [] GLYCERYL HYDROGENATED ROSINATE [] ROSA CANINA  
(ROSE) FRUIT OIL [] TRAMETES VERSICOLOR EXTRACT [] YEAST  
EXTRACT\FAEX\EXTRAIT DE LEVURE [] GLYCINE SOJA (SOYBEAN) OIL [] PROPYLENE  
GLYCOL DICAPRATE [] HELIANTHUS ANNUUS (SUNFLOWER) SEED EXTRACT [] GLYCINE  
SOJA (SOYBEAN) SEED EXTRACT [] HORDEUM VULGARE EXTRACT\EXTRAIT D'ORGE []  
CALENDULA OFFICINALIS FLOWER EXTRACT [] CUCUMIS SATIVUS (CUCUMBER) FRUIT  
EXTRACT [] CAPRYLYL GLYCOL [] CHOLESTEROL [] SODIUM STEAROYL GLUTAMATE []  
ALGIN [] XANTHAN GUM [] SODIUM CHLORIDE [] ALUMINUM HYDROXIDE []  
POLYHYDROXYSTEARIC ACID [] BHT [] CITRIC ACID [] SODIUM CITRATE [] POTASSIUM  
SORBATE [] PHENOXYETHANOL [] [+/- TITANIUM DIOXIDE (CI 77891) [] IRON OXIDES  
(CI 77491) [] IRON OXIDES (CI 77492) [] IRON OXIDES (CI 77499)] <ILN51379>

### **Other information**

protect the product in this container from excessive heat and direct sun

### **PRINCIPAL DISPLAY PANEL**

92112  
TP 828

### Drug Facts

Active ingredients	Purpose
Ocinoxate 6.7%	Sunscreen
Oclobutate 4.5%	Sunscreen
Zinc Oxide 6.8%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

### Directions

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: ask a doctor

### Drug Facts (continued)

#### Inactive Ingredients

water/aqua/eau • trimethylolpropane triacrylate/triacrylate • glycerin • butylene glycol • butylcetyl salicylate • capryl/capric triglyceride • silica • polyglyceryl-10 oleate • bentonite • saccharide isomerate • tocopheryl acetate • ecetyl glucosamine • linum/linseed • meadowfoam seed oil • glyceryl hydrogenated rosinate • rosa canina (rose) fruit oil • trameetes vericolor extract • yeast extract (Maxi) extract de levure • glycine soja (soybean) oil • propylene glycol dicaprate • helianthus annuus (sunflower) seed extract • glycine soja (soybean) seed extract • hordeum vulgare extract • extract d'orge • calendula officinalis flower extract • cucumis sativus (cucumber) fruit extract • caprylyl glycol • cholesterol • sodium stearoyl glutamate • algin • xanthan gum • sodium chloride • aluminum hydroxide • polyhydroxystearic acid • bht • citric acid • sodium citrate • potassium sorbate • phenoxethanol • +/- titanium dioxide (ci 77891) • iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499) • <ln51379>

#### Other information

protect the product in this container from excessive heat and direct sun



ESTÉE LAUDER

Futurist  
SkinTint Serum  
with Botanical Oil Infusion  
Broad Spectrum  
SPF 20

### Futurist SkinTint Serum with Botanical Oil Infusion Broad Spectrum SPF 20

A silky skincaating serum with the beauty benefits of a sheer tinted skincare perfection. Every precious drop is enriched with skin-essential nutrients, including a botanical oil infusion of Meadowfoam Seed, Calendula and Rosehip. Hydrates and conditions instantly and moisture is locked-in all day. Skin is comfortable and protected. Skin is gently refined over time to a softer-smoother texture, and skin looks more even. Imperfections are diffused. You glow with soft radiance. Shake well. Avoid getting in eyes.

© ESTÉE LAUDER DIST.  
NEW YORK, NY 10022  
WIL LTD, CLAYDON, UK  
WIS NY, NY 10022  
NEW YORK TO BEEN PARIS  
MADE IN BELGIUM P&P  
estee.lauder.com



1 FL. OZ. LIQ./30ml e

PR6F-01-1112



ESTEE LAUDER

Futurist Skin Tint Serum with Botanical Oil Infusion Broad Spectrum SPF 20

1 FL. OZ. LIQ./30ml

## FUTURIST SKIN TINT SERUM

octinoxate,octisalate,zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11559-063
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	67 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	68 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TRIMETHYLOLPROPANE TRICAPRYLATE/TRICAPRATE</b> (UNII: N1TRQ06KVJ)	
<b>GLYCERYL ROSINATE</b> (UNII: SD112V492J)	
<b>ROSA CANINA FRUIT</b> (UNII: 3TNW8D08V3)	
<b>TRAMETES VERSICOLOR FRUITING BODY</b> (UNII: 4C900477MT)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>BENTONITE</b> (UNII: A3N5ZCN45C)	
<b>SODIUM ALGINATE</b> (UNII: C269C4G2ZQ)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>POLYGLYCERYL-10 OLEATE</b> (UNII: 55C81W76DH)	
<b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>N-ACETYLGLUCOSAMINE</b> (UNII: V956696549)	
<b>MEADOWFOAM SEED OIL</b> (UNII: 412ZHA4T4Y)	
<b>YEAST, UNSPECIFIED</b> (UNII: 3NY3SM6B8U)	
<b>CUCUMBER</b> (UNII: YY7C30VXJT)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>SOYBEAN</b> (UNII: L7HT8F1ZOD)	
<b>HORDEUM VULGARE WHOLE</b> (UNII: 8JBE478M5Q)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>PROPYLENE GLYCOL DICAPRATE</b> (UNII: U783H9JHWY)	
<b>SUNFLOWER SEED</b> (UNII: R9N3379M4Z)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11559-063-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/31/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/31/2022	

**Labeler** - ESTEE LAUDER INC (005914387)

**Registrant** - Estee Lauder Companies Inc. (790802086)

### Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(11559-063) , label(11559-063) , pack(11559-063)

Revised: 10/2023

ESTEE LAUDER INC