CHILDRENS ALPHA CF - aconitum napellus, bryonia alba root, eupatorium perfoliatum flowering top, gelsemium sempervirens root, ipecac, phosphorus tablet Schwabe Mexico, S.A. de C.V.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

## Childrens Alpha Cold Flu Tablets

#### **ACTIVE INGREDIENTS**

Aconitum napellus 7X

Bryonia alba 7X

Eupatorium perfoliatum 7X

Gelsemium sempervirens 7X

Ipecacuanha 6X

Phosphorus 12X

#### **INACTIVE INGREDIENT**

Cellulose

Lactose monohydrate Magnesium stearate

## **Purpose**

Temporarily relieves these symptoms due to colds and flu: fever, chills, stuffy nose, runny nose, headache, body aches and pains, coughing, minor sore throat pain.

## **Indications & Usage**

Temporarily relieves these symptoms due to colds and flu: fever, chills, stuffy nose, runny nose, headache, body aches and pains, coughing, minor sore throat pain.

# **Dosage & Administration**

Tablets may be chewed or placed on the child's tongue and allowed to dissolve, or crushed in water in a teaspoon.

Children 6 to 12 years of age: At the first sign of cold or flu, take 3 tablets every hour; as symptoms improve 3 tablets every 3 hours, then 3 times a day until well.

Children under 2 to 5 years of age: 2 tablets as above.

Children under 2 years of age: Consult a doctor.

## **Warnings**

Sore throat warning: servere or persistent sore throat for more than 2 days or if accompanied by high fever, headache, nausea, vomiting, or rash may be serious. Consult a physician promptly.

#### **Ask Doctor**

Ask a doctor before use if you have a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema or is accomagnied by excessive phlegm (mucus).

### Stop Use

Stop use and ask a doctor if new symptoms occur, symptoms worsen or do not get better within 7 days, fever worsens or lasts more than 3 days, cough lasts more than 7 days or occurs with rash or persistent headache.

These could be signs of a serious condition.

## **Pregnancy or Breast Feeding**

If pregnant or breast-feeding, ask a healthcare professional before use.

## Keep out of reach of children.

Keep out of reach of children.

## Overdosage

In case of overdose, seek medical help or contact a Poison Control Center immediately.

# Children's $\pmb{Alpha^{\circ}\,\mathrm{CF}}$ for symptoms of colds & flu $^{\dagger\dagger}$

#### COMPLETE RELIEF FORMULA

## **Drug Facts**

Active ingredients (154.42 mg in each tablet)
Aconitum napellus 7X, Byonia alba 7X, Eupatorium perioliatum 7X,
Gelsemium sempervirens 7X, Ipecacuanha 6X, Phosphorus 12X of colds & flu†† Uses Temporarily relieves these symptoms due to colds & flu:†↑ ■ fevers†↑ ■ chills†↑ ■ stuffy nose†↑ ■ runny nose†↑ ■ headache†↑ ■ body aches & pains†↑ ■ coughing†↑ ■ minor sore throat pain†↑

Warnings
Sore throat warning: severe or persistent sore throat for more than 2 days or if accompanied by high fever, headache, nausea, vomiting or rash may be serious. Consult a physician promptly.

Ask a doctor before use if you have ■ a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchite, or emphysema or is accompanied by excessive philogram (mucus).

■ The property of t

asthma, chronic bronchitis, or emphysema or is accompanied by excessive philegm (mucus).

Stop use and ask a doctor if ime new symptoms occur, symptoms worsen or do not get better within 7 days. impressions or lasts more than 3 days. Impressions or lasts more than 3 days. Impressions or last more designed or as designed or a serious condition. In case of overdose, seek medical help or contact a Poison Control Center immediately.

Directions Impressions or a tablets may be chewed, placed on the child's tongue and allowed to dissolve or crushed in water in a teaspoon. Age

Children 6 to 12 years of age

At first sign of a cold or flu, take 3 tablets every hour; as symptoms improve 3 tablets every 3 hours, then 3 times a day until well. Children 6 to 12 years of age
At first sign of a cold or flut, take 3 tablets every hour; as symptom
3 tablets every 3 hours, then 3 times a day until well.
Children under 2 years of age
Consult a doctor.

Other Information Store at room temperature 20-25° C (68-77° P). Keep in a dry place out of direct sur
Inactive ingredients cellulose, lactose monothydrate, magnesium stearate

Consult and Conformation Conformation

Questions 2 1-800-9NATIURE / naturesway.com

IThere are no valid studies using current sterificial methods confirming this product's efficary. These indications are based solely on tradit

TAMPER EVIDENT. This bottle has a cap with a perforated ring attached. Do not use if the ring is broken or missing.

© 2017 Distributed by Boenicke & Tafel a division of Mature's Way Brands, LLC Green Bay, WI 54311 USA

EDURICKE A MAIL

FOR THE ANALY STATE

FOR THE ANALY S



2191dst 001

HOMEOPATHIC

Alpha CF Children's

COLDS & FLUT

ADC 53499-9098-2

Relieves symptoms of



BOERICKE & TAFEL 8

COLDS & FLUT

Contact: Sue McVey sue.mcvey@naturesway.com 920.469.1313 X61550

All colors change from previous version.

Print Label 1.5 x 4"

Relieves symptoms of Alpha CF Children's

COMPLETE RELIEF FORMULA COIDS & FIU<sup>††</sup>

Children's Relief from Alpha CF Symptoms of

- RUNNY NOSE<sup>††</sup> STUFFY NOSE<sup>††</sup> HEADACHE<sup>††</sup>
- CHILLS<sup>††</sup>
   BODY ACHES & PAINS<sup>††</sup> LEVER<sup>††</sup>

CHILDREN'S COMPLETE RELIEF FORMULA:

Antihistamines Contains No

symptoms of Relieves

Symptom Relief

M803-03

Children's Alpha<sub>°</sub> CF

Relieves symptoms of COLDS & FLU<sup>††</sup>

# **CHILDRENS ALPHA CF**

**Route of Administration** 

aconitum napellus, bryonia alba root, eupatorium perfoliatum flowering top, gelsemium sempervirens root, ipecac, phosphorus tablet

SUBLINGUAL, SUBLINGUAL

Product Information				
Product Type HU	IUMAN OTC DRUG	Item Code (Source)	NDC:68466-0098	

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	7 [hp_X]		
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	7 [hp_X]		
<b>EUPATORIUM PERFOLIATUM FLOWERING TOP</b> (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	7 [hp_X]		
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	7 [hp_X]		
IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	6 [hp_X]		
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	12 [hp_X]		

Inactive Ingredients			
Ingredient Name	Strength		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			

Product Characteristics				
Color	white (B;T)	Score	no score	
Shape	ROUND (BT)	Size	8mm	
Flavor		Imprint Code	B;T	
Contains				

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:68466- 0098-1	1 in 1 BOX	07/01/2017	01/31/2025	
1		100 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product			

<b>Marketing In</b>	formation		
Marketing	Application Number or Monograph	Marketing Start	Marketing End

Category	Citation	Date	Date	
unapproved homeopathic		07/01/2017	01/31/2025	

# Labeler - Schwabe Mexico, S.A. de C.V. (812805901)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Schwabe Mexico, S.A. de C.V.		812805901	manufacture(68466-0098)	

Revised: 3/2022 Schwabe Mexico, S.A. de C.V.