

**EXTRA STRENGTH ACETAMINOPHEN- acetaminophen tablet
Bryant Ranch Prepack**

gc204

Active Ingredients

Acetaminophen 500 mg

Purpose

Pain Reliever/Fever Reducer

Uses

- temporarily relieves minor aches and pains
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen.

Severe liver damage may occur if you take:

- more than 8 tablets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

- new symptom occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use..

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over: Take 1-2 tablets every 4-6 hours, as needed; not more than 6 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- children under 12 years: ask a doctor

Other Information

- **TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.**
- store at 20°C-25°C (68°F-77°F)

Inactive Ingredients

povidone, sodium starch glycolate, starch, stearic acid.

Questions or comments?

1-800-540-3765

HOW SUPPLIED

Acetaminophen 500 mg

NDC: 72162-2179-1: 100 Tablets in a BOTTLE

Repackaged/Relabeled by:
Bryant Ranch Prepack, Inc.
Burbank, CA 91504

Acetaminophen 500mg Tablets #100



GTIN 00363629106424
 Lot LOT123
 Exp 06/09/2025
 SN 1234567890

Drug Facts	
Active ingredients (in each tablet)	Purpose
Acetaminophen 500 mg	Pain Reliever/Fever Reducer
Uses	
<ul style="list-style-type: none"> temporarily relieves minor aches and pains temporarily reduces fever 	
Warnings	
<p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take -more than 8 tablets (4,000 mg of acetaminophen) in 24 hours -with other drugs containing acetaminophen -3 or more alcoholic drinks every day while using this product. Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include -skin reddening -blisters -rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use and ask a doctor if: -pain gets worse or lasts more than 10 days -fever gets worse or lasts more than 3 days -new symptom occur -redness or swelling is present. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>	
Other Information	
<ul style="list-style-type: none"> TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken. store at 20°C-25°C (68°F-77°F) 	
Directions	
<ul style="list-style-type: none"> do not take more than directed adults and children 12 years and over: Take 1-2 tablets every 4-6 hours, as needed; not more than 6 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor. children under 12 years: ask a doctor 	
Inactive Ingredients	
Povidone, sodium starch glycolate, starch, stearic acid.	

NDC 72162-2179-1

Acetaminophen Tablet

500 mg



Relabeled by:
 Bryant Ranch Prepack, Inc.
 Burbank, CA 91504 USA

100 Tablets
 Manufactured by:
 GERI-CARE
 PHARMACEUTICAL CORP

7216221791



EXTRA STRENGTH ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72162-2179(NDC:57896-204)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY35J)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z 65AP)	

Product Characteristics

Color	white (WHITE)	Score	no score
Shape	ROUND (Round)	Size	12mm
Flavor		Imprint Code	AZ011
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72162-2179-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	02/02/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/01/2018	

Labeler - Bryant Ranch Prepack (171714327)

Registrant - Bryant Ranch Prepack (171714327)

Establishment

Name	Address	ID/FEI	Business Operations
Bryant Ranch Prepack		171714327	REPACK(72162-2179) , RELABEL(72162-2179)

Revised: 2/2024

Bryant Ranch Prepack