**MOISTURE SURGE CC BROAD SPECTRUM SPF 30 HYDRATING COLOUR CORRECTOR- octinoxate, octisalate, titanium dioxide, and zinc oxide cream**
**CLINIQUE LABORATORIES LLC**

---

**MOISTURE SURGE CC**

**BROAD SPECTRUM SPF 30 HYDRATING COLOUR CORRECTOR**

***Drug Facts***

**Active ingredients**

Octinoxate 7.5%
Octisalate 5.0%
Titanium dioxide 5.2%
Zinc oxide 3.2%

**Purpose**

Sunscreen

**Use**

helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.**
  Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.

    - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

**Inactive ingredients**

water\aqua\eau • squalane • octyldodecyl neopentanoate • butylene glycol • propanediol • glyceryl stearate • behenyl alcohol • peg-40 stearate • polyglyceryl-10 pentastearate • aloe barbadensis leaf water • thermus thermophillus ferment • trehalose • caffeine • glycerin • linoleic acid • lecithin • stearic acid • hydrogenated lecithin • sorbitol • polyglyceryl-6 polyricinoleate • tocopheryl acetate • ammonium acryloyldimethyltaurate/vp copolymer • sodium stearoyl lactylate • sodium hyaluronate • tetrahexyldecyl ascorbate • pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate • isopropyl titanium triisostearate • synthetic fluorphlogopite • xanthan gum • silica • alumina • sodium dehydroacetate • tin oxide • disodium edta • phenoxyethanol • [+/- mica • titanium dioxide (ci 77891) • iron oxides (ci 77492) • iron oxides (ci 77491) • iron oxides (ci 7799)] [iln39833]

**Other information**

protect the product in this container from excessive heat and direct sun

CLINIQUE LABS., DIST.
NEW YORK, N.Y. 10022

**PRINCIPAL DISPLAY PANEL - 40 ml Bottle Carton**

**C**

**CLINIQUE**

moisture surge
**CC**
cream
hydrating
colour corrector
broad spectrum
SPF 30

ALL SKIN TYPES

1.4 FL.OZ.LIQ./40 ml **e**

1,2,3,4
ALL SKIN TYPES

S.3
7WCP-01-1111
30
C321922604
HERBS
87683

**Allergy Tested.**
**100% Fragrance Free.**
Next-generation perfecting formula delivers colour-correction, hydration and UVA/UVB protection for a more flawless look today and tomorrow—all with a refreshingly lightweight feel. Special optics help correct dullness, sallowness and other concerns to enhance skin's radiance. In shades that provide natural-looking coverage. Wears comfortably alone or under foundation. Oil-free. See enclosure.

## Drug Facts

| Active ingredients | Purpose |
|---|---|
| Octinoxate 7.5%<br>Octisalate 5.0%<br>Titanium dioxide 5.2%<br>Zinc oxide 3.2% | Sunscreen |

**Use** helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:
- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses ▶

## Drug Facts (cont'd)

- children under 6 months of age: ask a doctor

**Inactive ingredients**

water\aqua\eau · squalane · octyldodecyl neopentanoate · butylene glycol · propanediol · glyceryl stearate · behenyl alcohol · peg-40 stearate · polyglyceryl-10 pentastearate · aloe barbadensis leaf water · thermus thermophillus ferment · trehalose · caffeine · glycerin · linoleic acid · lecithin · stearic acid · hydrogenated lecithin · sorbitol · polyglyceryl-6 polyricinoleate · tocopheryl acetate · ammonium acryloyldimethyltaurate/vp copolymer · sodium stearoyl lactylate · sodium hyaluronate · tetrahexyldecyl ascorbate · pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate · isopropyl titanium triisostearate · synthetic fluorphlogopite · xanthan gum · silica · alumina · sodium dehydroacetate · tin oxide · disodium edta · phenoxyethanol · [+/- mica · titanium dioxide (ci 77891) · iron oxides (ci 77492) · iron oxides (ci 77491) · iron oxides (ci 77499)] [iln39833]

**Other information**

protect the product in this container from excessive heat and direct sun



24M

clinique.com

CLINIQUE

moisture surge
CC
cream
hydrating
colour corrector
broad spectrum
SPF 30

ALL SKIN TYPES

1.4 FL.OZ.LIQ./40 ml e

7WCP-01-1111



# MOISTURE SURGE CC BROAD SPECTRUM SPF 30 HYDRATING COLOUR CORRECTOR

octinoxate, octisalate, titanium dioxide, and zinc oxide cream

## Product Information

| | | | |
|---|---|---|---|
| **Product Type** | HUMAN OTC DRUG | **Item Code (Source)** | NDC:49527-029 |
| **Route of Administration** | TOPICAL | | |

## Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|---|---|
| **OCTINOXATE** (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 75 mg in 1 mL |
| **OCTISALATE** (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 50 mg in 1 mL |
| **TITANIUM DIOXIDE** (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 52 mg in 1 mL |
| **ZINC OXIDE** (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 32 mg in 1 mL |

## Inactive Ingredients

| Ingredient Name | Strength |
|---|---|
| **THERMUS THERMOPHILUS LYSATE** (UNII: 775R692494) | |
| **POLYGLYCERYL-10 PENTASTEARATE** (UNII: PMX5872701) | |
| **WATER** (UNII: 059QF0KO0R) | |
| **SQUALANE** (UNII: GW89575KF9) | |
| **OCTYLDODECYL NEOPENTANOATE** (UNII: X8725R883T) | |
| **BUTYLENE GLYCOL** (UNII: 3XUS85K0RA) | |
| **PROPANEDIOL** (UNII: 5965N8W85T) | |
| **GLYCERYL MONOSTEARATE** (UNII: 230OU9XXE4) | |
| **DOCOSANOL** (UNII: 9G1OE216XY) | |
| **PEG-40 STEARATE** (UNII: ECU18C66Q7) | |
| **ALOE VERA LEAF** (UNII: ZY81Z83H0X) | |
| **TREHALOSE** (UNII: B8WCK70T7I) | |
| **CAFFEINE** (UNII: 3G6A5W338E) | |
| **GLYCERIN** (UNII: PDC6A3C0OX) | |
| **LINOLEIC ACID** (UNII: 9KJL21T0QJ) | |
| **STEARIC ACID** (UNII: 4ELV7Z65AP) | |
| **SORBITOL** (UNII: 506T60A25R) | |
| **.ALPHA.-TOCOPHEROL ACETATE** (UNII: 9E8X80D2L0) | |
| **AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER** (UNII: W59H9296ZG) | |
| **SODIUM STEAROYL LACTYLATE** (UNII: IN99IT31LN) | |
| **HYALURONATE SODIUM** (UNII: YSE9PPT4TH) | |
| **TETRAHEXYLDECYL ASCORBATE** (UNII: 9LBV3F07AZ) | |

| | |
|---|---|
| **PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)** (UNII: 255PIF62MS) | |
| **ISOPROPYL TITANIUM TRIISOSTEARATE** (UNII: 949E3KBJ1I) | |
| **XANTHAN GUM** (UNII: TTV12P4NEE) | |
| **SILICON DIOXIDE** (UNII: ETJ7Z6XBU4) | |
| **ALUMINUM OXIDE** (UNII: LMI26O6933) | |
| **SODIUM DEHYDROACETATE** (UNII: 8W46YN971G) | |
| **STANNIC OXIDE** (UNII: KM7N50LOS6) | |
| **EDETATE DISODIUM** (UNII: 7FLD91C86K) | |
| **PHENOXYETHANOL** (UNII: HIE492ZZ3T) | |
| **MICA** (UNII: V8A1AW0880) | |
| **FERRIC OXIDE YELLOW** (UNII: EX438O2MRT) | |
| **FERRIC OXIDE RED** (UNII: 1K09F3G675) | |
| **FERROSOFERRIC OXIDE** (UNII: XM0M87F357) | |
| **LECITHIN, SOYBEAN** (UNII: 1DI56QDM62) | |
| **POLYGLYCERYL-6 POLYRICINOLEATE** (UNII: YPM0ZOC2HR) | |
| **MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE** (UNII: YK3DC63Y5M) | |

## Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|---|---|---|---|
| **1** | NDC:49527-029-01 | 1 in 1 CARTON | 10/05/2022 | |
| **1** | | 40 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
| **2** | NDC:49527-029-02 | 15 mL in 1 TUBE; Type 0: Not a Combination Product | 10/05/2022 | 12/31/2023 |
| **3** | NDC:49527-029-03 | 7 mL in 1 TUBE; Type 0: Not a Combination Product | 10/05/2022 | 12/31/2023 |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---|---|---|---|
| OTC Monograph Drug | M020 | 10/05/2022 | |

## Labeler - CLINIQUE LABORATORIES LLC (044475127)

## Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---|---|---|
| Estee Lauder Cosmetics Ltd | | 202952982 | manufacture(49527-029) |

## Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---|---|---|
| Estee Lauder Cosmetics Ltd. | | 204132062 | pack(49527-029) , label(49527-029) , manufacture(49527-029) |

## Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---|---|---|
| The Estee Lauder Inc | | 802599436 | manufacture(49527-029) , label(49527-029) , pack(49527-029) |

## Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---|---|---|
| PADC | | 949264774 | label(49527-029) , pack(49527-029) |

Revised: 1/2024

CLINIQUE LABORATORIES LLC