

**CONFICHE ANTI-HAIR LOSS SHAMPOO- salicylic acid shampoo**  
**H.L.C GROUP Co., Ltd**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**81555-301 CONFICHE ANTI-HAIR LOSS SHAMPOO**

**Active ingredients**

Salicylic Acid 0.2%

**Purpose**

Salicylic Acid 0.2% -Anti dandruff

**Uses**

Hair loss symptom relief shampoo cleanses the scalp of the hair and helps the healthy hair by supplying nutrients as the main ingredient

**Warnings**

1. Consult a specialist, etc. if there are any abnormal symptoms or side effects, such as red spots, swelling or itching, due to direct sunlight when using or after using cosmetics
2. Do not use in areas with wounds, etc.
3. Cautions for Storage and Handling
4. Keep out of reach of children & Keep it away from direct sunlight
5. Wash the eye immediately when it gets into the eye.
6. Be careful not to wash it with water after use as it may cause hair loss or bleaching

**Warnings**

Consult a specialist, etc. if there are any abnormal symptoms or side effects, such as red spots, swelling or itching, due to direct sunlight when using or after using cosmetics

**Warnings**

Wash the eye immediately when it gets into the eye.

## **Warnings**

Keep out of reach of children & Keep it away from direct sunlight

## **Warnings**

Do not use in areas with wounds, etc

## **Directions**

After fully wetting hair with water, apply an appropriate amount to hair and scalp,  
Fully lather and wash off with lukewarm water

## **Inactive ingredients**

Water, Disodium Laureth Sulfosuccinate, Decyl Glucoside, Coco-glucoside, Propylene Glycol Laurate, Cocamide

MIPA, Glycerin, Butylene Glycol, r-(Tetrapeptide-38 Hexapeptide-40 Nonapeptide-39 sh-Polypeptide-105),

Saccharomyces Cerevisiae Extract, Cynanchum Atratum Extract, Streptococcus Thermophilus Ferment,

Lactobacillus Ferment Lysate, Bifida Ferment Lysate, Aesculus Hippocastanum (Horse Chestnut) Extract, Hibiscus

Sabdariffa Flower Extract, Cornus Officinalis Fruit Extract, Aspalathus Linearis Extract, Quillaja Saponaria Bark

Extract, Citrus Junos Fruit Extract, Diospyros Kaki Fruit Extract, Ceratonia Siliqua (Carob) Fruit Extract, Camellia

Japonica Leaf Extract, Ethylhexylglycerin, 1,2-Hexanediol, Sodium Benzoate, Menthol, Cetearyl Alcohol, Salicylic

Acid, Panthenol, Disodium Cocoamphodiacetate, Niacinamide, Polyquaternium-67, Piroctone Olamine, Hexylene

Glycol, Lauramidopropyl Betaine, Sodium Chloride, Mannitol, Phosphate Buffered Saline, Ammonium

Glycyrrhizate, Biotin, Caffeine, Calcium Pantothenate, Sodium Starch Octenylsuccinate, Maltodextrin,

Hydrogenated Lecithin, Sodium Ascorbyl Phosphate, Tocopheryl Acetate, Pyridoxine HCl, Glycine, Silica, Inulin,

Beta-Glucan, Serine, Glutamic Acid, Asparagine, Leucine, Aspartic Acid, Glutamine, Ceramide NP, Alanine, Valine,

Lysine, Arginine, Tyrosine, Phenylalanine, Proline, Threonine, Isoleucine, Histidine, Cysteine, Methionine,

Tryptophan, Zinc Gluconate, Styrene/Acrylates Copolymer, Carbomer, Guar Hydroxypropyltrimonium Chloride,

Citric Acid, Disodium EDTA, Fragrance

## Display Panel

81555-301

### Confiche Anti-Hair Loss Shampoo

Capacity 400ml

Confiche

#### Drug Facts

Active ingredient[s]	Purpose
Salicylic Acid 0.2%	Anti dandruff

#### Use[s]

Hair loss symptom relief shampoo cleanses the scalp of the hair and helps the healthy hair by supplying nutrients as the main ingredient

#### Warnings & Do not use

1. Consult a specialist, etc. if there are any abnormal symptoms or side effects, such as red spots, swelling or itching, due to direct sunlight when using or after using cosmetics
2. Do not use in areas with wounds, etc.
3. Cautions for Storage and Handling
4. Keep out of reach of children & Keep it away from direct sunlight
5. Wash the eye immediately when it gets into the eye.
6. Be careful not to wash it with water after use as it may cause hair loss or bleaching

#### Directions

After fully wetting hair with water, apply an appropriate amount to hair and scalp, Fully lather and wash off with lukewarm water

#### Inactive ingredients

Water, Disodium Laureth Sulfosuccinate, Decyl Glucoside, Coco-glucoside, Propylene Glycol Laurate, Cocamide MIPA, Glycerin, Butylene Glycol, r-(Tetrapeptide-38 Hexapeptide-40 Nonapeptide-39 sh-Polypeptide-105), Saccharomyces Cerevisiae Extract, Cynanchum Atratum Extract, Streptococcus Thermophilus Ferment, Lactobacillus Ferment Lysate, Bifida Ferment Lysate, Aesculus Hippocastanum (Horse Chestnut) Extract, Hibiscus Sabdariffa Flower Extract, Cornus Officinalis Fruit Extract, Aspalathus Linearis Extract, Quillaja Saponaria Bark Extract, Citrus Junos Fruit Extract, Diospyros Kaki Fruit Extract, Ceratonia Siliqua (Carob) Fruit Extract, Camellia Japonica Leaf Extract, Ethylhexylglycerin, 1,2-Hexanediol, Sodium Benzoate, Menthol, Cetearyl Alcohol, Salicylic Acid, Panthenol, Disodium Cocoamphodiacetate, Niacinamide, Polyquaternium-67, Piroctone Olamine, Hexylene Glycol, Lauramidopropyl Betaine, Sodium Chloride, Mannitol, Phosphate Buffered Saline, Ammonium Glycyrrhizate, Biotin, Caffeine, Calcium Pantothenate, Sodium Starch Octenylsuccinate, Maltodextrin, Hydrogenated Lecithin, Sodium Ascorbyl Phosphate, Tocopheryl Acetate, Pyridoxine HCl, Glycine, Silica, Inulin, Beta-Glucan, Serine, Glutamic Acid, Asparagine, Leucine, Aspartic Acid, Glutamine, Ceramide NP, Alanine, Valine, Lysine, Arginine, Tyrosine, Phenylalanine, Proline, Threonine, Isoleucine, Histidine, Cysteine, Methionine, Tryptophan, Zinc Gluconate, Styrene/Acrylates Copolymer, Carbomer, Guar Hydroxypropyltrimonium Chloride, Citric Acid, Disodium EDTA, Fragrance

#### Research and Development – H.L.C GROUP Co.,Ltd

202, 774 lisan-ro, Ilsan -seo gu, Goyang-si, Gyeonggi-do, Republic of Korea

#### Manufactured for H.L.C GROUP Co.,Ltd

202, 774 lisan-ro, Ilsan -seo gu, Goyang-si, Gyeonggi-do, Republic of Korea

TEL +82-70-8656-0559 / MADE IN KOREA / www.beliz.kr



**CONFICHE ANTI-HAIR LOSS SHAMPOO**

salicylic acid shampoo

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81555-301
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2 mg in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>LEUCINE</b> (UNII: GMW67QNF9C)	
<b>ASPARTIC ACID</b> (UNII: 30KYC7MIAI)	
<b>GLUTAMINE</b> (UNII: 0RH81L854J)	
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>VALINE</b> (UNII: HG18B9YRS7)	
<b>ARGININE</b> (UNII: 94ZLA3W45F)	
<b>THREONINE</b> (UNII: 2ZD004190S)	
<b>ISOLEUCINE</b> (UNII: 04Y7590D77)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>VINCETOXICUM ATRATUM WHOLE</b> (UNII: U3176B0S5J)	
<b>QUILLAJA SAPONARIA BARK</b> (UNII: 8N0K3807ZW)	
<b>CAROB</b> (UNII: 5MG5Z946UO)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALANINE</b> (UNII: OF5P57N2ZX)	
<b>LYSINE</b> (UNII: K3Z4F929H6)	
<b>TYROSINE</b> (UNII: 42HK56048U)	
<b>PHENYLALANINE</b> (UNII: 47E5O17Y3R)	
<b>PROLINE</b> (UNII: 9DLQ4CIU6V)	
<b>HISTIDINE</b> (UNII: 4QD397987E)	
<b>CYSTEINE</b> (UNII: K848JZ4886)	
<b>METHIONINE</b> (UNII: AE28F7PNPL)	
<b>ZINC GLUCONATE</b> (UNII: U6WSN5SQ1Z)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>ESCHERICHIA COLI</b> (UNII: 514B9K0L10)	
<b>DECYL GLUCOSIDE</b> (UNII: Z17H97EA6Y)	
<b>COCO GLUCOSIDE</b> (UNII: ICS790225B)	
<b>CITRUS JUNOS FRUIT</b> (UNII: 53KHW58C1V)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>STREPTOCOCCUS THERMOPHILUS</b> (UNII: T8F3MOB0CG)	
<b>PERSIMMON</b> (UNII: 4V023DD7KL)	
<b>PIROCTONE OLAMINE</b> (UNII: A4V5C6R9FB)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	
<b>CALCIUM PANTOTHENATE</b> (UNII: 568ET80C3D)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	

<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>LIMOSILACTOBACILLUS FERMENTUM</b> (UNII: 2C1F12C6AP)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>GLYCINE</b> (UNII: TE7660XO1C)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TRANSFORMING GROWTH FACTOR BETA RECEPTOR TYPE 3</b> (UNII: 18YWT2KYS8)	
<b>SERINE</b> (UNII: 452VLY9402)	
<b>ASPARAGINE</b> (UNII: 5Z33R5TKO7)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>LAURAMIDOPROPYL BETAINE</b> (UNII: 23D6XVI233)	
<b>AMMONIUM GLYCYRRHIZATE</b> (UNII: 3VRD35U26C)	
<b>GLUTAMIC ACID</b> (UNII: 3KX376GY7L)	
<b>BIFIDOBACTERIUM BIFIDUM R0071</b> (UNII: ZQ2KAH6G2Q)	
<b>TETRAPEPTIDE-7</b> (UNII: X519T00027)	
<b>DISODIUM LAURETH SULFOSUCCINATE</b> (UNII: D6DH1DTN7E)	
<b>COCO MONOISOPROPANOLAMIDE</b> (UNII: 21X4Y0VTB1)	
<b>SACCHAROMYCES CEREVISIAE</b> (UNII: 978D8U419H)	
<b>BIOTIN</b> (UNII: 6S06U10H04)	
<b>CAFFEINE</b> (UNII: 3G6A5W338E)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>INULIN</b> (UNII: JOS53KRJ01)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PROPYLENE GLYCOL MONOLAURATE</b> (UNII: 668Z5835Z3)	
<b>HORSE CHESTNUT</b> (UNII: 3C18L6RJAZ)	
<b>HIBISCUS SABDARIFFA FLOWER</b> (UNII: 45TGG6IU6M)	
<b>CORNUS OFFICINALIS FRUIT</b> (UNII: 23NL8NQ187)	
<b>ASPALATHUS LINEARIS LEAF</b> (UNII: H7UGK1GJCU)	
<b>CAMELLIA JAPONICA LEAF</b> (UNII: 4E3VE6KTLY)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)	
<b>DISODIUM COCOAMPHODIACETATE</b> (UNII: 18L9G3U51M)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV)	
<b>TRYPTOPHAN</b> (UNII: 8DUH1N11BX)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (MW 500000)</b> (UNII: 5Z4DPO246A)	
<b>CARBOXYPOLYMETHYLENE</b> (UNII: 0A5MM307FC)	
<b>GUAR HYDROXYPROPYLTRIMONIUM CHLORIDE (1.7 SUBSTITUENTS PER SACCHARIDE)</b> (UNII: B16G315W7A)	
<b>FRAGRANCE 13576</b> (UNII: 5EM498GW35)	

## Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:81555-301-01	400 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2022	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			10/01/2022	

**Labeler** - H.L.C GROUP Co., ltd (694869128)

**Registrant** - H.L.C GROUP Co., ltd (694869128)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
H.L.C GROUP Co., ltd		695436080	manufacture(81555-301)

Revised: 11/2023

H.L.C GROUP Co., ltd