EXCHANGE SELECT ALLERGY RELIEF- loratadine tablet Army & Air Force Exchange Service

Perrigo Company Allergy Relief Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if printed foil under cap is broken or missing
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

lactose monohydrate, magnesium stearate, povidone, pregelatinized starch

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredient of Claritin[®] Tablets

Original Prescription Strength

Non-Drowsy*

allergy relief

Loratadine Tablets, 10 mg/Antihistamine

*When taken as directed. See Drug Facts Panel.

24 HOUR

INDOOR & OUTDOOR ALLERGIES

Relief of:

Sneezing

Itchy, Watery Eyes

Runny Nose


Itchy Throat or Nose

Actual Size

30 TABLETS

quality value







Drug Facts (continued)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison

Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

do not use if printed foil under cap is broken or missing

store between 20° to 25°C (68° to 77°F)



Drug Facts (continued)

Inactive ingredients

lactose mono hydrate, magnesium stearate, povidone, pregelatinized starch

Questions or comments? 1-800-719-9260

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Packaged For: Your Military Exchanges By: Perrigo Company Allegan, MI USA 49010

EXCHANGE SELECT ALLERGY RELIEF

loratadine tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55301-612	
Route of Administration	ORAL			

Active Ingredient/Active Moiety Ingredient Name Basis of Strength LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN) LORATADINE (10 mg

Inactive Ingredients			
Ingredient Name	Strength		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E)			

Product Characteristics			
Color	WHITE	Score	no score
Shape	OVAL	Size	8 mm
Flavor		Imprint Code	L612
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-612-65	1 in 1 CARTON	08/26/2008	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:55301-612-46	10 in 1 CARTON	08/26/2008	10/11/2015
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:55301-612-95	1 in 1 CARTON	11/14/20 13	
3		45 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA076301	08/26/2008		

Labeler - Army & Air Force Exchange Service (001695568)

Revised: 12/2019 Army & Air Force Exchange Service