

**ALKA-SELTZER ORIGINAL FLAVOR- buffered aspirin, effervescent tablet tablet, effervescent
Lil' Drug Store Products, Inc.**

Alka-Seltzer ®

Drug Facts

Active ingredients

Active ingredients (in each tablet)

Buffered aspirin 325 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Purpose

Pain reliever/fever reducer

Uses

Uses

- temporarily relieves minor aches and pains due to:
- headache
- muscle pain
- backache
- toothache
- menstrual pain
- colds
- minor pain of arthritis
- temporarily reduces fever

Warnings

Reye's syndrome

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma
- you have a sodium-restricted diet

Ask a doctor or pharmacist

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- diabetes
- gout
- arthritis

Stop use and ask a doctor

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

- redness or swelling is present
- new symptoms occur
- ringing in the ears or a loss of hearing occurs

If pregnant

If pregnant or breast-feeding, ask a health professional before use. **It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Directions

- fully dissolve 2 tablets in 4 ounces of water before taking

adults and children 12 years and over	2 tablets every 4 hours, or as directed by a doctor	do not exceed 8 tablets in 24 hours
adults 60 years and over	2 tablets every 4 hours, or as directed by a doctor	do not exceed 8 tablets in 24 hours
children under 12 years	ask a doctor	

Other information

Other information

- **each tablet contains:** sodium 568 mg
- store at room temperature. Avoid excessive heat.
- Alka-Seltzer Original Flavor in water contains principally the analgesic sodium acetylsalicylate

Inactive ingredients

Inactive ingredients

anhydrous citric acid, sodium bicarbonate

Questions or comments

Questions or comments?

1-800-986-0369 (Mon - Fri 9AM - 5PM EST)

Bayer

Manufacturer: Bayer HealthCare LLC, Whippany, NJ 07981

This product is repackaged by Lil' Drug Store Products, Inc., 9300 Earhart Lane SW, Cedar Rapids, IA 52404;

1-877-507-6516 (M-F 8AM-4:30PM CST), from a product manufactured by Bayer.
97033C-US-03-22

“Bayer, the Bayer Cross and Alka-Seltzer are registered trademarks of Bayer, used with permission.”

Made in Mexico

PDP/Package

[Bayer cross]

Alka-Seltzer®

Buffered aspirin (NSAID) /
Pain Reliever/fever reducer

Fast Relief of:

Headache

Backache

Body Aches

Muscle Pain

ORIGINAL FLAVOR

6

Effervescent Tablets

(3 - 2 count pouches)

[Lil' Drug Store logo]

Drug Facts (continued)
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions	adults and children 12 years and over	2 tablets every 4 hours, or as directed by a doctor, do not exceed 8 tablets in 24 hours	do not exceed 8 tablets in 24 hours
adults 60 years and over	2 tablets every 4 hours, or as directed by a doctor	do not exceed 4 tablets in 24 hours	
children under 12 years	consult a doctor		

Other information

- each tablet contains: sodium 595 mg
- store at room temperature. Avoid excessive heat.
- Alka-Seltzer Original Flavor in water contains principally the analgesic sodium acetylsalicylate.

Inactive ingredients anhydrous citric acid, sodium bicarbonate

Questions or comments?
1-800-988-0389 (Mon - Fri 9AM - 5PM EST)

Bayer Manufacturer: Bayer HealthCare LLC, Whippany, NJ 07981
This product is repackaged by Lil' Drug Store Products, Inc., 9300 Earhart Lane SW, Cedar Rapids, IA 52404, 1-877-507-6516 (M-F 8AM-4:30PM CST), from a product manufactured by Bayer. 97033C-US-03-22

Bayer, the Bayer Cross and Alka-Seltzer are registered trademarks of Bayer, used with permission.
Made in Mexico

Alka-Seltzer
Buffered aspirin (NSAID) /
Pain reliever / fever reducer

Fast Relief of:
Headache
Backache
Body Aches
Muscle Pain

ORIGINAL FLAVOR

6 Effervescent Tablets
(3 - 2 count pouches)

DO NOT USE IF INNER POUCH OR CARTON IS OPEN OR DAMAGED!

Drug Facts
Active ingredients (in each tablet) Purpose
Buffered aspirin 325 mg (NSAID)..... Pain reliever/fever reducer
nonsteroidal anti-inflammatory drug

Use

- temporarily relieves minor aches and pains due to:
• headache • muscle pain • backache
• toothache • menstrual pain • colds • minor pain of arthritis
• temporarily reduces fever

Warnings
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product
When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
Allergy alert: Aspirin may cause a severe allergic reaction which may include:
• hives • facial swelling • asthma (wheezing) • shock
Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you
• are age 60 or older
• have had stomach ulcers or bleeding problems
• take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
• have 3 or more alcoholic drinks every day while using this product
• take more or for a longer time than directed

Drug Facts (continued)
Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma
- you have a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug for: • diabetes • gout • arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
• feel faint • vomit blood
• have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

LIFT PANEL FOR CONTINUED DRUG FACTS

Alka-Seltzer Original, CVP HEALTH PDP/Package

[Bayer cross]

Alka-Seltzer®

Buffered aspirin (NSAID) /
Pain Reliever/fever reducer

Fast Relief of:

Headache
Backache
Body Aches
Muscle Pain

ORIGINAL FLAVOR

4

Effervescent Tablets
(2 - 2 count pouches)

[CVP® HEALTH logo]



Alka-Seltzer Original, Travel BASIX PDP/Package

Alka-Seltzer®

Buffered aspirin (NSAID) /
Pain Reliever/fever reducer

Fast Relief of:

Headache

Backache

Body Aches

Muscle Pain

ORIGINAL FLAVOR

[Bayer cross]

4

Effervescent Tablets

(2 - 2 count pouches)

[Lil' Drug Store logo]



ALKA-SELTZER ORIGINAL FLAVOR

buffered aspirin, effervescent tablet, effervescent

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6503
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	25mm
Flavor		Imprint Code	Alka;Seltzer
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6503-2	2 in 1 CARTON	05/06/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/06/2022	

ALKA-SELTZER ORIGINAL FLAVOR

buffered aspirin, effervescent tablet tablet, effervescent

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9603
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	25mm
Flavor		Imprint Code	Alka;Seltzer
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9603-2	2 in 1 CARTON	12/01/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-9603-3	3 in 1 CARTON	12/01/2022	
2		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/01/2022	

ALKA-SELTZER ORIGINAL FLAVOR

buffered aspirin, effervescent tablet tablet, effervescent

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6403
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

SODIUM BICARBONATE (UNII: 8MDF5V39QO)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	25mm
Flavor		Imprint Code	Alka;Seltzer
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6403-2	2 in 1 CARTON	11/28/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-6403-7	25 in 1 CARTON	04/19/2022	
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:66715-6403-8	30 in 1 CARTON	04/19/2022	
3		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/19/2022	

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 12/2023

Lil' Drug Store Products, Inc.