FOSTER AND THRIVE READY TO USE MINERAL OIL LAXATIVE- mineral oil enema McKesson

Foster & Thrive™ Ready to Use Enema Mineral Oil Laxative

Drug Facts

Active ingredients (in each 118mL delivered dose)

Mineral oil 100%

Purpose

Lubricant laxative

Use

- for relief of occasional constipation
- this product generally produces bowel movement in 2 to 15 minutes

Warnings

For rectal use only.

Ask a doctor before use if you

- have already used a laxative for more than 1 week
- have abdominal pain, nausea, or vomiting
- have a sudden change in bowel habits that persist over a period of 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding
- you fail to have a bowel movement after use

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away: 800-222-1222.

Directions (or as directed by a doctor)

Rectal enema dosage is 118 mL in a single daily dosage (per 24 hours).

Adults & children 13 years old and older	1 bottle
Children 2-12 years old	1/2 bottle

Other information

- store at 15 to 30°C (59 to 86°F)
- Tamper Evident: DO NOT USE IF TOP OR BOTTOM FLAP OF CARTON IS TORN OR MISSING.

Inactive ingredients

none

Questions or comments?

833-358-6431

Distributed by: McKesson Corp., via Strategic Sourcing Services LLC. Memphis, TN 38141

PRINCIPAL DISPLAY PANEL - 133 mL Bottle Carton

NDC 70677-1090-1

COMPARE TO FLEET®
MINERAL OIL ENEMA
ACTIVE INGREDIENTS*

Foster & Thrive™

READY TO USE Enema MINERAL OIL

Lubricated Tip

Sodium Free

Not Made With Natural Rubber Latex

For Relief of:

 Occassional Constipation

NOT ACTUAL SIZE 1 BOTTLE 4.5 FL OZ (133 mL)



135 5 8B

Positions for using this enema Left-side position: Lie on left side with knees bent and arms resting comfortably.



Knee-chest position: Kneel, then lower head and chest forward until left side of face is resting on surface with left arm folded comfortably.



How to use this enema

Remove the peel-away safety seal and protective shield

Hold bottle upright, grasping bottle cap with fingers. Grasp protective shield with other hand and pull gently to remove.



Administering en em a:

- With sleady pressure, gently insert enema tip into rectum with a slight side-to-side movement, within pointing to ward navel. In sertion may be assier if person receiving enema bears down, as if having a bowel movement. This help is relax the muscles around the anus.
- Do not force the enema tip into rectum as this may cause in jury.
- · Squeeze bottle until nearly all liquid is gone It is not necessary to empty bottle completely, as it contains more liquid than needed.
- Remove tip from rectum and maintain position until argetoevacuate is strong (usually 2 to 15 minutes).
- Retain enema in accordance with doctor's instructions.

Bottle, cap, and shield are NOT MADE WITH NATURAL **RUBBER LATEX**



NDC 70677-1090-1

Lubricated Tip Sodium Free

Rubber Latex

COMPARETO FLEET® MINERAL OIL ENEMA ACTIVE INGREDIENTS*

Foster & Thrive™

Not Made With Natural

READY TO USE

Enema

MINERAL OIL

Lubricated Tip

Sodium Free

Not Made With **Natural Rubber Latex**



NOTACTUALSIZE 1 BOTTLE 4.5 FL OZ (133 mL) Foster & Thrive

READY TO USE Enema

MINERAL OIL

Complete Enema In A Disposable Squeeze Bottle With Soft, Pre-Lubricated Tip.



Protective shield entamination Bottle sealed for

Comfortable, lubricated tip for ease of insertion

One-way safety valve controls flow and prevents reflux

Easy, soft squeeze bottle

Drug Facts

Active ingredients Purpose (in each 118mL delivered dose) Mnera10ll 100%Lubricant laxative

■ for relief of occasional constipation

this product generally produces bowel movement in 2 to 15 minutes

Warnings For rectal use only.

Ask a doctor before use if you have already used a laxative for more

than 1 week ■ have abdominal pain, nausea, or vomiting

have a sudden change in bowel habits that persist over a period of 2 weeks

Stop use and ask a doctor if
you have rectal bleeding
you fall to have a bowel movement after

if pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Polson Control Center right away: 800-222-1222 800-222-1222.

Directions (or as directed by a doctor) Rectal enema dosage is 118 mL in a single daily dosage (per 24 hours).

Adults & children 13 years old and older	1 bottle	
Children 2-12 years old	1/2 bottle	
Children under 2 years old	DO NOT USE	

Other information

■ store at 15 to 90°C (59 to 86°P)
■ Tamper Evident: DO NOT USE IF TOP OR BOTTOM FLAP OF CARTON IS TORN OR MISSING.

Inactive ingredients

Questions or comments?

This product is not manufactured or distributed by C.B. Fleet Company Inc., owne rof the registered trademark Fleet*.

©2023 McKesson Corporation

Distributed by: McKesson Corp., via Strategic Sourcing Services LLC. Memphis, TN 38141 Money Back Guarantee www.tosterandthrive.com

FOSTER AND THRIVE READY TO USE MINERAL OIL LAXATIVE

mineral oil enema

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70677-1090

Route of Administration RECTAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Mineral Oil (UNII: T5L8T28FGP) (Mineral Oil - UNII:T5L8T28FGP)	Mineral Oil	1000 g in 118 mL

Packaging

Ш				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:70677- 1090-1	1 in 1 CARTON	02/09/2024	
	1	133 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M007	02/09/2024	

Labeler - McKesson (116956644)

Establishment				
Name	Address	ID/FEI	Business Operations	
Natureplex LLC		062808196	MANUFACTURE(70677-1090)	

Revised: 3/2024 McKesson