

HYPERICUM PERFORATUM- hypericum perforatum pellet
Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM

6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**HYPERICUM
PERFORAT.
30C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**HYPERICUM
PERFORAT.
100C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

HYPERICUM PERFORAT. 200C

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as nausea.

Keep out of reach
of children

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

HYPERICUM PERFORAT. 500C

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as nausea.

Keep out of reach
of children

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**HYPERICUM
PERFORAT.
1M**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

**HYPERICUM
PERFORAT.
10M**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 10M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM 10M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

HYPERICUM PERFORATUM

hypericum perforatum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1689
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	6 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1689-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
2	NDC:37662-1689-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	
3	NDC:37662-1689-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/10/2022	

HYPERICUM PERFORATUM

hypericum perforatum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1692
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	100 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1692-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
2	NDC:37662-1692-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
3	NDC:37662-1692-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	
4	NDC:37662-1692-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/10/2022	

HYPERICUM PERFORATUM

hypericum perforatum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1693
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1693-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
2	NDC:37662-1693-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
3	NDC:37662-1693-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	
4	NDC:37662-1693-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/10/2022	

HYPERICUM PERFORATUM

hypericum perforatum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1694
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	500 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1694-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
2	NDC:37662-1694-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
3	NDC:37662-1694-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	
4	NDC:37662-1694-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/10/2022	

HYPERICUM PERFORATUM

hypericum perforatum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1690
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	12 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1690-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
2	NDC:37662-1690-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	
3	NDC:37662-1690-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/10/2022	

HYPERICUM PERFORATUM

hypericum perforatum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1691
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
--------------	-------	--------------	----------

Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1691-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
2	NDC:37662-1691-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
3	NDC:37662-1691-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	
4	NDC:37662-1691-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/10/2022	

HYPERICUM PERFORATUM

hypericum perforatum pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1695
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	1 [hp_M]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1695-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
2	NDC:37662-1695-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
3	NDC:37662-1695-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	
4	NDC:37662-1695-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/10/2022	

HYPERICUM PERFORATUM

hypericum perforatum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1696
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	10 [hp_M]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1696-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
2	NDC:37662-1696-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/10/2022	
3	NDC:37662-1696-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	
4	NDC:37662-1696-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/10/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/10/2022	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment

Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-1689, 37662-1690, 37662-1691, 37662-1692, 37662-1693, 37662-1694, 37662-1695, 37662-1696)

Revised: 10/2022

Hahnemann Laboratories, INC.