

**PURELL CS FOAM HANDWASH 2% CHG- chlorhexidine gluconate 2%
solution liquid
GOJO Industries, Inc.**

PURELL FOAM HANDWASH 2% CHG Antimicrobial Foam

Uses

Antimicrobial foam handwash

Active Ingredient

Chlorhexidine Gluconate 2%

Purpose

Antiseptic

Directions

DIRECTIONS: / MODO DE USO:



Warnings

For External Use Only

Do not use

if you are allergic to chlorhexidine gluconate or any other ingredients.

When using this product

keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle of the ear through perforated eardrums. If solution should contact these areas, rinse out promptly and thoroughly with water.

Stop use and ask a doctor if

Irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a poison control center right away.

Allergy Alert

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an Allergic reaction occurs, stop use and seek medical help right away.

Inactive Ingredients

Citric acid, comide DEA, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide. purified water

Foam Handwash 2% CHG**Antimicrobial Foam**

Distributed by:

GOJO Industries, Inc.

Akron, OH 44309

+1-330+255-6000

www.GOJO.com

©2022 GOJO Industries, Inc.

All rights reserved.

Made in U.S.A.



FOAM HANDWASH 2% CHG
Antimicrobial Foam
 Lavado de manos
 Antimicrobiano en espuma al 2% CHG

DIRECTIONS / MODO DE USO:



Distributed by: / Distribuido por: **GOJO Industries, Inc.**, Akron, OH 44309
 +1-330-255-6000 www.gojo.com ©2022 GOJO Industries, Inc.
 All rights reserved. Todos los derechos reservados. Made in U.S.A. Hecho en los E.E.U.U.

WARNINGS FOR EXTERNAL USE ONLY. DO NOT USE IF — YOU ARE ALLERGIC TO CHLORHEXIDINE GLUCONATE OR ANY OTHER INGREDIENTS. **WHEN USING THIS PRODUCT** — KEEP OUT OF EYES, EARS, AND MOUTH — MAY CAUSE SERIOUS AND PERMANENT EYE INJURY IF PLACED OR KEPT IN THE EYE DURING SURGICAL PROCEDURES OR MAY CAUSE DEAFNESS WHEN INSTILLED IN THE MIDDLE OF THE EAR THROUGH PERFORATED EARDRUMS — IF SOLUTION SHOULD CONTACT THESE AREAS, RINSE OUT PROMPTLY AND THOROUGHLY WITH WATER. **STOP USE AND ASK A DOCTOR IF** — IRRITATION, SENSITIZATION, OR ALLERGIC REACTION OCCURS, THESE MAY BE SIGNS OF A SERIOUS CONDITION. **KEEP OUT OF REACH OF CHILDREN.** IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

ALLERGY ALERT — THIS PRODUCT MAY CAUSE A SEVERE ALLERGIC REACTION. SYMPTOMS MAY INCLUDE: •WHEEZING/DIFFICULTY BREATHING •SHOCK •FACIAL SWELLING •HIVES •RASH. IF AN ALLERGIC REACTION OCCURS, STOP USE AND SEEK MEDICAL HELP RIGHT AWAY.

PRECAUCIONES PARA USO EXTERNO ÚNICAMENTE. NO DEBE USARSE - SI ES ALÉRGICO AL GLUCONATO DE CLORHEXIDINA O A CUALQUIER OTRO INGREDIENTE **CUANDO USE ESTE PRODUCTO** — EVITE EL CONTACTO CON LOS OJOS, OÍDOS, Y BOCA, PUEDE CAUSAR DAÑO OCULAR SERIO Y PERMANENTE SI SE COLOCA O PERMANECE EN EL OJO DURANTE PROCEDIMIENTOS QUIRÚRGICOS O PUEDE CAUSAR SORDERA SI SE INSTILA EN EL OÍDO MEDIO A TRAVÉS DE TÍMPANO PERFORADO — SI LA SOLUCIÓN LLEGARA A TENER CONTACTO CON ESTAS ÁREAS, ENJUAGUE LO MÁS PRONTO POSIBLE CON SUFICIENTE AGUA **DETENGA EL USO Y CONSULTE A SU MÉDICO SI** — REACCIONES DE IRRITACIÓN, SENSIBILIZACIÓN O REACCIONES ALÉRGICAS APARECEN. ESTOS SON SIGNOS DE UNA CONDICIÓN SERIA. **MANTENGASE FUERA DEL ALCANCE DE NIÑOS.** EN CASO DE INGESTIÓN, BUSQUE AYUDA MÉDICA O CONTACTE AL CENTRO DE CONTROL DE INTOXICACIÓN DE INMEDIATO.

ALERTA DE ALERGIJA — ESTE PRODUCTO PUEDE CAUSAR UNA REACCIÓN ALÉRGICA SEVERA, LOS SÍNTOMAS PUEDEN INCLUIR: •SIBILANCIAS/DIFICULTAD PARA RESPIRAR •SHOCK •HINCHAZÓN FACIAL •URTICARIA •SARPULLIDO EN CASO DE OCURRIR ALGUNA REACCIÓN ALÉRGICA, DETENGA EL USO Y BUSQUE AYUDA DE INMEDIATO.

INGREDIENTS: CHLORHEXIDINE GLUCONATE / GLUCONATO DE CLORHEXIDINA 20 MG/G, CITRIC ACID, COCAMIDE DEA, HYDROXYETHYLCELLULOSE, ISOPROPYL ALCOHOL, LAURAMINE OXIDE, AQUA

1200 mL

SOAP
CS6

Reorder No. / Código N°
6581-02-INT00 6581-640-INT-B



0 73852 29594 8

GOJOCS6INTLBL



1200mL
 SOAP
 CS6
 GOJOCS6INTLBL
 6581-640-INT-B

PURELL CS FOAM HANDWASH 2% CHG

chlorhexidine gluconate 2% solution liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21749-226
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)		CHLORHEXIDINE GLUCONATE	20 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
HYDROXYETHYL CELLULOSE (2000 CPS AT 1%) (UNII: S38J6RZN16)				
ISOPROPYL ALCOHOL (UNII: ND2M416302)				
COCO DIETHANOLAMIDE (UNII: 92005F972D)				
LAURAMINE OXIDE (UNII: 4F6FC4MI8W)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21749-226-40	1200 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/13/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Export only		10/13/2022		

Labeler - GOJO Industries, Inc. (004162038)

Registrant - Xttrium Laboratories, Inc. (007470579)

Establishment

Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc.		007470579	manufacture(21749-226)

Revised: 10/2022

GOJO Industries, Inc.