

OXYGEN- oxygen gas
Red Ball Oxygen Co., Inc.

Oxygen

OXYGEN, COMPRESSED USP UN1072 OXYGEN 2

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL Pressure Size Contents PSIG at 70 degrees liters

RED BALL OXYGEN

Red Ball Oxygen CO., Inc. 609 North Market Street Shreveport, LA 71107 318-425-3211



OXYGEN, REFRIGERATED LIQUID, USP UN1073 OXYGEN 2

Gross Wt. lbs. oz. Net Wt. lbs. oz. Size Contents Liters

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this

container be filled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

RED BALL OXYGEN

Red Ball Oxygen CO., Inc. 609 North Market Street Shreveport, LA 71107 318-425-3211

Oxygen, Refrigerated Liquid, USP

UN 1073



Gross Wt.	lbs.	oz.	
Net Wt.	lbs.	oz.	
Size		Contents	Liters

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only**. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by **Air Liquefaction**. **DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL**



Red Ball Oxygen Co., Inc.
609 North Market St.
Shreveport, LA 71107 318-425-3211



LOX-0101

F15

OXYGEN, COMPRESSED USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

CONTENTS: LTRS

CU.FT

RED BALL OXYGEN

609 North Market Street

Shreveport, LA 71107

318-425-3211

**OXYGEN,
COMPRESSED
USP**
UN1072
PRODUCED BY AIR LIQUEFACTION



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**



609 North Market Street
Shreveport, LA 71107
318-425-3211

CONTENTS: LTRS
CU. FT.



OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:46362-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	992 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46362-001-01	7100 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
2	NDC:46362-001-02	3550 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
3	NDC:46362-001-03	660 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
4	NDC:46362-001-04	400 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
5	NDC:46362-001-05	180 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
6	NDC:46362-001-06	146 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
7	NDC:46362-001-07	1738 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
8	NDC:46362-001-08	7107 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
9	NDC:46362-001-09	3539 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
10	NDC:46362-001-10	164 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
11	NDC:46362-001-11	708 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
12	NDC:46362-001-12	433 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
13	NDC:46362-001-13	155742 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
14	NDC:46362-001-14	164 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
15	NDC:46362-001-15	594 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
16	NDC:46362-001-16	679 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
17	NDC:46362-001-17	424 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
18	NDC:46362-001-18	705 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
19	NDC:46362-001-19	433 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
20	NDC:46362-001-20	8693 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
21	NDC:46362-001-21	707 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205865	01/01/1986	

Labeler - Red Ball Oxygen Co., Inc. (049213267)

Establishment

Name	Address	ID/FEI	Business Operations
Red Ball Oxygen Co., Inc.		049213267	manufacture(46362-001)

Revised: 6/2024

Red Ball Oxygen Co., Inc.