

**GLYCERIN LIQUID LAXATIVE ENEMA(KAISALILU)- glycerin liquid  
International Nature Nutraceuticals**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredients**

Glycerin- 12.5g

**Indications**

For relief of occasional constipation  
(irregularity)

□□□□□□□□□□□□

This product generally produces bowel  
movement in 1/4 to 1 hour.

□□□□□□□□□□15□□□60□□□.

**Warnings:**

Do not use laxative products when abdominal  
pain, nausea, or vomiting are present unless  
directed by a doctor.

- If you have noticed a sudden change in bowel  
habits that persists over a period of 2 weeks,  
consult a doctor before using a laxative.

- Laxative products should not be used for a  
period longer than 1 week unless directed by  
a doctor.

- Rectal bleeding or failure to have a bowel  
movement after use of a laxative may indicate  
a serious condition. Discontinue use and  
consult your doctor.

- May cause rectal discomfort or a burning  
sensation.

- For rectal use only.

□□□□□□□□□□□□□□□□:

□□□□□□□□□□□□□□□□

□2□□□. □□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□

**Keep out of reach of children**

In case of accidental ingestion, contact doctor or a poison control center immediately

**Stop use and ask doctor if:**

you have rectal bleeding

□□□□□□□□ □□□□□□□□

**Do not use:**

If pregnant or breast-feeding.

ask a health professional before use.

□□□□□□□□□□□□□□□□

**Directions:**

Adults and children 12 years of age and older: 1 bottle each time, 1 time per day.

□□□ 12 □□□□□□: □□1□□□□1□

children 6 to under 12 years: use ½ bottle each time, 1 time per day.

□□6□12□□□□□□1/2□□□□1□□

children under 6 years: ask a doctor

6□□□□□□□□□

Removing the top, Coated with grease and Slowly inserted into the anus Then squeeze the liquid into the rectum.

□□□□□□, □□□□□□, □□□□□□, □

□□□□□□□□□□.

**When using this product:**

you may have rectal discomfort or a burning sensation

□□□□□□□□□□□□□□□□

**Inactive Ingredients**

Purified water □□□

**Packaging**



NDC 51367-009-20



**Glycerin Liquid**  
Laxative Enema

(Kaisailu)

用於便秘  
甘油通便液

開塞露

外

Net Wt.: 0.68 fl/oz

Manufacturer:  
Guangzhou Baiyunshan Jingshitang  
Pharmaceutical Company Limited  
Guangzhou, China



Lot No.:  
Exp:

**Drug Facts 藥品資料**

Active Ingredients 有效成分: Glycerin 12.5g Purpose 用途: Laxative 潤腸劑

**Indications 作用:**

- For relief of occasional constipation (irregularity) 緩解或發性便秘 (不規則)
- This product generally produces bowel movement in 1/4 to 1 hour. 通常產生作用的時間在15分鐘至60分鐘內。

**Warnings: 警告:**

- Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.
- If you have noticed a sudden change in bowel habits that persists over a period of 2 weeks, consult a doctor before using a laxative.
- Laxative products should not be used for a period longer than 1 week unless directed by a doctor.
- Rectal bleeding or failure to have a bowel movement after use of a laxative may indicate a serious condition. Discontinue use and consult your doctor.
- May cause rectal discomfort or a burning sensation.
- For rectal use only.
- 使用前請先諮詢醫生如果您有以下症狀: 腹痛、噁心、嘔吐、突然改變排便習慣持續2週以上、如使用後出現出血或無效、病情嚴重應停止使用、並諮詢您的醫生、僅作為直腸用藥。

(Continued)

NDC 51367-009-20

**Glycerin Liquid**  
Laxative Enema

(Kaisailu)

用於便秘  
甘油通便液

開塞露

外

Net Wt.: 0.68 fl/oz

Exclusive U.S. Distributor:  
International Nature Nutraceuticals, Inc.  
New York, NY 10002  
廣州白雲山敬修堂藥業股份有限公司

**Drug Facts 藥品資料**  
(Continued)

When using this product you may have rectal discomfort or a burning sensation 使用本藥品時，您可能有直腸不適或燒灼感。

**Stop use and ask a doctor if**

- you have rectal bleeding 停止使用並諮詢醫生
- you have rectal bleeding 停止使用並諮詢醫生
- If pregnant or breast-feeding, ask a health professional before use 如果您懷孕或哺乳，使用前請諮詢專業醫護人員。
- Keep out of reach of children; in case of accidental ingestion, contact a doctor or poison control center immediately 存放在兒童觸摸不到之處。如不慎意外吞下，請馬上聯繫醫生或藥物控制中心。

**Directions:**

- Adults and children 12 years of age and older: 1 bottle each time, 1 time per day. 成人和12歲以上的兒童：每次1瓶，每日1次。
- children 6 to under 12 years: use ½ bottle each time, 1 time per day. 兒童6--12歲：每次使用1/2瓶，每天1次。
- children under 6 years: ask a doctor 6歲以下兒童：問醫生。
- Removing the top: Coated with grease and slowly inserted into the anus. Then squeeze the liquid into the rectum 除去頂部膠塞，塗以塗層少許，緩慢插入肛門，然後將液體擠入直腸內。

Inactive ingredients: purified water 輔助成分：純淨水。

中國電子監管碼



GLYCERIN LIQUID LAXATIVE ENEMA(KAISALILU)

glycerin liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51367-009
<b>Route of Administration</b>	RECTAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	12.5 g

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0KO0R)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:51367-009-20	1 in 1 BOTTLE; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	07/05/1992	

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part334	07/05/1992	

**Labeler** - International Nature Nutraceuticals (006106879)

### Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Guangzhou Baiyunshan Jingxiutang Pharmaceutical Co., Ltd		654032218	manufacture(51367-009)

Revised: 12/2019

International Nature Nutraceuticals