

OXYGEN- oxygen gas
MEDICAL-TECHNICAL GASES, INC.

Oxygen Label

OXYGEN, REFRIGERATED LIQUID USP
UN10733

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.
DO NOT CHANGE OR FORCE FIT CONNECTIONS.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE.
VIGOROUSLY ACCERLERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin, or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Cylinder temperature should not exceed 52 C (125 F).

Close valve after each use and when empty.

Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7782-44-7


DO NOT REMOVE THIS PRODUCT LABEL.

MEDTECH Since 1961

MEDICAL-TECHNICAL GASES, INC.

8 EXECUTIVE PARK DRIVE NORTH BILLERICA, MA 01862

TEL. 800 FINE GAS FAX (781) 395-9098 www.medtechgases.com



OXYGEN, COMPRESSED USP UN1072

Produced by Air Liquefaction

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (0) before use.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

MEDTECH Since 1961

MEDICAL-TECHNICAL GASES, INC.

8 EXECUTIVE PARK DRIVE NORTH BILLERICA, MA 01862

TEL. 800 FINE GAS FAX (781) 395-9098 www.medtechgases.com

**OXYGEN,
COMPRESSED
USP**

UN1072

Produced by Air Liquefaction



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use.



CAS: 7782-44-7
DO NOT REMOVE THIS PRODUCT LABEL.

MEDTECH Since 1961
MEDICAL-TECHNICAL GASES, INC.
8 EXECUTIVE PARK DRIVE • NORTH BILLERICA, MA 01862
TEL. 800 FINE GAS • FAX (781) 395-9098 • www.medtechgases.com
40035 (01/15)

**OXYGEN, COMPRESSED USP
UN1072**

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. **DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

MEDTECH Since 1961
MEDICAL-TECHNICAL GASES, INC.
8 EXECUTIVE PARK DRIVE NORTH BILLERICA, MA 01862
TEL. 800 FINE GAS FAX (781) 395-9098 www.medtechgases.com

**OXYGEN,
COMPRESSED
USP**

UN1072

PRODUCED BY AIR LIQUEFACTION



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer to accordance with the Federal Food, Drug and Cosmetic Act. **DANGER: MAY CAUSE OR INTENSIFY FIRE, OXIDIZER. CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED.** Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only in the upright position. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 °C (125 °F). Read and follow the Safety Data Sheet (SDS) before use. **DO NOT REMOVE THIS PRODUCT LABEL.**

MEDTECH Since 1961
MEDICAL-TECHNICAL GASES, INC.
8 EXECUTIVE PARK DRIVE • NORTH BILLERICA, MA 01862
TEL. 800 FINE GAS • FAX (781) 395-9098 • www.medtechgases.com

CAS 7782-44-7



OXYGEN, COMPRESSED USP UN1072

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. **Caution:** Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCERLERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52 C (125 F). Use in accordance with the Material Safety Data Sheet (MSDS).

CAS: 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

MEDTECH Since 1961

MEDICAL-TECHNICAL GASES, INC.

8 EXECUTIVE PARK DRIVE NORTH BILLERICA, MA 01862

TEL. 800 FINE GAS FAX (781) 395-9098 www.medtechgases.com

**OXYGEN,
COMPRESSED
USP**

UN1072



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.**
Caution: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use a back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52°C (125°F). Use in accordance with the Material Safety Data Sheet (MSDS).
CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.



Medical-Technical Gases, Inc.
8 Executive Park Drive • North Billerica, MA 01862
Tel. 800 FINE GAS • Fax (781) 395-9098 40035
www.medtechgases.com R 07-12 (R 01/00)

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:10736-202
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10736-202-01	368 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
2	NDC:10736-202-02	765 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
3	NDC:10736-202-03	2379 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
4	NDC:10736-202-04	3596 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
5	NDC:10736-202-05	6909 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	
6	NDC:10736-202-06	9486 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1963	

7	NDC:10736-202-07	140 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1963	
8	NDC:10736-202-08	260 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1963	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205767	01/01/1963	

Labeler - MEDICAL-TECHNICAL GASES, INC. (019481373)

Establishment

Name	Address	ID/FEI	Business Operations
MEDICAL-TECHNICAL GASES, INC.		019481373	manufacture(10736-202)

Revised: 10/2023

MEDICAL-TECHNICAL GASES, INC.