

TOP MEDICATED - camphor (natural), menthol, methyl salicylate oil
A&A Medical Supplies

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Top Medicated Oil

Top Medicated Oil

Active Ingredients

Camphor 10%

Menthol 16%

Methyl Salicylate 50%

Purpose

External Analgesic

Uses

Temporarily relieves minor aches and pains of muscles and joints due to:

- simple backache
- strains
- bruises
- arthritis
- sprains

Warnings

For external use only

Do not use

- on wounds
- on irritated or damaged skin
- otherwise than as directed

When using this product

- avoid contact with the eyes or mucous membranes
- do not bandage tightly

Stop use and ask a doctor if:

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

- excessive irritation of the skin develops
- nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs

Keep out of reach of children

IF swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **adults and children 3 years of age and older:** apply 3 to 4 drops of medicated oil to the affected area 1 to 2 times daily. After applying the product, a warm pad may be placed on the affected area for 10 minutes and then massaged as shown in the illustrations.
- **children under 3 years of age:** consult your physician.
- **refer to the above warnings; use otherwise than as directed may be dangerous.**

Other Information

- store at 16 to 30 degrees C (16 to 86 degrees F)
- preserve in tight container

Inactive Ingredients

- Clove Oil
- Lavender Oil
- Turpentine Oil

Top Medicated Oil 1.7oz/50ml (67473-601-01)



超強活絡油
TOP MEDICATED OIL

Drug Facts	藥品資料
Active ingredients 有效成份 Camphor 10% 樟腦 Menthol 16% 薄荷腦 Methyl Salicylate 50% 水楊酸甲酯	Purpose 用途 External Analgesic 外用鎮痛藥 External Analgesic 外用鎮痛藥 External Analgesic 外用鎮痛藥
Uses 作用 Temporarily relieves minor aches and pains of muscles and joints due to: 暫時緩解因下列症狀引起的肌肉和關節輕微疼痛:	
<ul style="list-style-type: none"> • simple backache 普通背痛 • strains 損傷 	<ul style="list-style-type: none"> • arthritis 關節炎 • sprains 扭傷
Warnings 告誡 For external use only 只供外用	
Do not use 在下列情況下請勿使用	
<ul style="list-style-type: none"> • on wounds 傷口 • on irritated or damaged skin 過敏或破損的皮膚 • otherwise than as directed 說明以外的用途 	
When using this product 在使用本品時	
<ul style="list-style-type: none"> • avoid contact with the eyes or mucous membranes 避免接觸眼睛或黏膜 • do not bandage tightly 切勿用繃帶包紮過緊 	

Refer leaflet inside for details

DISTRIBUTED BY:
A&A MEDICAL SUPPLIES, INC.
S.E.I Monte, CA 91733 USA
MADE IN TAIWAN

ITEM NO. HK105



超強活絡油
TOP MEDICATED OIL

快速見效 **傷痛剋星**

TOP MEDICATED OIL. 1.7FL OZ(50ML)

外用
EXTERNAL
止痛
ANALGESIC

Drug Facts (continued)	藥品資料 (續)
nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs 噁心、嘔吐、腹瀉、或出現皮疹	藥品資料 (續)
Keep out of reach of children IF swallowed, get medical help or contact a Poison Control Center right away. 保存在兒童接觸不到的地方。 如果吞下，請立即就醫或聯絡毒物控制中心。	
Do not use and ask a doctor if 如出現下列情況應停止使用本品並諮詢醫生:	藥品資料 (續)
<ul style="list-style-type: none"> • condition worsens 情況惡化 • symptoms clear up and occur again within a few days 症狀消失後幾天內又再出現 • excessive irritation of the skin develops 皮膚出現過敏 	
Directions 用法	藥品資料 (續)
<ul style="list-style-type: none"> • adults and children 3 years of age and older: apply 3 to 4 drops of medicated oil to the affected area 1 to 2 times daily. After applying the product, a warm pad may be placed on the affected area for 10 minutes and then massaged as shown in the illustrations. 成人及3歲以上的兒童: 塗抹3至4滴藥油於患處，每次塗抹1至2次，每次二到四分鐘。 • children under 3 years of age: consult your physician. • refer to the above warnings; use otherwise than as directed may be dangerous. 	藥品資料 (續)
Other information 請參考上述告誡；若未按說明使用可能會導致危險。	藥品資料 (續)
<ul style="list-style-type: none"> • store at 16 to 30°C (16 to 86°F) • preserve in light container 	其他資訊
<ul style="list-style-type: none"> • Clove Oil 丁香油 • Lavender oil 薰衣草精油 • Turpentine Oil 松節油 	無藥效成份



TOP MEDICATED

camphor (natural), menthol, methyl salicylate oil

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50943-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	10 mL in 100 mL
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	16 mL in 100 mL
METHYL SALICYLATE (UNII: LAV5U5022Y) (METHYL SALICYLATE - UNII:LAV5U5022Y)	METHYL SALICYLATE	50 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CLOVE OIL (UNII: 578389D6D0)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
TURPENTINE OIL (UNII: C5H0QJ6V7F)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50943-001-01	50 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part348	05/24/2012	

Labeler - A&A Medical Supplies (801197380)**Registrant** - Sheng Chun Tang Pharmaceutical Industrial Co., Ltd. (656347754)**Establishment**

Name	Address	ID/FEI	Business Operations
Sheng Chun Tang Pharmaceutical Industrial Co., Ltd.		656347754	manufacture