

**ALLERGY RELIEF- cetirizine hydrochloride tablet**  
**BETTER LIVING BRANDS, LLC**

-----  
**692R\_Albertsons\_21130-712\_Cetirizine HCL Tablets 10mg**

***Drug Facts***

***Active ingredient (in each tablet)***

Cetirizine HCl 10 mg

***Purpose***

Antihistamine

***Uses***

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

***Warnings***

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients, or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking tranquilizers or sedatives.

***When using this product***

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

***If pregnant or breast-feeding***

- if breast-feeding: Not recommended
- if pregnant: Ask a health professional before use

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

***Directions***


adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- store between 20° to 25°C (68° to 77°F).

**Inactive ingredients** corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, titanium dioxide

**Questions or comments? 1-877-290-4008**



NDC 21130-712-12

Original Prescription Strength  
**Allergy Relief**  
**CETIRIZINE HYDROCHLORIDE TABLETS USP, 10 mg**

**24 HOUR Relief of:**

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat or Nose

Antihistamine  
**Indoor & Outdoor Allergies**

120 TABLETS

READ AND KEEP CARTON FOR COMPLETE PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING


**Drug Facts**

**Active ingredient (in each tablet) Purpose**  
Cetirizine HCl 10 mg.....Antihistamine  
**Uses** temporarily relieves these symptoms due to  
may fever or other upper respiratory allergies  
■ runny nose ■ sneezing ■ itchy, watery eyes  
■ itching of the nose or throat  
**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients, or to an antihistamine containing hydroxyzine.  
**if pregnant or breast-feeding** ■ if breast-feeding: Not recommended ■ if pregnant: Ask a health professional before use  
**Keep out of reach of children.**

**Directions**  
■ adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms ■ adults 65 years and over: ask a doctor ■ children under 6 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor

**Questions or comments? 1-877-290-4008**

**DISTRIBUTED BY:**  
BETTER LIVING BRANDS LLC  
P.O. BOX 99  
PLEASANTON, CA 94566-0099  
\*1-888-723-3929  
Made in India  
692R 0223  
S5934



RD 23049

LOVE IT

OR IT'S ON US

Varnish Omit Area

Lot No.:

Exp. Date:

Varnish  
Omit

Compare to  
Zyrtec® Tablets  
active ingredient†

NDC 21130-712-12



Quality  
Guaranteed

### Original Prescription Strength Allergy Relief

**CETIRIZINE HYDROCHLORIDE  
TABLETS USP, 10 mg**

Antihistamine  
Indoor & Outdoor  
Allergies

- 24 HOUR Relief of:
- Sneezing
  - Itchy, Watery Eyes
  - Runny Nose
  - Itchy Throat or Nose

Actual Size

120 TABLETS



NDC 21130-712-12

### Original Prescription Strength Allergy Relief

**CETIRIZINE HYDROCHLORIDE  
TABLETS USP, 10 mg**

Antihistamine  
Indoor & Outdoor  
Allergies

- 24 HOUR Relief of:
- Sneezing
  - Itchy, Watery Eyes
  - Runny Nose
  - Itchy Throat or Nose

120 TABLETS



TAPE EVIDENT - DO NOT USE THIS PRODUCT IF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE.

READ AND KEEP CARTON FOR COMPLETE PRODUCT INFORMATION

#### Drug Facts

**Active ingredient (in each tablet)**  
Cetirizine HCl 10 mg.....Antihistamine

**Purpose**

#### Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

#### Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients, or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

#### When using this product

- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

#### If pregnant or breast-feeding

- if breast-feeding: Not recommended

#### Drug Facts (continued)

■ if pregnant: Ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

adults and children 6 years and over one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

adults 65 years and over

ask a doctor

children under 6 years of age

ask a doctor

consumers with liver or kidney disease

ask a doctor

#### Other information

- store between 20° to 25°C (68° to 77°F)

#### Inactive ingredients

corn starch, hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, titanium dioxide

#### Questions or comments? 1-877-290-4008

†This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division, owner of registered trademark Zyrtec® Tablets.

Varnish/Print Omit Area

E827

Varnish  
Omit

DISTRIBUTED BY:  
BETTER LIVING BRANDS LLC  
P.O. BOX 99  
PLEASANTON, CA 94566-0099  
1-888-723-3929  
Made in India  
692R 0223

Scan here for more information



RD 23059 S5934



Lot No.: Varnish Omit  
Exp Date:



NDC 21130-712-09

### Original Prescription Strength Allergy Relief

**CETIRIZINE HYDROCHLORIDE  
TABLETS USP, 10 mg**

Antihistamine  
Indoor & Outdoor  
Allergies

- 24 HOUR Relief of:
- Sneezing
  - Itchy, Watery Eyes
  - Runny Nose
  - Itchy Throat or Nose

90 TABLETS

READ AND KEEP CARTON FOR COMPLETE PRODUCT INFORMATION

TAPE EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

#### Drug Facts

##### Active ingredient (in each tablet) Purpose

Cetirizine HCl 10 mg.....Antihistamine  
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies  
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

#### Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients, or to an antihistamine containing hydroxyzine.

If pregnant or breast-feeding: Not recommended ■ if pregnant: Ask a health professional before use

Keep out of reach of children.

#### Directions

adults and children 6 years and over: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms ■ adults 65 years and over: ask a doctor ■ children under 6 years of age: ask a doctor ■ consumers with liver or kidney disease: ask a doctor

#### Questions or comments? 1-877-290-4008

DISTRIBUTED BY: BETTER LIVING BRANDS LLC  
P.O. BOX 99, PLEASANTON, CA 94566-0099  
1-888-723-3929

Made in India  
692R 0223 S5934



RD 23049  
LOVE IT  
OR IT'S ON US

Varnish Omit Area

Lot No.:  
Exp Date:

Signature Care  
**Allergy Relief**  
 CETIRIZINE HYDROCHLORIDE  
 TABLETS USP, 10 mg  
 Antihistamine



Coating/  
 Print Omit Area



**READ AND KEEP CARTON FOR COMPLETE PRODUCT INFORMATION**

<p><b>Drug Facts</b></p> <p><b>Active ingredient (in each tablet)</b>          Cetirizine HCl 10 mg</p> <p><b>Purpose</b>          Antihistamine</p> <p><b>Uses</b>          temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:          • runny nose • sneezing • itchy, watery eyes          • itching of the nose or throat</p> <p><b>Warnings</b>          Do not use if you have ever had an allergic reaction to this product or any of its ingredients, or to an antihistamine containing hydroxyzine.</p> <p>Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.</p> <p>Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.</p> <p><b>When using this product</b>          • drowsiness may occur • avoid alcoholic drinks          • alcohol, sedatives, and tranquilizers may increase drowsiness          • be careful when driving a motor vehicle or operating machinery</p> <p><b>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</b></p> <p><b>If pregnant or breast-feeding</b>          • if breast-feeding: Not recommended</p>	<p><b>Drug Facts (continued)</b></p> <p>• If pregnant: Ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p> <p><b>Directions</b>          adults and children 6 years and over one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.</p> <p>adults 65 years and over ask a doctor          children under 6 years of age ask a doctor          consumers with liver or kidney disease ask a doctor</p> <p><b>Other information</b>          • store between 20° to 25°C (68° to 77°F)</p> <p><b>Inactive ingredients</b>          corn starch, hydroxypropylcellulose, lactose monohydrate, magnesium stearate, polyethylene glycol, povidone, titanium dioxide</p> <p><b>Questions or comments? 1-877-299-4008</b></p> <p><b>TAMPA EVIDENCE: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING</b></p>
---	--

Coating/Print Omit Area



**Allergy Relief**  
 CETIRIZINE HYDROCHLORIDE  
 TABLETS USP, 10 mg  
 Antihistamine  
 Indoor & Outdoor  
 Allergies

- 24 HOUR Relief of:**
- Sneezing
  - Itchy, Watery Eyes
  - Runny Nose
  - Itchy Throat or Nose



**VALUE PACK**



Original Prescription Strength  
**Allergy Relief**  
 CETIRIZINE HYDROCHLORIDE  
 TABLETS USP, 10 mg

Antihistamine  
 Indoor & Outdoor  
 Allergies

- 24 HOUR Relief of:**
- Sneezing
  - Itchy, Watery Eyes
  - Runny Nose
  - Itchy Throat or Nose

Compare to Zyrtec® Tablets active ingredient\*  
 NDC 21130-712-81

Actual Size  
 2 - 90 Count Bottles  
**180 TABLETS**



\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division, owner of registered trademark Zyrtec®



Lot No:  
 Exp. Date:

Coating/Print Omit Area

Coating/  
 Print Omit Area



Scan here for more information



Lot No.:  
Exp Date:

Varnish  
Omit Area

**Drug Facts**

**Active ingredient**  
(in each tablet) Cetirizine HCl 10 mg

**Purpose**  
Antihistamine

**Uses**  
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: sneezing, itchy, watery eyes, itchy nose, itchy throat, itchy, watery nose, congestion of the nose or throat.

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.  
Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.  
Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.  
When using this product:  
● drowsiness may occur  
● alcohol, sedatives, and tranquilizers may increase drowsiness.  
● Do not drive or operate machinery when driving a motor vehicle or operating machinery.  
Stop use and ask a doctor if an allergic reaction to the medicine occurs.

**Directions**  
Adults and children 6 years and over: one 10 mg tablet once daily, do not take more than one 10 mg tablet in 24 hours. As 5 mg product may be appropriate for less severe symptoms.  
Adults 65 years and over: ask a doctor and/or pharmacist.  
Children under 6 years of age: ask a doctor.  
Consumers with liver or kidney disease: ask a doctor.

**Other information**  
● Store between 20° to 25° (68° to 77° F).

**Inactive ingredients**  
lactose monohydrate, magnesium stearate, polyethylene glycol, polydome, titanium dioxide.

**Questions or comments?** call 1-877-290-4068

**Drug Facts (continued)**  
Product occurs. Seek medical help right away.  
If pregnant or breast-feeding: ask a health professional before use.  
It may affect the drug, not recommended.  
Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center right away (1-800-222-1222).

TAMPER EVIDENT: EACH TABLET IS SAFETY SEALED. DO NOT USE IF BLISTER OR FOIL IS BROKEN OR MISSING. READ AND KEEP CARTON FOR COMPLETE WARNINGS AND INFORMATION.

This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division, owner of registered trademark Zyrtec® Tablets.  
DISTRIBUTED BY: BETTER LIVING BRANDS LLC  
P.O. BOX 99, PLEASANTON, CA 94566-0099  
1-888-888-723-3929  
MADE IN INDIA 692R 0323



Quality Guaranteed

Compare to Zyrtec® Tablets active ingredient!  
NDC 21130-712-46

Original Prescription Strength  
**Allergy Relief**  
CETIRIZINE HYDROCHLORIDE TABLETS USP, 10 mg  
Antihistamine  
Indoor & Outdoor Allergies

- 24 HOUR Relief of:
- Sneezing
  - Itchy, Watery Eyes
  - Runny Nose
  - Itchy Throat or Nose

Actual Size



14 TABLETS





NDC 21130-712-58

# Original Prescription Strength Allergy Relief

## CETIRIZINE HYDROCHLORIDE TABLETS USP, 10 mg

- 24 HOUR Relief of:**
- Sneezing
  - Itchy, Watery Eyes
  - Runny Nose
  - Itchy Throat or Nose

Antihistamine  
**Indoor & Outdoor Allergies**

**45 TABLETS**

**READ AND KEEP CARTON FOR COMPLETE PRODUCT INFORMATION**

**TAMPER EVIDENCE: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**

### Drug Facts

**Active ingredient (in each tablet)** Purpose  
Cetirizine HCl 10 mg.....Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies  
■ runny nose ■ sneezing ■ itchy, watery eyes  
■ itching of the nose or throat

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients, or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have liver or kidney disease.** Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives**

**When using this product**  
■ drowsiness may occur ■ avoid alcoholic drinks

*Drug Facts (continued under label)*

**DISTRIBUTED BY: BETTER LIVING BRANDS LLC**  
P.O. BOX 99, PLEASANTON, CA 94566-0099  
†1-888-723-3929

Made in India  
692R 0223  
S5934

Lot No.:  
**FEEL HERE**  
Exp. Date:

**Varnish Omit Area**

RD 23054



how2recycle.info

**LOVE IT**  
**OR IT'S ON US:**

**Adhesive Area**

*Questions or comments? 1-877-290-4008*

#### Other information

- store between 20° to 25°C (68° to 77°F).

adults and children 6 years and over

ask a doctor

ask a doctor

ask a doctor

one 10 mg tablet once daily, do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

#### Directions

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Use if pregnant or breast-feeding: Not recommended  
■ if breast-feeding: Not recommended  
■ if pregnant: Ask a health professional before use

#### Drug Facts (continued)

- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery





Adhesive Area



how2recycle.info

**LOVE IT**  
OR IT'S ON US\*

Questions or comments? 1-877-290-4008

**Other Information**  
■ store between 20° to 25°C (68° to 77°F),  
and over

**Directions**  
adults and children 6 years and over: take one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.  
adults 65 years and over: ask a doctor  
children under 6 years of age: ask a doctor  
consumers with liver or kidney disease: ask a doctor

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Use**  
■ if pregnant: Ask a health professional before use  
■ if pregnant or breastfeeding: Not recommended  
■ be careful when driving a motor vehicle or operating machinery

**When using this product**  
■ drowsiness may occur ■ avoid alcoholic drinks

**Drug Facts (continued)**  
■ alcohol, sedatives, and tranquilizers may increase drowsiness  
■ be careful when driving a motor vehicle or operating machinery

**Drug Facts (continued)**  
■ avoid alcoholic drinks  
■ drowsiness may occur



Quality Guaranteed

NDC 2130-712-03

Original Prescription Strength  
**Allergy Relief**  
CETIRIZINE HYDROCHLORIDE  
TABLETS USP, 10 mg

**24 HOUR Relief of:**  
• Sneezing  
• Itchy, Watery Eyes  
• Runny Nose  
• Itchy Throat or Nose

Antihistamine  
**Indoor & Outdoor Allergies**

**30 TABLETS**

READ AND KEEP CARTON FOR COMPLETE PRODUCT INFORMATION

**TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**

**Drug Facts**

**Active ingredient (in each tablet)**  
Cetirizine HCl 10 mg

**Purpose**  
Antihistamine

**Uses**  
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients, or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have liver or kidney disease.** Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives**

**When using this product**  
■ drowsiness may occur ■ avoid alcoholic drinks

**Drug Facts (continued under label)**

**DISTRIBUTED BY: BETTER LIVING BRANDS LLC**  
P.O. BOX 99, PLEASANTON, CA 94566-0099  
1-888-723-3929  
Made in India  
SS934 RD 23060

**Varnish Omit Area**  
Lot No.:  
Exp Date:



Varnish/Print Omit Area

E826

Varnish Omit

Compare to Zyrtec® Tablets active ingredient  
NDC 2130-712-03

Quality Guaranteed

Original Prescription Strength  
**Allergy Relief**  
CETIRIZINE HYDROCHLORIDE  
TABLETS USP, 10 mg

Antihistamine  
**Indoor & Outdoor Allergies**

**24 HOUR Relief of:**  
• Sneezing  
• Itchy, Watery Eyes  
• Runny Nose  
• Itchy Throat or Nose

Actual Size

**30 TABLETS**

Varnish Omit

Compare to Zyrtec® Tablets active ingredient  
NDC 2130-712-03

Quality Guaranteed

Original Prescription Strength  
**Allergy Relief**  
CETIRIZINE HYDROCHLORIDE  
TABLETS USP, 10 mg

Antihistamine  
**Indoor & Outdoor Allergies**

**24 HOUR Relief of:**  
• Sneezing  
• Itchy, Watery Eyes  
• Runny Nose  
• Itchy Throat or Nose

Actual Size

**30 TABLETS**



READ AND KEEP CARTON FOR COMPLETE PRODUCT INFORMATION  
**TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING**

**Drug Facts**

**Active ingredient (in each tablet)**  
Cetirizine HCl 10 mg

**Purpose**  
Antihistamine

**Uses**  
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients, or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have liver or kidney disease.** Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives**

**When using this product**  
■ drowsiness may occur ■ avoid alcoholic drinks

**Drug Facts (continued)**

**Directions**  
adults and children 6 years and over: take one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.

**adults 65 years and over:** ask a doctor  
**children under 6 years of age:** ask a doctor  
**consumers with liver or kidney disease:** ask a doctor

**Other information**  
■ store between 20° to 25°C (68° to 77°F)

**Inactive ingredients:** corn starch, hypromellose, lactose monohydrate, magnesium chloride, polyethylene glycol, polyvinylpyrrolidone, titanium dioxide

**Questions or comments?** 1-877-290-4008

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., McNeil Consumer Healthcare Division, owner of registered trademark Zyrtec® Tablets.

**DISTRIBUTED BY: BETTER LIVING BRANDS LLC**  
P.O. BOX 99, PLEASANTON, CA 94566-0099  
1-888-723-3929

MADE IN INDIA 692R 0223

Scan here for more information



RD 23060 SS934



Lot No.:  
Exp Date:

Varnish Omit

**ALLERGY RELIEF**



cetirizine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-712
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
STARCH, CORN (UNII: O8232NY3SJ)	

### Product Characteristics

<b>Color</b>	white (White to off white)	<b>Score</b>	no score
<b>Shape</b>	RECTANGLE (Rounded-off, rectangular shaped tablet)	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	J;220
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-712-58	1 in 1 CARTON	05/31/2023	
1		45 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:21130-712-03	1 in 1 CARTON	05/31/2023	
2		30 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:21130-712-46	1 in 1 CARTON	06/26/2023	
3		14 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:21130-712-81	2 in 1 CARTON	06/23/2023	
4	NDC:21130-712-09	90 in 1 BOTTLE; Type 0: Not a Combination Product		
	NDC:21130-			

5	NDC: 21130-712-12	1 in 1 CARTON	08/30/2023	
5		120 in 1 BOTTLE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>		<b>Marketing Start Date</b>	<b>Marketing End Date</b>
ANDA	ANDA078933		05/31/2023	

**Labeler** - BETTER LIVING BRANDS, LLC (009137209)

**Registrant** - TIME CAP LABORATORIES, INC. (037052099)

**Establishment**

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(21130-712)

Revised: 10/2023

BETTER LIVING BRANDS, LLC