### **LEDUM PALUSTRE- ledum palustre pellet Hahnemann Laboratories, INC.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

### LEDUM PALUSTRE 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### **LEDUM PALUSTRE 30C**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5

pellets orally once Inactive ingredients: sucrose

## LEDUM PALUSTRE 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## LEDUM PALUSTRE 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## LEDUM PALUSTRE 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### **LEDUM PALUSTRE** 100C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5

sucrose

00000

pellets orally once Inactive ingredients:

### LEDUM PALUSTRE 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### LEDUM PALUSTRE 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### LEDUM PALUSTRE 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional. **Keep out of reach of children.** 

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

### **LEDUM PALUSTRE** 200C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5

00000

sucrose

pellets orally once

Inactive ingredients:

## LEDUM PALUSTRE 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## LEDUM PALUSTRE 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## LEDUM PALUSTRE 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### LEDUM PALUSTRE 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5
pellets orally once

||||||||||||||| 00000

Inactive ingredients:

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael,
TWIST TO OPEN - USE ONLY IF SEA

### LEDUM PALUSTRE 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### LEDUM PALUSTRE 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### LEDUM PALUSTRE 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### **LEDUM PALUSTRE 1M**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as headache. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

### LEDUM PALUSTRE 10M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as headache.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEAL

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

### LEDUM PALUSTRE LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

#### **LEDUM PALUSTRE**

ledum palustre pellet

	 _	
Droa	ntarm	STIAN
FICO	nform	alkii

Product Type HUMAN OTC DRUG

Item Code (Source)

NDC:37662-1744

**Route of Administration** 

ORAL

**Active Ingredient/Active Moiety** 

Ingredient Name	<b>Basis of Strength</b>	Strength
RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P)	RHODODENDRON	100 [hp_C]
(RHODODENDRON TOMENTOSUM LEAFY TWG - UNII:877L01IZ0P)	TOMENTOSUM LEAFY TWG	100 [lib_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 1744-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022			
2	NDC:37662- 1744-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022			
3	NDC:37662- 1744-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022			
4	NDC:37662- 1744-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022			

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		10/19/2022			

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1745		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P) (RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ0P)	RHODODENDRON TOMENTOSUM LEAFY TWG	200 [hp_C]		

#### **Inactive Ingredients**

Ingredient Na	me
---------------	----

SUCROSE (UNII: C151H8M554)

gredient Name	Strength

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

ı	Packaging				
-	# Item Code Package Description		Marketing Start Date	Marketing End Date	
:	NDC:37662- 1745-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022		
:	NDC:37662- 1745-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022		
:	NDC:37662- 1745-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022		
	NDC:37662- 1745-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		10/19/2022				

#### **LEDUM PALUSTRE**

ledum palustre pellet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1747		
Route of Administration	ORAL				

l	Active Ingredient/Active Moiety					
l	Ingredient Name	Basis of Strength	Strength			
	RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P) (RHODODENDRON TOMENTOSUM LEAFY TWG - UNII:877L01IZ0P)	RHODODENDRON TOMENTOSUM LEAFY TWG	1 [hp_M]			

#### **Inactive Ingredients**

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging						
#	Item Code Package Description		Marketing Start Date	Marketing End Date			
1	NDC:37662- 1747-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022				
2	NDC:37662- 1747-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022				
3	NDC:37662- 1747-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022				
4	NDC:37662- 1747-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022				

Marketing Information						
Marketing Category	Marketing Start Date	Marketing End Date				
unapproved homeopathic		10/19/2022				

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1749	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety					
l	Ingredient Name	<b>Basis of Strength</b>	Strength			
	RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P) (RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ0P)	RHODODENDRON TOMENTOSUM LEAFY TWG	1 [hp_Q]			

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	1mm		
Flavor		Imprint Code			
Contains					

ı	Packaging					
	# Item Co	de Pac	kage Description	Marketii Da	ng Start ite	Marketing End Date
	<b>1</b> NDC:37662	2- 10000 in 1 BOTTI Combination Prod	LE, GLASS; Type 0: Not a duct	10/19/2022		

Marketing Information				
Marketing Category	Marketing Start Date	Marketing End Date		
unapproved homeopathic		10/19/2022		
nomeopathic				

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1741	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety				
l	Ingredient Name	<b>Basis of Strength</b>	Strength		
	RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P) (RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ0P)	RHODODENDRON TOMENTOSUM LEAFY TWG	6 [hp_C]		

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 1741-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022		
2	NDC:37662- 1741-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022		
3	NDC:37662- 1741-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/19/2022		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1746	
Route of Administration	ORAL			

l	Active Ingredient/Active Moiety				
l	Ingredient Name	<b>Basis of Strength</b>	Strength		
	RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P) (RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ0P)	RHODODENDRON TOMENTOSUM LEAFY TWG	500 [hp_C]		

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC:37662-	200 in 1 VIAL, GLASS; Type 0: Not a Combination	10/10/2022	

1	1746-1	Product	10/19/2022	
2	NDC:37662- 1746-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022	
3	NDC:37662- 1746-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022	
4	NDC:37662- 1746-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022	

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	10/19/2022				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

ledum palustre pellet

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-1743

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name

RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P)
(RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ0P)

RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ0P)

RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ0P)

Strength

RHODODENDRON
TOMENTOSUM LEAFY TWIG

Inactive Ingredients

Ingredient Name

Sucrose (UNII: C151H8M554)

Sucrose (UNII: C151H8M554)

# Product Characteristics Color white Score no score Shape ROUND Size 3mm Flavor Imprint Code Contains

P	Packaging						
#	# Item Code Package Description		Marketing Start Date	Marketing End Date			
1	NDC:37662- 1743-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022				
2	NDC:37662- 1743-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022				

3	NDC:37662- 1743-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022	
4	NDC:37662- 1743-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		10/19/2022			

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1748		
Route of Administration	ORAL				

l	Active Ingredient/Active Moiety					
l	Ingredient Name	Basis of Strength	Strength			
	RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P) (RHODODENDRON TOMENTOSUM LEAFY TWG - UNII:877L01IZ0P)	RHODODENDRON TOMENTOSUM LEAFY TWG	10 [hp_M]			

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics						
Color white Score no score						
Shape	ROUND	Size	2mm			
Flavor		Imprint Code				
Contains						

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 1748-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022			
2	NDC:37662- 1748-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022			
3	NDC:37662- 1748-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022			
л	NDC:37662-	10000 in 1 BOTTLE, GLASS; Type 0: Not a	10/10/2022			

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved homeopathic		10/19/2022				
nomeopatnic						

ledum palustre pellet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1742		
Route of Administration	ORAL				

l	Active Ingredient/Active Moiety				
l	Ingredient Name	<b>Basis of Strength</b>	Strength		
	RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ 0P) (RHODODENDRON TOMENTOSUM LEAFY TWIG - UNII:877L01IZ 0P)	RHODODENDRON TOMENTOSUM LEAFY TWG	12 [hp_C]		

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

Packaging					
#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:37662- 1742-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/19/2022		
2	NDC:37662- 1742-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022		
3	NDC:37662- 1742-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/19/2022		

#### **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/19/2022	

#### Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-1741, 37662-1742, 37662-1743, 37662-1744, 37662-1745, 37662-1746, 37662-1747, 37662-1748, 37662-1749)

Revised: 10/2022 Hahnemann Laboratories, INC.